acc. to Safe Work Australia - Code of Practice

# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031 date of compilation: 2021-08-30 Version: GHS 2.0 en Revision: 2024-03-01

Replaces version of: 2021-08-30

Version: (GHS 1)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Lanthanum(III) acetate hydrate ROTI®REMET-

IC 99,9 %

Article number 7031

CAS number 25721-92-0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

e-mail (competent person):

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

#### 2.2 **Label elements**

# Labelling

Page 1 / 13 Australia (en)

acc. to Safe Work Australia - Code of Practice



# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

Signal word Danger

**Pictograms** 

GHS05



# **Hazard statements**

H318 Causes serious eye damage

# **Precautionary statements**

# **Precautionary statements - prevention**

P280 Wear eye protection/face protection

# **Precautionary statements - response**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER or doctor/physician

#### 2.3 Other hazards

## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Name of substance Lanthanum(III) acetate hydrate

Molecular formula  $C_6H_9LaO_3 \cdot x H2O$ 

Molar mass  $316.1 \, {}^{\text{g}}\text{/}_{\text{mol}}$  CAS No 25721-92-0

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

# Following inhalation

Provide fresh air.

Australia (en) Page 2 / 13

acc. to Safe Work Australia - Code of Practice

# ROTH

# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

# Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

# Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

Risk of blindness, Risk of serious damage to eyes

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media



# Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

# 5.2 Special hazards arising from the substance or mixture

None.

# **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

# 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice

# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

# 6.3 Methods and material for containment and cleaning up

# Advice on how to contain a spill

Covering of drains. Take up mechanically.

# Advice on how to clean up a spill

Take up mechanically. Control of dust.

# Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid dust formation.

# Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

# **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice:

# Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

# 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

# **National limit values**

# **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

# **Environmental values**

Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.6 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.06 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
PNEC	7.08 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	13.2 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice



# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

# **Relevant PNECs and other threshold levels**

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	1.32 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.93 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

# Individual protection measures (personal protective equipment)

# **Eye/face protection**





Use safety goggle with side protection.

# Skin protection





# hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

# type of material

NBR (Nitrile rubber)

# material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Australia (en) Page 5 / 13

acc. to Safe Work Australia - Code of Practice

# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

# **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline Colour white

Odour characteristic Melting point/freezing point not determined Boiling point or initial boiling point and boiling not determined

range

this material is combustible, but will not ignite **Flammability** 

readily

Lower and upper explosion limit not determined Flash point not applicable

Auto-ignition temperature 324 °C at 1,013 hPa (anhydrous) (ECHA)

Decomposition temperature 300 °C (anhydrous) (ECHA)

pH (value) not applicable Kinematic viscosity not relevant

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

1.64 <sup>g</sup>/<sub>cm³</sub> at 21.6 °C Density

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS classes:

(physical hazards): not relevant

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice



# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

Other safety characteristics:

There is no additional information.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

This material is not reactive under normal ambient conditions.

# 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

# 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 300 °C.

# 10.5 Incompatible materials

There is no additional information.

# 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

# Classification acc. to GHS

### **Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

#### **Acute toxicity Exposure route** Method **Endpoint Value Species Source** 10,000 <sup>mg</sup>/<sub>kg</sub> oral LD50 rat **ECHA** dermal LD50 >2,000 <sup>mg</sup>/<sub>ka</sub> **ECHA** rat

# Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

# Serious eye damage/eye irritation

Causes serious eye damage.

# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

# Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Australia (en) Page 7 / 13

acc. to Safe Work Australia - Code of Practice

# ROTH

# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

# **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

# • If in eyes

Causes serious eye damage, risk of blindness

#### If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### Other information

none

# 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	0.42 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
ErC50	0.79 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

# 12.2 Persistence and degradability

## **Biodegradation**

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
carbon dioxide generation	77 %	28 d

# 12.3 Bioaccumulative potential

Data are not available.

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice

# ROTH

# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

# 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

# Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

# 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

#### 14.1 UN number

UN RTDGUN 3077IMDG-CodeUN 3077ICAO-TIUN 3077

# 14.2 UN proper shipping name

**UN RTDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

ICAO-TI Environmentally hazardous substance, solid,

n.o.s.

Technical name Lanthanum(III) acetate hydrate

# 14.3 Transport hazard class(es)

UN RTDG 9

Australia (en) Page 9 / 13

acc. to Safe Work Australia - Code of Practice



# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

IMDG-Code 9
ICAO-TI 9

14.4 Packing group

UN RTDG III IMDG-Code III ICAO-TI III

**14.5 Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 <u>Information for each of the UN Model Regulations</u>

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 3077
Class 9

Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

**Danger label(s)** 9
Fish and tree

**Special provisions (SP)** 274, 331, 335, 375

UN RTDG

Excepted quantities (EQ) E1

ŪN RTDG

Limited quantities (LQ) 5 kg

**UN RTDG** 

Emergency Action Code 2Z

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the shipper's declaration UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Lanthanum(III) acetate

hydrate), 9, III

Marine pollutant yes (hazardous to the aquatic environment), (Lanthanum(III)

acetate hydrate)

Danger label(s) 9, "Fish and tree"



Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice



# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 kg F-A, S-F **EmS** 

Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Environmentally hazardous substance, solid,

Particulars in the shipper's declaration UN3077, Environmentally hazardous substance,

solid, n.o.s., (Lanthanum(III) acetate hydrate), 9,

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1

Limited quantities (LQ) 30 kg

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status	
CA	DSL	substance is listed	
CN	IECSC	substance is listed	
EU	ECSI	substance is listed	
EU	REACH Reg.	substance is listed	
JP	CSCL-ENCS	substance is listed	
KR	KECI	substance is listed	
TW	TCSI	substance is listed	
US	TSCA	substance is listed (ACTIVE)	
VN	NCI	substance is listed	

Legend

List of Existing and New Chemical Substances (CSCL-ENCS) CSCL-ENCS

DSL ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC** 

Page 11 / 13 Australia (en)

acc. to Safe Work Australia - Code of Practice



# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

Legend

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2Z	yes
15.1		National inventories: change in the listing (table)	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice



# Lanthanum(III) acetate hydrate ROTI®REMETIC 99,9 %

article number: 7031

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

# Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H318	Causes serious eye damage.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13