acc. to Safe Work Australia - Code of Practice

Celery oil



article number: **7040** Version: **GHS 3.0 en** Replaces version of: 2024-02-23 Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Celery oil
Article number	7040
CAS number	89997-35-3
Alternative name(s)	Oleum Apii

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

date of compilation: 2021-06-30 Revision: 2024-03-04

acc. to Safe Work Australia - Code of Practice

Celery oil

® Roth

article number: 7040

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS07, GHS08



Hazard statements

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction

Precautionary statements

Precautionary statements - prevention

P210Keep away from heat/sparks/open flames/hot surfaces. - No smokingP280Wear protective gloves

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302+P352	IF ON SKIN: Wash with plenty of soap and water
P331	Do NOT induce vomiting
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

Hazardous ingredients for labelling: D-(+)-Limonene, DL-α-Pinene, Myrcene, β-Pinene

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040

SECTION 3: Composition/information on ingredients

3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance	Celery oil
CAS No	89997-35-3

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
D-(+)-Limonene	CAS No 5989-27-5	50 - < 75
Myrcene	CAS No 123-35-3	1-<5
ß-Pinene	CAS No 127-91-3	0.9 - < 1
DL-a-Pinene	CAS No 80-56-8	0.9 - < 1

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none





acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040

6.4 Reference to other sections


Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

elevant DNELs of components									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
D-(+)-Limonene	5989-27-5	DNEL	66.7 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			



acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040



Relevant DNELs of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time		
D-(+)-Limonene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
ß-Pinene	127-91-3	DNEL	5.69 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
ß-Pinene	127-91-3	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
ß-Pinene	127-91-3	DNEL	54 µg/cm²	human, dermal	worker (industry)	chronic - local ef- fects		
DL-α-Pinene	80-56-8	DNEL	3.8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
DL-α-Pinene	80-56-8	DNEL	0.542 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
D-(+)-Limonene	5989-27-5	PNEC	14 ^{µg} /I	aquatic organ- isms	freshwater	short-term (single instance)	
D-(+)-Limonene	5989-27-5	PNEC	1.4 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
D-(+)-Limonene	5989-27-5	PNEC	1.8 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
D-(+)-Limonene	5989-27-5	PNEC	3.85 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
D-(+)-Limonene	5989-27-5	PNEC	0.385 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
D-(+)-Limonene	5989-27-5	PNEC	0.763 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
ß-Pinene	127-91-3	PNEC	1.004 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
ß-Pinene	127-91-3	PNEC	0.1 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
ß-Pinene	127-91-3	PNEC	3.26 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
ß-Pinene	127-91-3	PNEC	0.337 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
ß-Pinene	127-91-3	PNEC	0.034 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
ß-Pinene	127-91-3	PNEC	0.067 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
DL-a-Pinene	80-56-8	PNEC	0.606 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
DL-α-Pinene	80-56-8	PNEC	0.061 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)	

acc. to Safe Work Australia - Code of Practice

Celery oil

® §ROTH

article number: 7040

Relevant PNECs of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
DL-α-Pinene	80-56-8	PNEC	0.2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
DL-α-Pinene	80-56-8	PNEC	157 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
DL-α-Pinene	80-56-8	PNEC	15.7 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
DL-α-Pinene	80-56-8	PNEC	31.7 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

≥0,3 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	yellowish brown
Odour	characteristic
Melting point/freezing point	-74 °C
Boiling point or initial boiling point and boiling range	175 °C
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	39 g/m³ (LEL) - 345 g/m³ (UEL) / 0.7 vol% (LEL) - 6.1 vol% (UEL)
Flash point	56 °C
Auto-ignition temperature	245 °C
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	2 hPa at 25 °C
Density and/or relative density	
Density	0.88 ^g / _{cm³}
Relative vapour density	Information on this property is not available.
	· · · -
Particle characteristics	not relevant (liquid)



acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040



	Other safety parameters						
	Oxidising properties	none					
9.2	Other information						
	Information with regard to physical hazard classes:	There is no additional information.					
	Other safety characteristics:	There is no additional information.					

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed.

Acute toxicity estimate (ATE) of components

• • •			
Name of substance	CAS No	Exposure route	ΑΤΕ
DL-a-Pinene	80-56-8	oral	1,000 ^{mg} / _{kg}

acc. to Safe Work Australia - Code of Practice



Celery oil

article number: 7040

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
D-(+)-Limonene	5989-27-5	oral	LD50	>2,000 ^{mg} / _{kg}	rat
Myrcene	123-35-3	oral	LD50	>3,380 ^{mg} / _{kg}	mouse
Myrcene	123-35-3	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit
ß-Pinene	127-91-3	oral	LD50	4,700 ^{mg} / _{kg}	rat
DL-a-Pinene	80-56-8	dermal	LD50	>2,000 ^{mg} / _{kg}	rat
DL-a-Pinene	80-56-8	oral	LD50	3,700 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

aspiration hazard

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

none

acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
D-(+)-Limonene	5989-27-5	LC50	0.46 ^{mg} / _l	fish	96 h
D-(+)-Limonene	5989-27-5	EC50	0.307 ^{mg} / _l	aquatic invertebrates	48 h
D-(+)-Limonene	5989-27-5	ErC50	0.32 ^{mg} / _l	algae	72 h
Myrcene	123-35-3	EC50	1.47 ^{mg} / _l	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0.31 ^{mg} / _l	algae	72 h
Myrcene	123-35-3	ErC50	0.342 ^{mg} / _l	algae	72 h
ß-Pinene	127-91-3	LC50	0.68 ^{mg} / _l	rainbow trout (Onco- rhynchus mykiss)	96 h
ß-Pinene	127-91-3	EC50	1.09 ^{mg} / _l	daphnia magna	48 h
ß-Pinene	127-91-3	ErC50	0.7 ^{mg} / _l	Pseudokirchneriella subcapitata	72 h
DL-α-Pinene	80-56-8	LC50	0.303 ^{mg} / _l	fish	96 h
DL-a-Pinene	80-56-8	EC50	0.475 ^{mg} / _l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
D-(+)-Limonene	5989-27-5	EC50	<0.67 ^{mg} / _l	fish	8 d
D-(+)-Limonene	5989-27-5	EC50	188 ^{µg} / _l	aquatic invertebrates	21 d
ß-Pinene	127-91-3	EC50	326 ^{mg} / _l	microorganisms	3 h

12.2 Persistence and degradability

2.654 ^{mg}/_{mg}

Biodegradation

The substance is readily biodegradable.

acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040

Degradability of components						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
D-(+)-Limonene	5989-27-5	carbon dioxide generation	58.8 %	14 d		ECHA
D-(+)-Limonene	5989-27-5	oxygen deple- tion	80 %	28 d		ECHA
Myrcene	123-35-3	oxygen deple- tion	76 %	28 d		ECHA
ß-Pinene	127-91-3	oxygen deple- tion	76 %	28 d		ECHA
DL-α-Pinene	80-56-8	oxygen deple- tion	68 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
D-(+)-Limonene	5989-27-5		4.38 (pH value: 7.2, 37 °C)	
Myrcene	123-35-3		4.82 (pH value: ~6.5, 30 °C)	
DL-a-Pinene	80-56-8		4.83	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.



acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040



Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

	UN RTDG	UN 1993
	IMDG-Code	UN 1993
	ICAO-TI	UN 1993
14.2	UN proper shipping name	
	UN RTDG	FLAMMABLE LIQUID, N.O.S.
	IMDG-Code	FLAMMABLE LIQUID, N.O.S.
	ICAO-TI	Flammable liquid, n.o.s.
	Technical name	D-(+)-Limonene, 7-METHYL-3-METHYLEN-1,6- OCTADIENE
14.3	Transport hazard class(es)	
	UN RTDG	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	UN RTDG	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user There is no additional information.	
14.7	Transport in bulk according to IMO instruments	
	The cargo is not intended to be carried in bulk.	

14.8 Information for each of the UN Model Regulations

acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040



Transport informationNational regulations	Additional information(UN RTDG)
UN number	1993
Class	3
Environmental hazards	Yes Hazardous to the aquatic environment
Packing group	III
Danger label(s)	3 Fish and tree
Special provisions (SP)	223, 274 UN RTDG
Excepted quantities (EQ)	E1 UN RTDG
Limited quantities (LQ)	5 L UN RTDG
Emergency Action Code	3Y
International Maritime Dangerous Goods Co	ode (IMDG) - Additional information
Proper shipping name	FLAMMABLE LIQUID, N.O.S.
Particulars in the shipper's declaration	UN1993, FLAMMABLE LIQUID, N.O.S., (contains: D-(+)-Limonene, 7-METHYL-3-METHYLEN-1,6- OCTADIENE), 3, III, 56°C c.c., MARINE POLLUTAN
Marine pollutant	YES (hazardous to the aquatic environment), (D-(+)-Limonen
Danger label(s)	3, "Fish and tree"
Special provisions (SP)	223, 274, 955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, <u>S-E</u>
Stowage category	A
International Civil Aviation Organization (IC	AO-IATA/DGR) - Additional information
Proper shipping name	Flammable liquid, n.o.s.
Particulars in the shipper's declaration	UN1993, Flammable liquid, n.o.s., (contains: D-(+) Limonene, 7-METHYL-3-METHYLEN-1,6- OCTADIENE), 3, III
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	3

acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040

Excepted quantities (EQ)

E1

Limited quantities (LQ)

10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
РН	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed
Legend	Australian Inventory of In	

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EÌNEĆS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act



acc. to Safe Work Australia - Code of Practice

Celery oil

article number: 7040

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water



acc. to Safe Work Australia - Code of Practice



Celery oil

article number: 7040

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UEL	Upper explosion limit (UEL)
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.