Safety data sheet

acc. to Safe Work Australia - Code of Practice

Peppermint oil pure, Italian

article number: **7063**
Version: **GHS 2.0 en**
Replaces version of: 2021-03-09
Version: (GHS 1)

date of compilation: 2021-03-09
Revision: 2024-03-04

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	**Peppermint oil** pure, Italian
Article number	7063
CAS number	8006-90-4
Alternative name(s)	Oleum Menthae piperitae

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet:	Department Health, Safety and Environment
e-mail (competent person):	**sicherheit@carlroth.de**

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West-mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	4	Flam. Liq. 4	H227
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word **Warning**

Pictograms

GHS07

Hazard statements

H227	Combustible liquid
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P280	Wear protective gloves

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P333+P313	If skin irritation or rash occurs: Get medical advice/attention
P337+P313	If eye irritation persists: Get medical advice/attention
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - disposal

P501	Dispose of contents/container to industrial combustion plant

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance: Peppermint oil

CAS No: 8006-90-4

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
(-)-Menthol	CAS No 2216-51-5	25 – < 50
(-)-Menthone	CAS No 14073-97-3	10 – < 25
Menthofuran	CAS No 494-90-6	5 – < 10
Eucalyptol	CAS No 470-82-6	1 – < 5
Isomenthone	CAS No 491-07-6	1 – < 5
L-(-)-Limonene	CAS No 5989-54-8	1 – < 5
ß-Pinene	CAS No 127-91-3	< 1
DL-α-Pinene	CAS No 80-56-8	< 1

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Wash with plenty of soap and water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO_2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO_2), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	35.3 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
(-)-Menthol	2216-51-5	DNEL	132 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
(-)-Menthol	2216-51-5	DNEL	10 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
(-)-Menthol	2216-51-5	DNEL	10 mg/m³	human, inhalatory	worker (industry)	acute - local effects
(-)-Menthol	2216-51-5	DNEL	19 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(-)-Menthone	14073-97-3	DNEL	26.1 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
(-)-Menthone	14073-97-3	DNEL	7.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Eucalyptol	470-82-6	DNEL	7.05 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Eucalyptol	470-82-6	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
L-(-)-Limonene	5989-54-8	DNEL	33.3 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
L-(-)-Limonene	5989-54-8	DNEL	222 µg/cm²	human, dermal	worker (industry)	acute - local effects
ß-Pinene	127-91-3	DNEL	5.69 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
ß-Pinene	127-91-3	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
ß-Pinene	127-91-3	DNEL	54 µg/cm²	human, dermal	worker (industry)	chronic - local effects
DL-α-Pinene	80-56-8	DNEL	3.8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	0.542 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
(-)-Menthol	2216-51-5	PNEC	15.6 µg/l	aquatic organisms	freshwater	short-term (single instance)
(-)-Menthol	2216-51-5	PNEC	1.56 µg/l	aquatic organisms	marine water	short-term (single instance)
(-)-Menthol	2216-51-5	PNEC	2.37 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(-)-Menthol	2216-51-5	PNEC	289 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(-)-Menthol	2216-51-5	PNEC	28.9 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
(-)-Menthol	2216-51-5	PNEC	48.4 µg/kg	terrestrial organisms	soil	short-term (single instance)
(-)-Menthone	14073-97-3	PNEC	0.031 mg/l	aquatic organisms	freshwater	short-term (single instance)
(-)-Menthone	14073-97-3	PNEC	0.003 mg/l	aquatic organisms	marine water	short-term (single instance)
(-)-Menthone	14073-97-3	PNEC	2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(-)-Menthone	14073-97-3	PNEC	0.558 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(-)-Menthone	14073-97-3	PNEC	0.056 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(-)-Menthone	14073-97-3	PNEC	0.093 mg/kg	terrestrial organisms	soil	short-term (single instance)
Eucalyptol	470-82-6	PNEC	57 µg/l	aquatic organisms	freshwater	short-term (single instance)
Eucalyptol	470-82-6	PNEC	5.7 µg/l	aquatic organisms	marine water	short-term (single instance)
Eucalyptol	470-82-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Eucalyptol	470-82-6	PNEC	1.425 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Eucalyptol	470-82-6	PNEC	0.142 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Eucalyptol	470-82-6	PNEC	0.25 mg/kg	terrestrial organisms	soil	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	5.4 µg/l	aquatic organisms	freshwater	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0.54 µg/l	aquatic organisms	marine water	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	1.322 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
L-(-)-Limonene	5989-54-8	PNEC	0.132 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0.262 mg/kg	terrestrial organisms	soil	short-term (single instance)
ß-Pinene	127-91-3	PNEC	1.004 µg/l	aquatic organisms	freshwater	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0.1 µg/l	aquatic organisms	marine water	short-term (single instance)
ß-Pinene	127-91-3	PNEC	3.26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0.337 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0.034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0.067 mg/kg	terrestrial organisms	soil	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.606 µg/l	aquatic organisms	freshwater	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.061 µg/l	aquatic organisms	marine water	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	157 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	15.7 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	31.7 µg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless - yellow
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	92 °C (ECHA)
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	72 °C (ECHA)
Auto-ignition temperature	280 °C at 1,020 hPa (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined

Kinematic viscosity	7.71 $^{mm^2}/_{s}$ at 20 °C
Dynamic viscosity	6.947 cP at 20 °C
Solubility(ies)	
Water solubility	3.5 $^{g}/_{l}$ at 20 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	2.73 – 6.99 (ECHA)
Vapour pressure	43.8 Pa at 25 °C
Density and/or relative density	
Density	0.901 $^{g}/_{cm^3}$ at 20 °C (ECHA)
Relative vapour density	Information on this property is not available.
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none

9.2 Other information

Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	
Refractive index	1.46 (20 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	2,650 $^{mg}/_{kg}$	rat		ECHA
dermal	LD50	>5,000 $^{mg}/_{kg}$	rabbit		ECHA

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
(-)-Menthol	2216-51-5	oral	LD50	3,300 $^{mg}/_{kg}$	rat
(-)-Menthol	2216-51-5	dermal	LD50	>5,000 $^{mg}/_{kg}$	rabbit
(-)-Menthol	2216-51-5	inhalation: dust/mist	LC50	5,289 $^{mg}/_{m^3}$/ 4h	rat
(-)-Menthone	14073-97-3	oral	LD50	>2,000 $^{mg}/_{kg}$	rat
Eucalyptol	470-82-6	oral	LD50	2,480 $^{mg}/_{kg}$	rat
ß-Pinene	127-91-3	oral	LD50	4,700 $^{mg}/_{kg}$	rat
DL-α-Pinene	80-56-8	dermal	LD50	>2,000 $^{mg}/_{kg}$	rat
DL-α-Pinene	80-56-8	oral	LD50	3,700 $^{mg}/_{kg}$	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	3.4 $^{mg}/_{l}$	fish	ECHA	96 h
EC50	2.7 $^{mg}/_{l}$	aquatic invertebrates	ECHA	48 h

Aquatic toxicity (acute) of components

Name of sub-stance	CAS No	Endpoint	Value	Species	Exposure time
(-)-Menthol	2216-51-5	LC50	15.6 $^{mg}/_{l}$	fish	96 h
(-)-Menthol	2216-51-5	EC50	26.6 $^{mg}/_{l}$	aquatic invertebrates	48 h
(-)-Menthol	2216-51-5	ErC50	21.4 $^{mg}/_{l}$	algae	72 h
(-)-Menthone	14073-97-3	LC50	>28 $^{mg}/_{l}$	fish	96 h
(-)-Menthone	14073-97-3	EC50	30.6 $^{mg}/_{l}$	aquatic invertebrates	48 h
(-)-Menthone	14073-97-3	ErC50	58 $^{mg}/_{l}$	algae	72 h

Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Eucalyptol	470-82-6	LC50	57 $^{mg}/_{l}$	fish	96 h
Eucalyptol	470-82-6	EC50	>100 $^{mg}/_{l}$	aquatic invertebrates	48 h
Eucalyptol	470-82-6	ErC50	>74 $^{mg}/_{l}$	algae	72 h
ß-Pinene	127-91-3	LC50	0.68 $^{mg}/_{l}$	rainbow trout (Oncorhynchus mykiss)	96 h
ß-Pinene	127-91-3	EC50	1.09 $^{mg}/_{l}$	daphnia magna	48 h
ß-Pinene	127-91-3	ErC50	0.7 $^{mg}/_{l}$	Pseudokirchneriella subcapitata	72 h
DL-α-Pinene	80-56-8	LC50	0.303 $^{mg}/_{l}$	fish	96 h
DL-α-Pinene	80-56-8	EC50	0.475 $^{mg}/_{l}$	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Eucalyptol	470-82-6	EC50	>100 $^{mg}/_{l}$	microorganisms	3 h
ß-Pinene	127-91-3	EC50	326 $^{mg}/_{l}$	microorganisms	3 h

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Degradability of components

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
(-)-Menthol	2216-51-5	oxygen depletion	64 %	7 d		ECHA
Eucalyptol	470-82-6	carbon dioxide generation	82 %	28 d		ECHA
L-(-)-Limonene	5989-54-8	oxygen depletion	85 %	28 d		ECHA
ß-Pinene	127-91-3	oxygen depletion	76 %	28 d		ECHA
DL-α-Pinene	80-56-8	oxygen depletion	68 %	28 d		ECHA

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)	2.73 – 6.99 (ECHA)

Bioaccumulative potential of components				
Name of substance	**CAS No**	**BCF**	**Log KOW**	**BOD5/COD**
(-)-Menthol	2216-51-5	≥0.5 – ≤15	3.15 (25 °C)	
(-)-Menthone	14073-97-3		3.05 (25 °C)	
Menthofuran	494-90-6		4.29	
Eucalyptol	470-82-6		3.4	
L-(-)-Limonene	5989-54-8	864.8	4.38 (pH value: 7.2, 37 °C)	
DL-α-Pinene	80-56-8		4.83	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN RTDG	UN 3082
IMDG-Code	UN 3082
ICAO-TI	UN 3082

14.2 UN proper shipping name

UN RTDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
Technical name	Peppermint oil

14.3 Transport hazard class(es)

UN RTDG	9
IMDG-Code	9
ICAO-TI	9

14.4 Packing group

UN RTDG	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)	
UN number	3082
Class	9
Environmental hazards	Yes Hazardous to the aquatic environment
Packing group	III
Danger label(s)	9 Fish and tree

Special provisions (SP)	274, 331, 335, 375 UN RTDG
Excepted quantities (EQ)	E1 UN RTDG
Limited quantities (LQ)	5 L UN RTDG
Emergency Action Code	3Z

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Peppermint oil), 9, III
Marine pollutant	yes (hazardous to the aquatic environment), (Peppermint oil)
Danger label(s)	9, "Fish and tree"

Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (Peppermint oil), 9, III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	9, "Fish and tree"

Special provisions (SP)	A97, A158, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.1	EC number: 282-015-4		yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.7	Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		yes
14.8		Emergency Action Code: 3Z	yes
14.8		Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	yes
14.8		Particulars in the shipper's declaration: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Peppermint oil), 9, III	yes
14.8		Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.8		Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., (Peppermint oil), 9, III	yes
14.8	Special provisions (SP): A97, A158, A197	Special provisions (SP): A97, A158, A197, A215	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.