acc. to Safe Work Australia - Code of Practice

date of compilation: 2021-08-02

Revision: 2024-03-04

Oil of nutmeg essential

article number: 7064 Version: GHS 2.0 en

Replaces version of: 2021-08-02

Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Oil of nutmeg essential

Article number 7064

CAS number 8008-45-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

2.1

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|------------------------|---------------|---------------------------|---------------------|
| 2.6 | Flammable liquid | 3 | Flam. Liq. 3 | H226 |
| 3.45 | Skin sensitisation | 1 | Skin Sens. 1 | H317 |
| 3.5 | Germ cell mutagenicity | 2 | Muta. 2 | H341 |
| 3.6 | Carcinogenicity | 1B | Carc. 1B | H350 |

Australia (en) Page 1 / 20

acc. to Safe Work Australia - Code of Practice



Oil of nutmeg essential

article number: 7064

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|-------------------|---------------|---------------------------|---------------------|
| 3.10 | Aspiration hazard | 1 | Asp. Tox. 1 | H304 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS07, GHS08







Hazard statements

| H226 | Flammable liquid and vapour |
|------|--|
| H304 | May be fatal if swallowed and enters airways |
| H317 | May cause an allergic skin reaction |
| H341 | Suspected of causing genetic defects |
| H350 | May cause cancer |

Precautionary statements

Precautionary statements - prevention

| P210 | Keep away from heat/sparks/open flames/hot surfaces No smoking |
|------|---|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection |

Precautionary statements - response

| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician |
|-----------|--|
| P302+P352 | IF ON SKIN: Wash with plenty of soap and water |
| P308+P313 | IF exposed or concerned: Get medical advice/attention |
| P331 | Do NOT induce vomiting |
| | |

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

Australia (en) Page 2 / 20

acc. to Safe Work Australia - Code of Practice



Oil of nutmeg essential

article number: 7064

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Oil of nutmeg
CAS No 8008-45-5

Impurities/additives/constituents:

| Name of substance | Identifier | Wt% |
|----------------------|----------------------|-----------|
| ß-Pinene | CAS No 127-91-3 | 10 - < 25 |
| DL-α-Pinene | CAS No 80-56-8 | 10 - < 25 |
| Myrcene | CAS No 123-35-3 | 1-<5 |
| δ-3-Carene | CAS No 13466-78-9 | 1-<5 |
| 4-Terpinenol | CAS No 562-74-3 | 1-<5 |
| Terpinolene | CAS No 586-62-9 | 1-<5 |
| D-(+)-Limonene | CAS No 5989-27-5 | 1-<5 |
| safrole | CAS No 94-59-7 | 1-<5 |
| y-Terpinene | CAS No 99-85-4 | 1-<5 |
| α-Terpinene | CAS No 99-86-5 | 1-<5 |
| Linalool | CAS No 78-70-6 | <1 |
| Camphene | CAS No 79-92-5 | <1 |
| Eugenol methyl ether | CAS No 93-15-2 | <1 |
| Isoeugenol | CAS No 97-54-1 | <1 |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Australia (en) Page 3 / 20

acc. to Safe Work Australia - Code of Practice

Oil of nutmeg essential

article number: 7064

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Observe aspiration hazard if vomiting occurs

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Australia (en) Page 4 / 20

acc. to Safe Work Australia - Code of Practice

Oil of nutmeg essential

article number: 7064



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoidance of ignition sources. Provide adequate ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure. When not in use, keep containers tightly closed.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Keep container tightly closed.

Australia (en) Page 5 / 20

acc. to Safe Work Australia - Code of Practice



Oil of nutmeg essential

article number: 7064

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components

| Name of sub- stance | CAS No | End- point | Threshol d level | Protection Used in goal, route of exposure | | Exposure time |
|------------------------|-----------|---------------|------------------------|--|-------------------|-------------------------------|
| DL-α-Pinene | 80-56-8 | DNEL | 3.8 mg/m ³ | human, inhalat- ory | worker (industry) | chronic - systemic effects |
| DL-α-Pinene | 80-56-8 | DNEL | 0.542 mg/ kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| ß-Pinene | 127-91-3 | DNEL | 5.69 mg/ m³ | human, inhalat- ory | worker (industry) | chronic - systemic effects |
| ß-Pinene | 127-91-3 | DNEL | 0.8 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| ß-Pinene | 127-91-3 | DNEL | 54 μg/cm² | human, dermal | worker (industry) | chronic - local ef- fects |
| D-(+)-Limonene | 5989-27-5 | DNEL | 66.7 mg/ m³ | human, inhalat- ory | worker (industry) | chronic - systemic effects |
| D-(+)-Limonene | 5989-27-5 | DNEL | 9.5 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| y-Terpinene | 99-85-4 | DNEL | 2.939 mg/ m³ | human, inhalat- ory | worker (industry) | chronic - systemic effects |
| y-Terpinene | 99-85-4 | DNEL | 0.833 mg/ kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| α-Terpinene | 99-86-5 | DNEL | 2.939 mg/ m³ | human, inhalat- ory | worker (industry) | chronic - systemic effects |
| α-Terpinene | 99-86-5 | DNEL | 0.833 mg/ kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Camphene | 79-92-5 | DNEL | 110.2 mg/ m³ | human, inhalat- ory | worker (industry) | chronic - systemic effects |
| Camphene | 79-92-5 | DNEL | 110.2 mg/ m³ | human, inhalat- ory | worker (industry) | acute - systemic effects |
| Camphene | 79-92-5 | DNEL | 0.21 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Camphene | 79-92-5 | DNEL | 1.25 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

Australia (en) Page 6 / 20

acc. to Safe Work Australia - Code of Practice



article number: 7064



Relevant DNELs of components

| Name of sub- stance | CAS No | End- point | Threshol d level | Protection goal, route of exposure | Used in | Exposure time |
|------------------------|---------|---------------|-----------------------|--|-------------------|-------------------------------|
| Linalool | 78-70-6 | DNEL | 2.8 mg/m ³ | human, inhalat- ory | worker (industry) | chronic - systemic effects |
| Linalool | 78-70-6 | DNEL | 16.5 mg/ m³ | human, inhalat- ory | worker (industry) | acute - systemic effects |
| Linalool | 78-70-6 | DNEL | 2.5 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Linalool | 78-70-6 | DNEL | 5 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

Relevant PNECs of components

| Name of sub- | CAS No | End- | Threshol | Organism | Environmental | Exposure tim |
|----------------|-----------|-------|------------------------------------|----------------------------|---------------------------------|-------------------------------|
| stance | CASITO | point | d level | Organism | compartment | Exposure tim |
| DL-α-Pinene | 80-56-8 | PNEC | 0.606 ^{µg} / _l | aquatic organ- isms | freshwater | short-term (sing instance) |
| DL-α-Pinene | 80-56-8 | PNEC | 0.061 ^{µg} / _l | aquatic organ- isms | marine water | short-term (sing instance) |
| DL-α-Pinene | 80-56-8 | PNEC | 0.2 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (sing instance) |
| DL-α-Pinene | 80-56-8 | PNEC | 157 ^{µg} / _{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (sing instance) |
| DL-α-Pinene | 80-56-8 | PNEC | 15.7 ^{µg} / _{kg} | aquatic organ- isms | marine sediment | short-term (sing instance) |
| DL-α-Pinene | 80-56-8 | PNEC | 31.7 ^{µg} / _{kg} | terrestrial organ- isms | soil | short-term (sing instance) |
| ß-Pinene | 127-91-3 | PNEC | 1.004 ^{µg} / _l | aquatic organ- isms | freshwater | short-term (sin- instance) |
| ß-Pinene | 127-91-3 | PNEC | 0.1 ^{µg} / _l | aquatic organ- isms | marine water | short-term (sin- instance) |
| ß-Pinene | 127-91-3 | PNEC | 3.26 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (sin instance) |
| ß-Pinene | 127-91-3 | PNEC | 0.337 ^{mg} / kg | aquatic organ- isms | freshwater sedi- ment | short-term (sin- instance) |
| ß-Pinene | 127-91-3 | PNEC | 0.034 ^{mg} / kg | aquatic organ- isms | marine sediment | short-term (sin- instance) |
| ß-Pinene | 127-91-3 | PNEC | 0.067 ^{mg} / kg | terrestrial organ- isms | soil | short-term (sin- instance) |
| D-(+)-Limonene | 5989-27-5 | PNEC | 14 ^{µg} / _l | aquatic organ- isms | freshwater | short-term (sin- instance) |
| D-(+)-Limonene | 5989-27-5 | PNEC | 1.4 ^{µg} / _l | aquatic organ- isms | marine water | short-term (sin- instance) |
| D-(+)-Limonene | 5989-27-5 | PNEC | 1.8 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (sing instance) |
| D-(+)-Limonene | 5989-27-5 | PNEC | 3.85 ^{mg} / _{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (sin- instance) |

Australia (en) Page 7 / 20

acc. to Safe Work Australia - Code of Practice



article number: 7064



Relevant PNECs of components

| Relevant PNECS of components | | | | | | | | |
|------------------------------|-----------|---------------|------------------------------------|----------------------------|---------------------------------|---------------------------------|--|--|
| Name of sub- stance | CAS No | End- point | Threshol d level | Organism | Environmental compartment | Exposure time | | |
| D-(+)-Limonene | 5989-27-5 | PNEC | 0.385 ^{mg} / kg | aquatic organ- isms | marine sediment | short-term (single instance) | | |
| D-(+)-Limonene | 5989-27-5 | PNEC | 0.763 ^{mg} / kg | terrestrial organ- isms | soil | short-term (single instance) | | |
| y-Terpinene | 99-85-4 | PNEC | 0.003 ^{mg} / _l | aquatic organ- isms | freshwater | short-term (single instance) | | |
| y-Terpinene | 99-85-4 | PNEC | 0 ^{mg} / _l | aquatic organ- isms | marine water | short-term (single instance) | | |
| y-Terpinene | 99-85-4 | PNEC | 10 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) | | |
| y-Terpinene | 99-85-4 | PNEC | 0.49 ^{mg} / _{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) | | |
| y-Terpinene | 99-85-4 | PNEC | 0.049 ^{mg} / kg | aquatic organ- isms | marine sediment | short-term (single instance) | | |
| y-Terpinene | 99-85-4 | PNEC | 0.423 ^{mg} / kg | terrestrial organ- isms | soil | short-term (single instance) | | |
| Camphene | 79-92-5 | PNEC | 0.001 ^{mg} / _l | aquatic organ- isms | freshwater | short-term (single instance) | | |
| Camphene | 79-92-5 | PNEC | 0 ^{mg} / _l | aquatic organ- isms | marine water | short-term (single instance) | | |
| Camphene | 79-92-5 | PNEC | 10 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) | | |
| Camphene | 79-92-5 | PNEC | 0.026 ^{mg} / | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) | | |
| Camphene | 79-92-5 | PNEC | 0.003 ^{mg} / kg | aquatic organ- isms | marine sediment | short-term (single instance) | | |
| Camphene | 79-92-5 | PNEC | 0.021 ^{mg} / kg | terrestrial organ- isms | soil | short-term (single instance) | | |
| Linalool | 78-70-6 | PNEC | 0.2 ^{mg} / _l | aquatic organ- isms | freshwater | short-term (single instance) | | |
| Linalool | 78-70-6 | PNEC | 0.02 ^{mg} / _l | aquatic organ- isms | marine water | short-term (single instance) | | |
| Linalool | 78-70-6 | PNEC | 10 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) | | |
| Linalool | 78-70-6 | PNEC | 2.22 ^{mg} / _{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) | | |
| Linalool | 78-70-6 | PNEC | 0.222 ^{mg} / kg | aquatic organ- isms | marine sediment | short-term (single instance) | | |
| Linalool | 78-70-6 | PNEC | 0.327 ^{mg} / kg | terrestrial organ- isms | soil | short-term (single instance) | | |

Australia (en) Page 8 / 20

acc. to Safe Work Australia - Code of Practice

ROTH

Oil of nutmeg essential

article number: 7064

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

0,4 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

Australia (en) Page 9 / 20

acc. to Safe Work Australia - Code of Practice

Oil of nutmeg essential

article number: 7064

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour light yellow
Odour characteristic
Melting point/freezing point not determined
Boiling point or initial boiling point and boiling not determined

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit not determined

Flash point 42 °C

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) not determined

Kinematic viscosity not determined

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density 0.895 g/cm³ at 20 °C

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard There is no additional information.

classes:

Other safety characteristics:

Refractive index 1.475 – 1.489

Australia (en) Page 10 / 20

acc. to Safe Work Australia - Code of Practice



Oil of nutmeg essential

article number: 7064

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|-------------------|-----------|----------------|----------|---|---------|
| DL-α-Pinene | 80-56-8 | dermal | LD50 | >2,000 ^{mg} / _{kg} | rat |
| DL-α-Pinene | 80-56-8 | oral | LD50 | 3,700 ^{mg} / _{kg} | rat |
| ß-Pinene | 127-91-3 | oral | LD50 | 4,700 ^{mg} / _{kg} | rat |
| D-(+)-Limonene | 5989-27-5 | oral | LD50 | >2,000 ^{mg} / _{kg} | rat |
| y-Terpinene | 99-85-4 | oral | LD50 | >2,000 ^{mg} / _{kg} | rat |
| y-Terpinene | 99-85-4 | dermal | LD50 | >2,000 ^{mg} / _{kg} | rat |
| Myrcene | 123-35-3 | oral | LD50 | >3,380 ^{mg} / _{kg} | mouse |
| Myrcene | 123-35-3 | dermal | LD50 | >5,000 ^{mg} / _{kg} | rabbit |
| 4-Terpinenol | 562-74-3 | oral | LD50 | 1,300 ^{mg} / _{kg} | rat |
| 4-Terpinenol | 562-74-3 | dermal | LD50 | >2,500 - <5,00 0 ^{mg} / _{kg} | rabbit |
| safrole | 94-59-7 | oral | LD50 | 1,950 ^{mg} / _{kg} | rat |

Australia (en) Page 11 / 20

acc. to Safe Work Australia - Code of Practice



Oil of nutmeg essential

article number: 7064

Acute toxicity of components

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|----------------------|------------|----------------|----------|--------------------------------------|---------|
| safrole | 94-59-7 | dermal | LD50 | >5,000 ^{mg} / _{kg} | rabbit |
| Terpinolene | 586-62-9 | oral | LD50 | >2,000 ^{mg} / _{kg} | rat |
| Terpinolene | 586-62-9 | dermal | LD50 | >2,000 ^{mg} / _{kg} | rat |
| δ-3-Carene | 13466-78-9 | oral | LD50 | 4,800 ^{mg} / _{kg} | rat |
| α-Terpinene | 99-86-5 | oral | LD50 | 1,680 ^{mg} / _{kg} | rat |
| α-Terpinene | 99-86-5 | dermal | LD50 | >2,000 ^{mg} / _{kg} | rat |
| Isoeugenol | 97-54-1 | oral | LD50 | 1,560 ^{mg} / _{kg} | rat |
| Eugenol methyl ether | 93-15-2 | oral | LD50 | 810 ^{mg} / _{kg} | rat |
| Eugenol methyl ether | 93-15-2 | dermal | LD50 | >2,025 ^{mg} / _{kg} | rabbit |
| Linalool | 78-70-6 | oral | LD50 | 2,790 ^{mg} / _{kg} | rat |
| Linalool | 78-70-6 | dermal | LD50 | 5,610 ^{mg} / _{kg} | rabbit |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

aspiration hazard

• If in eyes

Data are not available.

Australia (en) Page 12 / 20

acc. to Safe Work Australia - Code of Practice



Oil of nutmeg essential

article number: 7064

If inhaled

Data are not available.

• If on skin

May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
|------------------------|-----------|----------|-------------------------------------|--|------------------|
| DL-α-Pinene | 80-56-8 | LC50 | 0.303 ^{mg} / _l | fish | 96 h |
| DL-α-Pinene | 80-56-8 | EC50 | 0.475 ^{mg} / _l | aquatic invertebrates | 48 h |
| ß-Pinene | 127-91-3 | LC50 | 0.68 ^{mg} / _l | rainbow trout (Onco- rhynchus mykiss) | 96 h |
| ß-Pinene | 127-91-3 | EC50 | 1.09 ^{mg} / _l | daphnia magna | 48 h |
| ß-Pinene | 127-91-3 | ErC50 | 0.7 ^{mg} / _l | Pseudokirchneriella subcapitata | 72 h |
| D-(+)-Limonene | 5989-27-5 | LC50 | 0.46 ^{mg} / _l | fish | 96 h |
| D-(+)-Limonene | 5989-27-5 | EC50 | 0.307 ^{mg} / _l | aquatic invertebrates | 48 h |
| D-(+)-Limonene | 5989-27-5 | ErC50 | 0.32 ^{mg} / _l | algae | 72 h |
| y-Terpinene | 99-85-4 | EC50 | 2.792 ^{mg} / _l | fish | 96 h |
| Myrcene | 123-35-3 | EC50 | 1.47 ^{mg} / _l | aquatic invertebrates | 48 h |
| Myrcene | 123-35-3 | EC50 | 0.31 ^{mg} / _l | algae | 72 h |
| Myrcene | 123-35-3 | ErC50 | 0.342 ^{mg} / _l | algae | 72 h |
| Terpinolene | 586-62-9 | LC50 | 0.805 ^{mg} / _l | fish | 96 h |
| Terpinolene | 586-62-9 | EC50 | 0.634 ^{mg} / _l | aquatic invertebrates | 48 h |
| Terpinolene | 586-62-9 | ErC50 | 0.692 ^{mg} / _l | algae | 72 h |
| α-Terpinene | 99-86-5 | LC50 | 3,150 ^{µg} / _l | fish | 96 h |
| α-Terpinene | 99-86-5 | EC50 | 1.7 ^{mg} / _l | aquatic invertebrates | 48 h |
| Camphene | 79-92-5 | LC50 | 0.72 ^{mg} / _l | fish | 96 h |
| Camphene | 79-92-5 | EC50 | 0.72 ^{mg} / _l | aquatic invertebrates | 48 h |
| Camphene | 79-92-5 | ErC50 | >1,000 ^{mg} / _l | algae | 72 h |

Australia (en) Page 13 / 20

acc. to Safe Work Australia - Code of Practice



Oil of nutmeg essential

article number: 7064

Aquatic toxicity (acute) of components

| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
|------------------------|---------|----------|------------------------------------|-----------------------|------------------|
| Linalool | 78-70-6 | LC50 | 27.8 ^{mg} / _l | fish | 96 h |
| Linalool | 78-70-6 | EC50 | 59 ^{mg} / _l | aquatic invertebrates | 48 h |
| Linalool | 78-70-6 | ErC50 | 156.7 ^{mg} / _l | algae | 96 h |

Aquatic toxicity (chronic) of components

| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
|------------------------|-----------|----------|-------------------------------------|-----------------------|------------------|
| ß-Pinene | 127-91-3 | EC50 | 326 ^{mg} / _l | microorganisms | 3 h |
| D-(+)-Limonene | 5989-27-5 | EC50 | <0.67 ^{mg} / _l | fish | 8 d |
| D-(+)-Limonene | 5989-27-5 | EC50 | 188 ^{µg} / _I | aquatic invertebrates | 21 d |
| y-Terpinene | 99-85-4 | EC50 | >1,000 ^{mg} / _l | microorganisms | 3 h |
| Terpinolene | 586-62-9 | EC50 | 69 ^{mg} / _l | microorganisms | 3 h |
| α-Terpinene | 99-86-5 | EC50 | >10 ^{mg} / _l | microorganisms | 3 h |
| Camphene | 79-92-5 | EC50 | >1,000 ^{mg} / _l | microorganisms | 3 h |
| Linalool | 78-70-6 | EC50 | >100 ^{mg} / _l | microorganisms | 30 min |

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable.

Degradability of components

| | ' | | | | | |
|-------------------|-----------|------------------------------|-----------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degrada- tion rate | Time | Method | Source |
| DL-α-Pinene | 80-56-8 | oxygen deple- tion | 68 % | 28 d | | ECHA |
| ß-Pinene | 127-91-3 | oxygen deple- tion | 76 % | 28 d | | ECHA |
| D-(+)-Limonene | 5989-27-5 | carbon dioxide generation | 58.8 % | 14 d | | ECHA |
| D-(+)-Limonene | 5989-27-5 | oxygen deple- tion | 80 % | 28 d | | ECHA |
| y-Terpinene | 99-85-4 | oxygen deple- tion | 27 % | 28 d | | ECHA |
| Myrcene | 123-35-3 | oxygen deple- tion | 76 % | 28 d | | ECHA |
| Terpinolene | 586-62-9 | oxygen deple- tion | 81 % | 28 d | | ECHA |
| α-Terpinene | 99-86-5 | oxygen deple- tion | 30 % | 14 d | | ECHA |

Australia (en) Page 14 / 20

acc. to Safe Work Australia - Code of Practice



Oil of nutmeg essential

article number: 7064

Degradability of components

| Name of substance | CAS No | Process | Degrada- tion rate | Time | Method | Source |
|-------------------|---------|-----------------------|-----------------------|------|--------|--------|
| Linalool | 78-70-6 | oxygen deple- tion | 40.9 % | 5 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
|----------------------|------------|-----------------------------|------------------------------|----------|
| DL-α-Pinene | 80-56-8 | | 4.83 | |
| D-(+)-Limonene | 5989-27-5 | 4.38 (pH value: 7.2, 37 °C) | | |
| y-Terpinene | 99-85-4 | | 5.4 (25 °C) | |
| Myrcene | 123-35-3 | | 4.82 (pH value: ~6.5, 30 °C) | |
| Terpinolene | 586-62-9 | | 4.47 | |
| δ-3-Carene | 13466-78-9 | | 4.38 | |
| α-Terpinene | 99-86-5 | | 5.3 (35 °C) | |
| Camphene | 79-92-5 | | 4.22 (pH value: 7.2, 37 °C) | |
| Isoeugenol | 97-54-1 | | 2.1 | |
| Eugenol methyl ether | 93-15-2 | | 2.4 | |
| Linalool | 78-70-6 | | 2.9 (pH value: 7, 20 °C) | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Australia (en) Page 15 / 20

acc. to Safe Work Australia - Code of Practice

Oil of nutmeg essential

article number: 7064

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN 1993
IMDG-Code UN 1993
ICAO-TI UN 1993

14.2 UN proper shipping name

UN RTDGFLAMMABLE LIQUID, N.O.S.IMDG-CodeFLAMMABLE LIQUID, N.O.S.ICAO-TIFlammable liquid, n.o.s.

Technical name Oil of nutmeg

14.3 Transport hazard class(es)

UN RTDG 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Australia (en) Page 16 / 20

acc. to Safe Work Australia - Code of Practice

Oil of nutmeg essential

article number: 7064

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1993 Class 3

Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

Danger label(s) 3
Fish and tree

(1) (V2)

Special provisions (SP) 223, 274

UN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ) 5 L

UN RTDG

Emergency Action Code 3Y

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name FLAMMABLE LIQUID, N.O.S.

Particulars in the shipper's declaration UN1993, FLAMMABLE LIQUID, N.O.S., (Oil of nut-

meg), 3, III, 42°C c.c., MARINE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 3, "Fish and tree"





Special provisions (SP) 223, 274, 955

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-E, S-E

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Flammable liquid, n.o.s.

Particulars in the shipper's declaration UN1993, Flammable liquid, n.o.s., (Oil of nutmeg),

3. III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 3



Special provisions (SP) A3
Excepted quantities (EQ) E1

Australia (en) Page 17 / 20

acc. to Safe Work Australia - Code of Practice



Oil of nutmeg essential

article number: 7064

Limited quantities (LQ) 10 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|-----------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| KR | KECI | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

AIIC Australian Inventory of Industrial Chemicals

Domestic Substances List (DSL)
Inventory of Existing Chemical Substances Produced or Imported in China Korea Existing Chemicals Inventory
National Chemical Inventory DSL IECSC

KECI

New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS)

Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---------------------------|---|--------------------------|
| 2.2 | | Hazard statements: change in the listing (table) | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |

Australia (en) Page 18 / 20

acc. to Safe Work Australia - Code of Practice

Oil of nutmeg essential

article number: 7064

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---------------------------|---|--------------------------|
| 14.8 | | Emergency Action Code: 3Y | yes |
| 15.1 | | Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations | | | |
|-----------|---|--|--|--|
| BCF | Bioconcentration factor | | | |
| BOD | Biochemical Oxygen Demand | | | |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances | | | |
| COD | Chemical oxygen demand | | | |
| DGR | Dangerous Goods Regulations (see IATA/DGR) | | | |
| DNEL | Derived No-Effect Level | | | |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causin 50 % changes in response (e.g. on growth) during a specified time interval | | | |
| ED | Endocrine disruptor | | | |
| EmS | Emergency Schedule | | | |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in eithe growth (EbC50) or growth rate (ErC50) relative to the control | | | |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations | | | |
| IATA | International Air Transport Association | | | |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) | | | |
| ICAO | International Civil Aviation Organization | | | |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air | | | |
| IMDG | International Maritime Dangerous Goods Code | | | |
| IMDG-Code | International Maritime Dangerous Goods Code | | | |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval | | | |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval | | | |
| log KOW | n-Octanol/water | | | |
| PBT | Persistent, Bioaccumulative and Toxic | | | |
| PNEC | Predicted No-Effect Concentration | | | |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good | | | |

Australia (en) Page 19 / 20

acc. to Safe Work Australia - Code of Practice



Oil of nutmeg essential

article number: 7064

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H317 | May cause an allergic skin reaction. |
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 20 / 20