



1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Oil of nutmeg volatile

Article number: 7064

CAS Number:

8008-45-5

EC number:

282-013-3

Registration number

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Laboratory chemical

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Carl Roth GmbH + Co. KG

Schoemperlenstraße 3-5

76185 Karlsruhe

Germany

Telefon: +49/(0)721 5606-0

Telefax: +49/(0)721 5606-149

E-Mail: sicherheit@carlroth.de

Further information obtainable from: Department Health, Safety and Environment

1.4 Emergency telephone number:

Poison Centre Munich

Telefon +49/(0)89 19240

2 Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

| | |
|-------------------|--|
| Flam. Liq. 3 | H226 Flammable liquid and vapour. |
| Muta. 2 | H341 Suspected of causing genetic defects. |
| Carc. 1A | H350 May cause cancer. |
| Asp. Tox. 1 | H304 May be fatal if swallowed and enters airways. |
| Aquatic Acute 1 | H400 Very toxic to aquatic life. |
| Aquatic Chronic 1 | H410 Very toxic to aquatic life with long lasting effects. |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

R45: May cause cancer.

Xn; Harmful

R68-65: Possible risk of irreversible effects. Harmful: may cause lung damage if swallowed.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

N; Dangerous for the environment

(Contd. on page 2)

Trade name: Oil of nutmeg volatile

(Contd. of page 1)

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R10: Flammable.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS02

GHS07

GHS08

GHS09

Signal word Danger**Hazard statements**

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P281 Use personal protective equipment as required.

P273 Avoid release to the environment.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Additional information:

Restricted to professional users.

2.3 Other hazards

All chemicals are potentially dangerous. They are therefore only be handled by specially trained personnel with the necessary care.

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**3 Composition/information on ingredients****3.1 Chemical characterization: Substances****CAS No. Description**

8008-45-5 nutmeg oil

Identification number(s)**EC number:** 282-013-3

(Contd. on page 3)

Trade name: Oil of nutmeg volatile

(Contd. of page 2)

4 First aid measures**4.1 Description of first aid measures****General information:**

Remove any clothing soiled by the product.

After inhalation:

Supply fresh air and to be sure call for a doctor.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for 10 minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and drink a glass of water. Do not induce vomiting.

In case of spontaneous vomiting: Risk of aspiration. Pulmonary failure possible.

Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**

Use fire extinguishing methods suitable to surrounding conditions.

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents:

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

In the event of fire development of hazardous combustion gases or vapours possible.

Carbon monoxide and carbon dioxide

5.3 Advice for firefighters**Protective equipment:**

Wear self-contained respiratory protective device.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Prevent fire-fighting water from entering surface water or groundwater.

(Contd. on page 4)

Trade name: Oil of nutmeg volatile

(Contd. of page 3)

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.
Do not breathe vapour/spray.
Avoid contact with the eyes and skin.
Keep away from ignition sources.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Evacuate the danger area, observe emergency procedures, consult an expert.

6.2 Environmental precautions

Do not allow to enter sewers/ground water or penetrate the soil.
Keep contaminated washing water and dispose of appropriately.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. Rotisorb® Art.-Nr. 1710.1).
Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling

Avoid splashes or spray in enclosed areas.
Do not spray on an open flame or other ignition source.
Handling corresponding to laboratory safety guidelines.
Ensure good ventilation/exhaustion at the workplace.
Handle and open container with care.

Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.
Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:
No special requirements.

Information about storage in one common storage facility:
Store away from foodstuffs.

Further information about storage conditions:
Keep container tightly sealed.

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No further relevant information available.

(Contd. on page 5)

Trade name: Oil of nutmeg volatile

(Contd. of page 4)

8 Exposure controls/personal protection

Additional information about design of technical facilities:

No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: Not required.

Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Respiratory protection:



Use suitable respiratory protective device in case of insufficient ventilation.

Recommended filter typ:

A2

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile, thickness >0,3 mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

Value for the permeation: Level ≥ 6

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, thickness: ≥ 0.11 mm

(Contd. on page 6)

Trade name: Oil of nutmeg volatile

(Contd. of page 5)

Eye protection:



Tightly sealed goggles

Body protection:

Protective work clothing

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

| | |
|------------------|---------------------------|
| Form: | Oily |
| Colour: | Yellow tint |
| Odour: | spicy |
| Odour threshold: | No information available. |

pH-value: No information available.

Change in condition

| | |
|------------------------------|---------------------------|
| Melting point/Melting range: | No information available. |
| Boiling point/Boiling range: | 165 °C |

Flash point: 36 °C

Flammability (solid, gaseous): No information available

Ignition temperature: No information available

Decomposition temperature: No information available

Self-igniting: No information available

Danger of explosion: Product is not explosive. However, formation of explosive air/vapour mixtures is possible.

Explosion limits:

| | |
|--------|---------------------------|
| Lower: | No information available. |
| Upper: | No information available. |

Oxidizing properties: No information available.

Vapour pressure: No information available

Density at 20 °C: 0.895 g/cm³

Vapour density: No information available

Evaporation rate: No information available

Solubility in / Miscibility with water:

Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): No information available

Viscosity:

| | |
|------------|---------------------------|
| Dynamic: | No information available. |
| Kinematic: | No information available. |

(Contd. on page 7)



Trade name: Oil of nutmeg volatile

(Contd. of page 6)

9.2 Other information

No further relevant information available.

10 Stability and reactivity

10.1 Reactivity

Fumes can combine with air to form an explosive mixture.

10.2 Chemical stability**Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials:

Strong oxidizing agents.

10.6 Hazardous decomposition products:

In case of fire: see item 5.

Additional information: Light-sensitive.

11 Toxicological information

11.1 Information on toxicological effects**Acute toxicity:****LD/LC50 values relevant for classification:**

| | | |
|------|------|---------------------------|
| Oral | LD50 | 2620 mg/kg (rat) (TOXNET) |
|------|------|---------------------------|

Specific symptoms in biological assay:

Skin irritation test (rabbit): irritations.

Primary irritant effect:**on the skin:**

Risk of skin sensitization.

on the eye:

Vapours may cause irritative symptoms.

after inhalation:

Vapours may cause irritative symptoms.

Sensitization:

Sensitization possible through skin contact.

CMR effects:

Muta. 2, Carc. 1A

Germ cell mutagenicity:

Suspected of causing genetic defects.

Carcinogenicity:

May cause cancer.

Reproductive toxicity:

No information available.

Aspiration hazard:

May be fatal if swallowed and enters airways.

(Contd. on page 8)

**Trade name: Oil of nutmeg volatile**

(Contd. of page 7)

Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Additional toxicological information:After swallowing:

Damage of lungs.

Risk of aspiration

Further information:

The product should be handled with the care usual when dealing with chemicals.

12 Ecological information**12.1 Toxicity****Aquatic toxicity:**

Quantitative data on the ecological effect of this product are not available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

Ecotoxicological effects:**Remark:**

Do not allow to enter waters, waste water, or soil!

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Also poisonous for fish and plankton in water bodies.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects**

No further relevant information available.

13 Disposal considerations**Waste treatment methods****Recommendation**

This material and its container must be disposed of as hazardous waste.

The disposal is regionally differently regulated, therefore the kind of disposal is to be inquired at the responsible authorities.

Uncleaned packaging:**Recommendation:**

Disposal according to official regulations.

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No. 1907/2006



Printing date 11.12.2013




Version number 1

Revision: 11.12.2013

Trade name: Oil of nutmeg volatile

(Contd. of page 8)

14 Transport information

| | |
|---|---|
| 14.1 UN-Number | |
| ADR, IMDG, IATA | UN1169 |
| 14.2 UN proper shipping name | |
| ADR | 1169 EXTRACTS, AROMATIC, LIQUID (not viscous), ENVIRONMENTALLY HAZARDOUS |
| IMDG | EXTRACTS, AROMATIC, LIQUID, MARINE POLLUTANT |
| IATA | EXTRACTS, AROMATIC, LIQUID |
| 14.3 Transport hazard class(es) | |
| ADR, IMDG | |
|   | |
| Class Label | 3 Flammable liquids. 3 |
| IATA | |
|  | |
| Class Label | 3 Flammable liquids. 3 |
| 14.4 Packing group | |
| ADR, IMDG, IATA | III |
| 14.5 Environmental hazards: | Environmentally hazardous substance, liquid; Marine Pollutant |
| Marine pollutant: | Symbol (fish and tree) |
| Special marking (ADR): | Symbol (fish and tree) |
| 14.6 Special precautions for user | Warning: Flammable liquids. |
| Danger code (Kemler): | 30 |
| EMS Number: | F-E,S-D |
| 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | 5L |
| Transport category | 3 |
| Tunnel restriction code | D/E |
| UN "Model Regulation": | UN1169, EXTRACTS, AROMATIC, LIQUID (not viscous), ENVIRONMENTALLY HAZARDOUS, 3, III |

(Contd. on page 10)



Trade name: Oil of nutmeg volatile

(Contd. of page 9)

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

Employment restrictions concerning juveniles must be observed.

Waterhazard class:

Water hazard class 3 (Self-assessment): extremely hazardous for water.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing MSDS: Department: Health, Safety and Environment

Contact: Herr Heine

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

LD50*: Lethal Dose, 50 percent (Not relevant for classification)

LD50*: Lethal Concentration, 50 percent (Not relevant for classification)

*** Data compared to the previous version altered.**