acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

date of compilation: 2018-01-24 article number: 7335 Version: GHS 3.0 en Revision: 2024-03-03

Replaces version of: 2021-02-11

Version: (GHS 2)



Product identifier 1.1

Identification of the substance **Iodine** ≥ 99,5% resublimated

Article number 7335

CAS number 7553-56-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

2.1

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315

Australia (en) Page 1 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS07, GHS08





Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation
H319 Causes serious eye irritation
H335 May cause respiratory irritation

H372 Causes damage to organs (thyroid gland) through prolonged or repeated ex-

posure (if swallowed)

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves/protective clothing

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 Call a POÏSON CENTER or doctor/physician if you feel unwell

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

Australia (en) Page 2 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Iodine

Molecular formula I₂

Molar mass 253.8 g/_{mol}

SECTION 4: First aid measures

4.1 Description of first aid measures



CAS No

General notes

Take off contaminated clothing.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

7553-56-2

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulties, Circulatory collapse, Diarrhoea, Vomiting, Irritation, Discoloration of the cornea, Cough, Dyspnoea, Corrosivity, Spasms

4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 3 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

Hydrogen iodide (HI)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 4 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



SECTION 7: Handling and storage

Precautions for safe handling

Use extractor hood (laboratory). Provision of sufficient ventilation. Avoid dust formation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	iodine	7553-56-2	WES			1		WES

Notation

Ceiling-C

TWA

Ceiling value is a limit value above which exposure should not occur

STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNI	Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	0.07 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	0.01 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects		

Australia (en) Page 5 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



Environmental values

Relevant PNECs and other threshold levels

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	18.13 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	60.01 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
PNEC	11 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	3.99 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	20.22 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	5.95 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0.11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Australia (en) Page 6 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1

Physical state solid

Form

Colour dark violet Odour stinging

113 - 114 °C Melting point/freezing point

Boiling point or initial boiling point and boiling

range

184.4 °C at 1 atm (ECHA)

Flammability non-combustible Lower and upper explosion limit not determined Flash point not applicable Auto-ignition temperature not determined Decomposition temperature not relevant not applicable pH (value)

0.47 mm²/_s not relevant Kinematic viscosity

Dynamic viscosity 2.3 mPa s at 115 °C

Solubility(ies)

<0.5 ^g/_l at 20 °C Water solubility

Partition coefficient

Partition coefficient n-octanol/water (log value): 2.49 (20 °C) (ECHA)

0.31 hPa at 25 °C Vapour pressure

Density and/or relative density

4.93 ^g/_{cm³} at 20 °C Density

8.8 (air = 1)Relative vapour density

Australia (en) Page 7 / 19



acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335

ROTH

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

strong oxidiser,

Exothermic reaction with: Aldehydes, Metal powder, Phosphorus oxides (e.g. P2O5), **Danger of explosion:** Acetylene, Alkali metals, Amines, Ammonium compounds, Azides, Reducing agents, Sodium, Potassium, Iodide

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	14,000 ^{mg} / _{kg}	not specified		TOXNET
inhalation: dust/ mist	LC50	>4.588 ^{mg} / _I /4h	rat		ECHA
dermal	LD50	>2,000 ^{mg} / _{kg}	rabbit		ECHA

Skin corrosion/irritation

Causes skin irritation.

Australia (en) Page 8 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
1	thyroid gland	if swallowed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

diarrhoea, vomiting

• If in eyes

discoloration of the cornea, Causes serious eye irritation

• If inhaled

Dyspnoea, Irritation to respiratory tract, cough

• If on skin

causes skin irritation

Other information

Other adverse effects: Liver and kidney damage, Circulatory collapse, Spasms

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

Australia (en) Page 9 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life.

Agustic	tovicity.	(2511ta)
Aquatic	toxicity	(acute)

Endpoint	Value	Species	Source	Exposure time
LC50	1.67 ^{mg} / _l	fish	ECHA	96 h
ErC50	0.13 ^{mg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	280 ^{mg} / _l	microorganisms	ECHA	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	2.49 (20 °C) (ECHA)
---------------------------	---------------------

12.4 Mobility in soil

Henry's law constant	0.031 Pa m³/ _{mol} at 20 °C (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Australia (en) Page 10 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN RTDGUN 3495IMDG-CodeUN 3495ICAO-TIUN 3495

14.2 UN proper shipping name

UN RTDGIODINEIMDG-CodeIODINEICAO-TIIodine

14.3 Transport hazard class(es)

UN RTDG 8 (6.1)

IMDG-Code 8 (6.1)

ICAO-TI 8 (6.1)

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Australia (en) Page 11 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



Transport informationNational regulationsAdditional information(UN RTDG)

UN number 3495 Class 8

Subsidiary risk(s) 6.1

Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

Danger label(s) 8+6.1

Fish and tree

Special provisions (SP) 279

UN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ) 5 kg

5 kg UN RTDG

Emergency Action Code 2WE

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name IODINE

Particulars in the shipper's declaration UN3495, IODINE, 8 (6.1), III, MARINE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 8+6.1, "Fish and tree"





Special provisions (SP) 279

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

EmS F-A, S-B

Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Iodine

Particulars in the shipper's declaration UN3495, Iodine, 8 (6.1), III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 8+6.1





Special provisions (SP) A113
Excepted quantities (EQ) E1

Australia (en) Page 12 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335

Limited quantities (LQ)



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

5 kg

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Koroa Existing Chemical Substances AIIC CICR DSL

IECSC

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 13 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.1	Index No: 053-001-00-3		yes
1.1	EC number: 231-442-4	CAS number: 7553-56-2	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
3.1	Index No: 053-001-00-3		yes
11.1		Acute toxicity: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic): change in the listing (table)	yes
14.1	UN number: 3495	UN number	yes
14.1		UN RTDG: UN 3495	yes

Australia (en) Page 14 / 19

Safety data sheet Safety data sheet acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.1		IMDG-Code: UN 3495	yes
14.1		ICAO-TI: UN 3495	yes
14.2	UN proper shipping name: IODINE	UN proper shipping name	yes
14.2	Hazardous ingredients: Iodine		yes
14.2		UN RTDG: IODINE	yes
14.2		IMDG-Code: IODINE	yes
14.2		ICAO-TI: Iodine	yes
14.3	Transport hazard class(es): class 6.1 hazard - toxic substances class 8 hazard - corrosive substances	Transport hazard class(es)	yes
14.3	Class: 8 (corrosive substances)		yes
14.3		UN RTDG: 8 (6.1)	yes
14.3		IMDG-Code: 8 (6.1)	yes
14.3		ICAO-TI: 8 (6.1)	yes
14.4	Packing group: III (substance presenting low danger)	Packing group	yes
14.4		UN RTDG: III	yes
14.4		IMDG-Code: III	yes
14.4		ICAO-TI: III	yes
14.6	Special precautions for user: Provisions for dangerous goods (ADR) should be complied within the premises.	Special precautions for user: There is no additional information.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)		yes
14.8	UN number: 3495		yes
14.8	Proper shipping name: IODINE		yes
14.8	Particulars in the transport document: UN3495, IODINE, 8 (6.1), III, (E), environment- ally hazardous		yes
14.8	Class:		yes

Page 15 / 19 Australia (en)

Safety data sheet Safety data sheet acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8	Classification code: CT2		yes
14.8	Packing group: III		yes
14.8	Danger label(s): 8+6.1 + "fish and tree"		yes
14.8		Danger label(s): change in the listing (table)	yes
14.8	Environmental hazards: yes (hazardous to the aquatic environment)		yes
14.8	Special provisions (SP): 279, 802(ADN)		yes
14.8	Excepted quantities (EQ): E1		yes
14.8	Limited quantities (LQ): 5 kg		yes
14.8	Transport category (TC): 3		yes
14.8	Tunnel restriction code (TRC): E		yes
14.8	Hazard identification No: 86		yes
14.8	Emergency Action Code: 2WE		yes
14.8	UN number: 3495		yes
14.8	Class: 8		yes
14.8	Subsidiary risk(s): 6.1		yes
14.8	Packing group: III		yes
14.8	Acute toxicity: oralLD5014,000 ^{mg} / _{kg} not specifiedTOXNET	Transport informationNational regulationsAdditional information(UN RTDG)	yes
14.8	Aquatic toxicity (chronic): EC50280 ^{mg} / _l microorganismsECHA3 h growth (EbCx) 10%110 ^{mg} /lmicroorgan- ismsECHA3 h	UN number: 3495	yes
14.8		Class: 8	yes
14.8		Subsidiary risk(s): 6.1	yes
14.8		Environmental hazards: Yes Hazardous to the aquatic environment	yes
14.8		Packing group: III	yes

Page 16 / 19 Australia (en)

Safety data sheet Safety data sheet acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Danger label(s): 8+6.1 Fish and tree	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): 279 UN RTDG	yes
14.8		Excepted quantities (EQ): E1 UN RTDG	yes
14.8		Limited quantities (LQ): 5 kg UN RTDG	yes
14.8		Emergency Action Code: 2WE	yes
14.8	Marine pollutant: yes (P) (hazardous to the aquatic environment)	Marine pollutant: yes (hazardous to the aquatic environment)	yes
14.8	UN number: 3495		yes
14.8	Class: 8		yes
14.8	Subsidiary risk(s): 6.1		yes
14.8	Packing group: III		yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Danger label(s): change in the listing (table)	yes
15.1	Safety, health and environmental regulations/ legislation specific for the substance or mixture	Safety, health and environmental regulations/ legislation specific for the substance or mixture: There is no additional information.	yes
15.1	National inventories: Substance is listed in the following national inventories:		yes
15.1		National inventories: change in the listing (table)	yes
15.1		National regulations(Australia)	yes
15.1		Australian Inventory of Chemical Substances(AICS): Substance is listed.	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories	yes

Page 17 / 19 Australia (en)

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Australia (en) Page 18 / 19

acc. to Safe Work Australia - Code of Practice

Iodine ≥ 99,5% resublimated

article number: 7335



Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 19 / 19