

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution ≥37 %, for synthesis

article number: **7398**

Version: **5.1 en**

Replaces version of: 20.09.2024

Version: (5)

date of compilation: 15.04.2016

Revision: 10.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|---|
| Identification of the substance | Formaldehyde solution ≥37 %, for synthesis |
| Article number | 7398 |
| Registration number (REACH) | not relevant (mixture) |
| Unique formula identifier (UFI) | VWV0-P033-K002-TX1M |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
| Uses advised against: | Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs. |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|-----------------------------------|-----------|---------------------------|------------------|
| 3.10 | Acute toxicity (oral) | 3 | Acute Tox. 3 | H301 |
| 3.1D | Acute toxicity (dermal) | 3 | Acute Tox. 3 | H311 |
| 3.1I | Acute toxicity (inhal.) | 3 | Acute Tox. 3 | H331 |
| 3.2 | Skin corrosion/irritation | 1B | Skin Corr. 1B | H314 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| 3.4S | Skin sensitisation | 1 | Skin Sens. 1 | H317 |
| 3.5 | Germ cell mutagenicity | 2 | Muta. 2 | H341 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 3.6 | Carcinogenicity | 1B | Carc. 1B | H350 |
| 3.8 | Specific target organ toxicity - single exposure | 1 | STOT SE 1 | H370 |
| 3.8R | Specific target organ toxicity - single exposure (respiratory tract irritation) | 3 | STOT SE 3 | H335 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Immediate effects can be expected after short-term exposure.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word **Danger**

Pictograms

GHS05, GHS06,
GHS08



Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled
H314 Causes severe skin burns and eye damage
H317 May cause an allergic skin reaction
H335 May cause respiratory irritation
H341 Suspected of causing genetic defects
H350 May cause cancer
H370 Causes damage to organs (eye)

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe mist/vapours
P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor

For professional users only

Hazardous ingredients for labelling: Formaldehyde ...%, Methanol

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**
Hazard pictogram(s):

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398



H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H370 Causes damage to organs (eye).

P260 Do not breathe mist/vapours.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
contains: Formaldehyde ...%, Methanol

Labelling of packages where the contents do not exceed 10 ml

Signal word: Not required

Hazard pictogram(s):



Hazard statements: Not required

Precautionary statements: Not required

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|-------------------|---|---------|--|------------|---------------------------|
| Formaldehyde ...% | CAS No 50-00-0 EC No 200-001-8 Index No 605-001-00-5 REACH Reg. No 01-2119488953- 20-xxxx | 30 – 50 | Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350 STOT SE 3 / H335 | | B D GHS-HC IOELV |
| Methanol | CAS No 67-56-1 | 8 – 12 | Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 | | GHS-HC IOELV |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|-------------------|--|-----|---|------------|-------|
| | EC No 200-659-6 Index No 603-001-00-X REACH Reg. No 01-2119433307- 44-xxxx | | Acute Tox. 3 / H331 STOT SE 1 / H370 | | |

Notes

- B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.
- GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
- IOELV: Substance with a community indicative occupational exposure limit value

| Name of substance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|----------------------|---|---|-----------|-------------------------------------|---|
| Formaldehyde ...% | CAS No 50-00-0 EC No 200-001-8 Index No 605-001-00-5 | Skin Corr. 1B; H314: $C \geq 25\%$ Skin Irrit. 2; H315: $5\% \leq C < 25\%$ Eye Dam. 1; H318: $C \geq 25\%$ Eye Irrit. 2; H319: $5\% \leq C < 25\%$ Skin Sens. 1; H317: $C \geq 0,2\%$ STOT SE 3; H335: $C \geq 5\%$ | - | 100 mg/kg 300 mg/kg 3 mg/l/4h | oral dermal inhalation: va- pour |
| Methanol | CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X | STOT SE 1; H370: $C \geq 10\%$ STOT SE 2; H371: $3\% \leq C < 10\%$ | - | 100 mg/kg 300 mg/kg 3 mg/l/4h | oral dermal inhalation: va- pour |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Corrosion, Gastric perforation, Allergic reactions, Irritation, Cough, Dyspnoea, Headache, Vertigo, Dizziness, Unconsciousness, Spasms, Risk of serious damage to eyes, Risk of blindness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. May cause decomposition by long-term light influence.

Incompatible substances or mixtures

Observe hints for combined storage. Incompatible materials: see section 10.

Protect against external exposure, such as

high temperatures, direct light irradiation

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|---------------|---------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|--------------|
| EU | formaldehyde | 50-00-0 | IOELV | 0,3 | 0,37 | 0,6 | 0,74 | | | sect | 2019/983 /EU |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution ≥37 %, for synthesis

article number: 7398

| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|---------------|---------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|-------------|
| EU | methanol | 67-56-1 | IOELV | 200 | 260 | | | | | H | 2006/15/EC |
| MT | formaldehyde | 50-00-0 | OELV | 0,3 | 0,37 | 0,6 | 0,74 | | | | S.L. 424.22 |
| MT | methanol | 67-56-1 | OELV | 200 | 260 | | | | | H | S.L. 424.24 |

Notation

| | |
|-----------|--|
| Ceiling-C | Ceiling value is a limit value above which exposure should not occur |
| H | Absorbed through the skin |
| sect | Limit value of 0,62 mg/m ³ or 0,5 ppm for the health care, funeral and embalming sectors until 11 July 2024 |
| STEL | Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

Relevant DNELs of components

| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|-------------------|---------|-----------|-------------------------|------------------------------------|-------------------|----------------------------|
| Formaldehyde ...% | 50-00-0 | DNEL | 9 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Formaldehyde ...% | 50-00-0 | DNEL | 0,375 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| Formaldehyde ...% | 50-00-0 | DNEL | 0,75 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| Formaldehyde ...% | 50-00-0 | DNEL | 240 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Formaldehyde ...% | 50-00-0 | DNEL | 37 µg/cm ² | human, dermal | worker (industry) | chronic - local effects |
| Methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| Methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| Methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| Methanol | 67-56-1 | DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Methanol | 67-56-1 | DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

Relevant PNECs of components

| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|---------|-----------|-----------------|-------------------|---------------------------|------------------------------|
| Formaldehyde ...% | 50-00-0 | PNEC | 0,44 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Formaldehyde ...% | 50-00-0 | PNEC | 0,44 mg/l | aquatic organisms | marine water | short-term (single instance) |
| Formaldehyde ...% | 50-00-0 | PNEC | 0,19 mg/l | aquatic organ- | sewage treatment | short-term (single |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

| Relevant PNECs of components | | | | | | |
|------------------------------|---------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| | | | | isms | plant (STP) | instance) |
| Formaldehyde ...% | 50-00-0 | PNEC | 2,3 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Formaldehyde ...% | 50-00-0 | PNEC | 2,3 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Formaldehyde ...% | 50-00-0 | PNEC | 0,2 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 20,8 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 2,08 mg/l | aquatic organisms | marine water | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 100 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 77 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 7,7 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 100 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,4 mm

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Physical state | liquid |
| Colour | colourless |
| Odour | stinging |
| Melting point/freezing point | <-15 °C |
| Boiling point or initial boiling point and boiling range | 93 – 96 °C at 1.013 hPa |
| Flammability | non-combustible |
| Lower and upper explosion limit | 7 vol% (LEL) - 73 vol% (UEL) (anhydrous) |
| Flash point | 62 °C |
| Auto-ignition temperature | >300 °C |
| Decomposition temperature | not relevant |
| pH (value) | 2,8 – 4 (20 °C) |
| Kinematic viscosity | 2,018 mm ² /s at 20 °C |
| Dynamic viscosity | 2,2 mPa s at 20 °C |

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 1,3 mbar at 20 °C

Density and/or relative density

Density 1,09 g/cm³ at 20 °C

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

| | |
|---|---|
| Relative vapour density | Information on this property is not available. |
| Particle characteristics | not relevant (liquid) |
| <u>Other safety parameters</u> | |
| Oxidising properties | none |
| 9.2 Other information | |
| Information with regard to physical hazard classes: | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics: | |
| Miscibility | completely miscible with water |
| Temperature class (EU, acc. to ATEX) | T2 Maximum permissible surface temperature on the equipment: 300°C |

SECTION 10: Stability and reactivity

10.1 Reactivity

Danger of polymerisation.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

May cause decomposition by long-term light influence.
To stabilise: Methanol.

10.3 Possibility of hazardous reactions

Exothermic reaction with: Alkalis, Permanganates, strong oxidiser, Aniline,
Violent reaction with: Acids, Phenol, Nitric acid, Hydrogen peroxide,
=> Explosive properties

10.4 Conditions to avoid

Direct light irradiation. Keep away from heat.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

| Acute toxicity estimate (ATE) of components | | | |
|---|---------|--------------------|-----------|
| Name of substance | CAS No | Exposure route | ATE |
| Formaldehyde ...% | 50-00-0 | oral | 100 mg/kg |
| Formaldehyde ...% | 50-00-0 | dermal | 300 mg/kg |
| Formaldehyde ...% | 50-00-0 | inhalation: vapour | 3 mg/l/4h |
| Methanol | 67-56-1 | oral | 100 mg/kg |
| Methanol | 67-56-1 | dermal | 300 mg/kg |
| Methanol | 67-56-1 | inhalation: vapour | 3 mg/l/4h |

| Acute toxicity of components | | | | | |
|------------------------------|---------|--------------------|----------|--------------|---------|
| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
| Methanol | 67-56-1 | inhalation: vapour | LC50 | 131 mg/l/4h | rat |
| Methanol | 67-56-1 | oral | LD50 | 5.628 mg/kg | rat |
| Methanol | 67-56-1 | oral | LDLo | 143 mg/kg | human |
| Methanol | 67-56-1 | dermal | LD50 | 15.800 mg/kg | rabbit |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Causes damage to organs (eye). May cause respiratory irritation.

| Hazard category | Target organ | Exposure route |
|-----------------|--------------|----------------|
| 1 | eye | if exposed |

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

• If inhaled

vertigo, headache, Irritation to respiratory tract, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

• Other information

Other adverse effects: Spasms, Blood pressure drop, Liver and kidney damage, Dizziness, Unconsciousness

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|-------------------|---------|----------|-------------|-----------------------|---------------|
| Formaldehyde ...% | 50-00-0 | LC50 | 6,7 mg/l | fish | 96 h |
| Formaldehyde ...% | 50-00-0 | EC50 | 5,8 mg/l | aquatic invertebrates | 48 h |
| Formaldehyde ...% | 50-00-0 | ErC50 | 4,89 mg/l | algae | 72 h |
| Methanol | 67-56-1 | LC50 | 15.400 mg/l | fish | 96 h |
| Methanol | 67-56-1 | ErC50 | 22.000 mg/l | algae | 96 h |

Aquatic toxicity (chronic) of components

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|-------------------|---------|----------|-----------------|-----------------------|---------------|
| Formaldehyde ...% | 50-00-0 | EC50 | 19 mg/l | microorganisms | 3 h |
| Formaldehyde ...% | 50-00-0 | NOEC | $\geq 6,4$ mg/l | aquatic invertebrates | 21 d |

12.2 Persistence and degradability

Degradability of components

| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
|-------------------|---------|------------------|------------------|------|--------|--------|
| Formaldehyde ...% | 50-00-0 | DOC removal | 99 % | 28 d | | ECHA |
| Methanol | 67-56-1 | biotic/abiotic | 99 % | 30 d | | |
| Methanol | 67-56-1 | oxygen depletion | 69 % | 5 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

| Bioaccumulative potential of components | | | | |
|---|---------|-----|---------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| Methanol | 67-56-1 | | -0,77 | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 4 irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP 7 carcinogenic
- HP 8 corrosive
- HP 11 mutagenic
- HP 13 sensitising

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-----------|---------|
| ADR | UN 2209 |
| IMDG-Code | UN 2209 |
| ICAO-TI | UN 2209 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

14.2 UN proper shipping name

| | |
|-----------|-----------------------|
| ADRRID | FORMALDEHYDE SOLUTION |
| IMDG-Code | FORMALDEHYDE SOLUTION |
| ICAO-TI | Formaldehyde solution |

14.3 Transport hazard class(es)

| | |
|-----------|---|
| ADR | 8 |
| IMDG-Code | 8 |
| ICAO-TI | 8 |

14.4 Packing group

| | |
|-----------|-----|
| ADR | III |
| IMDG-Code | III |
| ICAO-TI | III |

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

| | |
|---------------------------------------|--|
| Proper shipping name | FORMALDEHYDE SOLUTION |
| Particulars in the transport document | UN2209, FORMALDEHYDE SOLUTION, 8, III, (E) |
| Classification code | C9 |
| Danger label(s) | 8 |



| | |
|-------------------------------|-----|
| Special provisions (SP) | 533 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | E |
| Hazard identification No | 80 |

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|--|---------------------------------------|
| Proper shipping name | FORMALDEHYDE SOLUTION |
| Particulars in the shipper's declaration | UN2209, FORMALDEHYDE SOLUTION, 8, III |
| Marine pollutant | - |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution ≥37 %, for synthesis

article number: 7398

Danger label(s) 8



Special provisions (SP) -

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-A, S-B

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Formaldehyde solution

Particulars in the shipper's declaration UN2209, Formaldehyde solution, 8, III

Danger label(s) 8



Excepted quantities (EQ) E1

Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|---------|-----------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| Formaldehyde solution | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | R3 | 3 |
| Formaldehyde ...% | formaldehyde | 50-00-0 | R72 R72_75mg | 72 |
| Formaldehyde ...% | Formaldehyde and formaldehyde-releasing substances | 50-00-0 | R77 | 77 |
| Formaldehyde ...% | carcinogenic | | R28-30 | 28 |
| Formaldehyde ...% | substances in tattoo inks and permanent make-up | | R75 | 75 |
| Methanol | methanol | 67-56-1 | R69 | 69 |
| Methanol | flammable / pyrophoric | | R40 | 40 |
| Methanol | substances in tattoo inks and permanent make-up | | R75 | 75 |

Legend

- R28-30 1. Shall not be placed on the market, or used,
- as substances,
- as constituents of other substances, or,
- in mixtures,

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

Legend

- for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
 - the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
- 'Restricted to professional users'.
2. By way of derogation, paragraph 1 shall not apply to:
- (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
 - (b) cosmetic products as defined by Directive 76/768/EEC;
 - (c) the following fuels and oil products:
 - motor fuels which are covered by Directive 98/70/EC,
 - mineral oil products intended for use as fuel in mobile or fixed combustion plants,
 - fuels sold in closed systems (e.g. liquid gas bottles);
 - (d) artists' paints covered by Regulation (EC) No 1272/2008;
 - (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
 - (f) devices covered by Regulation (EU) 2017/745.
- R3
1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
 - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopie' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
- 'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- R69
- Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.
- R72
1. Shall not be placed on the market after 1 November 2020 in any of the following:
- (a) clothing or related accessories;
 - (b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;
 - (c) footwear;
- if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.
2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.
3. Paragraph 1 shall not apply to:
- (a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;
 - (b) non-textile fasteners and non-textile decorative attachments;
 - (c) second-hand clothing, related accessories, textiles other than clothing or footwear
 - (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.
4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of

Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

Legend

the European Parliament and of the Council (**).

5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.

6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.

7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.

(*) Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).

(**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).

R72_75 Appendix 12 (maximum concentration limits by weight in homogeneous materials): 75 mg/kg

mg

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;

(ii) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";

(ii) "Not to be used in products applied on mucous membranes";

(iii) "Not to be used in eye products";

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;

(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution ≥37 %, for synthesis

article number: 7398

Legend

the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

R77 1. Shall not be placed on the market in articles, after 6 August 2026, if, under the test conditions specified in Appendix 14, the concentration of formaldehyde released from those articles exceeds:

(a) 0,062 mg/m³ for furniture and wood-based articles;

(b) 0,080 mg/m³ for articles other than furniture and wood-based articles.

The first subparagraph shall not apply to:

(a) articles in which formaldehyde or formaldehyde releasing substances are exclusively naturally present in the materials from which the articles are produced;

(b) articles that are exclusively for outdoor use under foreseeable conditions;

(c) articles in constructions, that are exclusively used outside the building shell and vapour barrier and that do not emit formaldehyde into indoor air;

(d) articles exclusively for industrial or professional use unless formaldehyde released from them leads to exposure of the general public under foreseeable conditions of use;

(e) articles for which the restriction laid down in entry 72 applies;

(f) articles that are biocidal products within the scope of Regulation (EU) No 528/2012 of the European Parliament and of the Council;

(g) devices within the scope of Regulation (EU) 2017/745; (h) personal protective equipment within the scope of Regulation (EU) 2016/425;

(h) personal protective equipment within the scope of Regulation (EU) 2016/425;

(i) articles intended to come into contact directly or indirectly with food within the scope of Regulation (EC) No 1935/2004;

(j) second-hand articles.

2. Shall not be placed on the market in road vehicles after 6 August 2027 if, under the test conditions specified in Appendix 14, the concentration of formaldehyde in the interior of those vehicles exceeds 0,062 mg/m³.

The first subparagraph shall not apply to:

(a) road vehicles exclusively for industrial or professional use unless the concentration of formaldehyde in the interior of those vehicles leads to exposure of the general public under foreseeable conditions of use;

(b) second-hand vehicles.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

none of the ingredients are listed

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|---|-------|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes |
| 22 | methanol | 500 | 5.000 | |

Deco-Paint Directive

| | |
|--|-----------|
| VOC content | 47 % |
| VOC content (Water content was discounted) | 1.217 g/l |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

Industrial Emissions Directive (IED)

| | |
|--|-----------|
| VOC content | 47 % |
| VOC content (Water content was discounted) | 1.217 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|---|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Formaldehyde ...% | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment | | a) | |
| Methanol | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment | | a) | |

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

National inventories

| Country | Inventory | Status |
|---------|------------|-------------------------------------|
| AU | AIIC | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed (ACTIVE) |
| VN | NCI | all ingredients are listed |

Legend

| | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---------------------------|---|-----------------|
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Hazard pictogram(s): | yes |
| 2.2 | | Hazard pictogram(s):: change in the listing (table) | yes |
| 2.2 | | Hazard pictogram(s):: change in the listing (table) | yes |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution ≥37 %, for synthesis

article number: 7398

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|--|---|-----------------|
| 2.2 | | Labelling of packages where the contents do not exceed 10 ml | yes |
| 2.2 | | Signal word: Not required | yes |
| 2.2 | | Hazard pictogram(s): | yes |
| 2.2 | | Hazard pictogram(s): change in the listing (table) | yes |
| 2.2 | | Hazard statements: Not required | yes |
| 2.2 | | Precautionary statements: Not required | yes |
| 2.3 | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%. | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 15.1 | | Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table) | yes |
| 15.1 | List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration) | List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: none of the ingredients are listed | yes |
| 15.1 | VOC content: 47 % , 1.217 g/l | VOC content: 47 % | yes |
| 15.1 | | VOC content (Water content was discounted): 1.217 g/l | yes |
| 15.1 | VOC content: 1.090 g/l | | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |
| 15.2 | Chemical Safety Assessment: Chemical safety assessments for substances in this mixture were not carried out. | Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| 2019/983/EU | Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work |
| Acute Tox. | Acute toxicity |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

| Abbr. | Descriptions of used abbreviations |
|------------|---|
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| Carc. | Carcinogenicity |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | \equiv EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| log KOW | n-Octanol/water |
| Muta. | Germ cell mutagenicity |
| NLP | No-Longer Polymer |
| NOEC | No Observed Effect Concentration |
| PBT | Persistent, Bioaccumulative and Toxic |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: 7398

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| S.L. 424.22 | Protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work regulations (S.L.424.22) |
| S.L. 424.24 | Protection of the health and safety of workers from the risks related to chemical agents at work regulations (S.L. 424.24) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| STOT SE | Specific target organ toxicity - single exposure |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |
| H335 | May cause respiratory irritation. |
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |
| H370 | Causes damage to organs (eye). |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formaldehyde solution $\geq 37\%$, for synthesis

article number: **7398**

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.