according to Regulation (EC) No. 1907/2006 (REACH)



Osmium tetraoxide solution 2 % for electron microscopy

article number: **7436** Version: **1.0 en** date of compilation: 2021-10-14

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

microscopy 7436

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

Osmium tetraoxide solution 2 % for electron

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

according to Regulation (EC) No. 1907/2006 (REACH)



Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS06



Hazard statements

H301+H311	Toxic if swallowed or in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled

Precautionary statements

Precautionary statements - prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection
P284	Wear respiratory protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 Immediately call a POISON CENTER/doctor

Hazardous ingredients for labelling:

Osmium tetraoxide

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H301+H311	Toxic if swallowed or in contact with skin.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
contains:	Osmium tetraoxide

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)



Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture) Molecular formula Molar mass

OsO₄

 $254,2 \text{ g/}_{mol} + \text{H}_2\text{O}$

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
osmium tetraoxide	CAS No 20816-12-0 EC No 244-058-7 Index No 076-001-00-5	2	Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 Skin Corr. 1B / H314		GHS-HC

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
osmium tetraox- ide	CAS No 20816-12-0 EC No 244-058-7 Index No 076-001-00-5	-	-	5 ^{mg} / _{kg} 5 ^{mg} / _{kg} 0,05 ^{mg} / _l /4h	oral dermal inhalation: dust/ mist

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.



Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** Irritation
- **4.3** Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

according to Regulation (EC) No. 1907/2006 (REACH)



Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

6.4 **Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 **Precautions for safe handling**

Handle and open container with care. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 4 - 15 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	osmium tetraoxide	20816- 12-0	WEL	0,00 02	0,002	0,00 06	0,006			Os	EH40/ 2005

Notation

Ceiling-C

Os STEL

Ceiling value is a limit value above which exposure should not occur Calculated as Os (osmium) Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA hours time-weighted average (unless otherwise specified)

8.2 **Exposure controls**

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 7436

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.



according to Regulation (EC) No. 1907/2006 (REACH)



Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties					
	Physical state	liquid				
	Colour	yellow				
	Odour	disagreeable				
	Melting point/freezing point	not determined				
	Boiling point or initial boiling point and boiling range	100 °C at 1.013 hPa				
	Flammability	non-combustible				
	Lower and upper explosion limit	not determined				
	Flash point	not determined				
	Auto-ignition temperature	not determined				
	Decomposition temperature	not relevant				
	pH (value)	6 – 8 (25 °C)				
	Kinematic viscosity	not determined				
	Solubility(ioc)					
	Solubility(ies)	missible in any propertien				
	Water solubility	miscible in any proportion				
	Partition coefficient					
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)				
	Vapour pressure	23 hPa at 20 °C				
	Density	1,01 ^g / _{cm³}				
	Relative vapour density	information on this property is not available				
	Particle characteristics	not relevant (liquid)				
	Other safety parameters					
	Oxidising properties	none				
9.2	Other information					
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant				
	Other safety characteristics:					
	Miscibility	completely miscible with water				

according to Regulation (EC) No. 1907/2006 (REACH)



Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ATE		
osmium tetraoxide	20816-12-0	oral	5 ^{mg} / _{kg}		
osmium tetraoxide	20816-12-0	dermal	5 ^{mg} / _{kg}		
osmium tetraoxide	20816-12-0	inhalation: dust/mist	0,05 ^{mg} / _l /4h		

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
osmium tetraoxide	20816-12-0	oral	LD50	162 ^{mg} / _{kg}	mouse

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006 (REACH)



Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability Data are not available.

12.3 Bioaccumulative potential

Data are not available.

® §ROTH

Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR/RID/ADN	UN 3287
	IMDG-Code	UN 3287
	ICAO-TI	UN 3287
14.2	UN proper shipping name	
	ADR/RID/ADN	TOXIC LIQUID, INORGANIC, N.O.S.
	IMDG-Code	TOXIC LIQUID, INORGANIC, N.O.S.
	ICAO-TI	Toxic liquid, inorganic, n.o.s.
	Technical name (hazardous ingredients)	Osmium tetraoxide
14.3	Transport hazard class(es)	
	ADR/RID/ADN	6.1
	IMDG-Code	6.1

according to Regulation (EC) No. 1907/2006 (REACH)



Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

	ICAO-TI	6.1
14.4	Packing group	
	ADR/RID/ADN	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Proper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Particulars in the transport documentUN3287, TOXIC LIQUID, INORGANIC, N.O.S., (con- tains: osmium tetraoxide), 6.1, III, (E)Classification codeT4Danger label(s)6.1Imager label(s)274, 802(ADN)Excepted quantities (EQ)E1Limited quantities (LQ)5 LTransport category (TC)2Quantification No60Emergency Action CodeTOXIC LIQUID, INORGANIC, N.O.S.Proper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Proper shipping nameTOXIC LIQUID, INORGANIC, N.O.S., (con- tains: osmium tetraoxide), 6.1, IIIMarine pollutant-Danger label(s)6.1Imager label(s)EProper shipping nameTOXIC LIQUID, INORGANIC, N.O.S., (con- tains: osmium tetraoxide), 6.1, IIIMarine pollutant-Danger label(s)-Imager label(s)S.1Imager label(s)S.1Imager label(s)-Imager label(s)-Imager label(s)S.1Imager label(s)-Imager label(s)-<	Transport of dangerous goods by road, rail information	and inland waterway (ADR/RID/ADN) - Additional
tains: osmium tetraoxide), 6.1, III, (E)Classification codeT4Danger label(s)6.1Image: Composition (SP)274, 802(ADN)Excepted quantities (EQ)E1Limited quantities (LQ)5 LTransport category (TC)2Tunnel restriction code (TRC)EHazard identification No60Emergency Action Code2XProper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Proper shipping nameTOXIC LIQUID, INORGANIC, N.O.S., (con- tains: osmium tetraoxide), 6.1, IIIMarine pollutant-Image: Composition (SP)223, 274	Proper shipping name	TOXIC LIQUID, INORGANIC, N.O.S.
Danger label(s)6.1Danger label(s)6.1Danger label(s)274, 802(ADN)Special provisions (SP)274, 802(ADN)Excepted quantities (EQ)E1Limited quantities (LQ)5 LTransport category (TC)2Tunnel restriction code (TRC)EHazard identification No60Emergency Action Code2XInternational Maritime Dangerous Goods CodeTOXIC LIQUID, INORGANIC, N.O.S.Proper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Particulars in the shipper's declarationUN3287, TOXIC LIQUID, INORGANIC, N.O.S., (con- tains: osminum tetraoxide), 6.1, IIIMarine pollutant-Panger label(s)6.1Special provisions (SP)223, 274	Particulars in the transport document	UN3287, TOXIC LIQUID, INORGANIC, N.O.S., (con- tains: osmium tetraoxide), 6.1, III, (E)
Special provisions (SP)274, 802(ADN)Excepted quantities (EQ)E1Limited quantities (LQ)5 LTransport category (TC)2Tunnel restriction code (TRC)EHazard identification No60Emergency Action Code2XInternational Maritime Dangerous Goods CodeTUQUID, INORGANIC, N.O.S.Proper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Particulars in the shipper's declarationUN3287, TOXIC LIQUID, INORGANIC, N.O.S., (contains: osmium tetraoxide), 6.1, IIIMarine pollutant-Onger label(s)6.1Special provisions (SP)223, 274	Classification code	T4
Excepted quantities (EQ) E1 Limited quantities (LQ) 5 L Transport category (TC) 2 Tunnel restriction code (TRC) E Hazard identification No 60 Emergency Action Code 2X International Maritime Dangerous Goods Code UVG) - Additional information Proper shipping name TOXIC LIQUID, INORGANIC, N.O.S. Particulars in the shipper's declaration UN3287, TOXIC LIQUID, INORGANIC, N.O.S., (con- tains: osmium tetraoxide), 6.1, III Marine pollutant - Danger label(s) 6.1 Special provisions (SP) 223, 274	Danger label(s)	6.1
Excepted quantities (EQ) E1 Limited quantities (LQ) 5 L Transport category (TC) 2 Tunnel restriction code (TRC) E Hazard identification No 60 Emergency Action Code 2X International Maritime Dangerous Goods Code UVG) - Additional information Proper shipping name TOXIC LIQUID, INORGANIC, N.O.S. Particulars in the shipper's declaration UN3287, TOXIC LIQUID, INORGANIC, N.O.S., (con- tains: osmium tetraoxide), 6.1, III Marine pollutant - Danger label(s) 6.1 Special provisions (SP) 223, 274		
Limited quantities (LQ)5 LTransport category (TC)2Tunnel restriction code (TRC)EHazard identification No60Emergency Action Code2XInternational Maritime Dangerous Goods CodeIMDG) - Additional informationProper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Particulars in the shipper's declarationUN3287, TOXIC LIQUID, INORGANIC, N.O.S., (con- tains: osmium tetraoxide), 6.1, IIIMarine pollutant-Danger label(s)6.1Imager label(s)Special provisions (SP)23, 27423, 274	Special provisions (SP)	274, 802(ADN)
Transport category (TC)2Tunnel restriction code (TRC)EHazard identification No60Emergency Action Code2XInternational Maritime Dangerous Goods Code- Additional informationProper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Particulars in the shipper's declarationUN3287, TOXIC LIQUID, INORGANIC, N.O.S., (con-tains: osmium tetraoxide), 6.1, IIIMarine pollutant-Danger label(s)6.1Imager label(s)23, 274	Excepted quantities (EQ)	E1
Tunnel restriction code (TRC)EHazard identification No60Emergency Action Code2XInternational Maritime Dangerous Goods Code (TMDG) - Additional informationProper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Particulars in the shipper's declarationUN3287, TOXIC LIQUID, INORGANIC, N.O.S., (con-tains: osmium tetraoxide), 6.1, IIIMarine pollutant-Danger label(s)6.1Image: Special provisions (SP)223, 274	Limited quantities (LQ)	5 L
Hazard identification No60Emergency Action Code2XInternational Maritime Dangerous Goods CodeWDG) - Additional informationProper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Particulars in the shipper's declarationUN3287, TOXIC LIQUID, INORGANIC, N.O.S., (con- tains: osmium tetraoxide), 6.1, IIIMarine pollutant-Danger label(s)6.1Special provisions (SP)223, 274	Transport category (TC)	2
Emergency Action Code2XInternational Maritime Dangerous Goods Code	Tunnel restriction code (TRC)	E
International Maritime Dangerous Goods Code (IMDG) - Additional informationProper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Particulars in the shipper's declarationUN3287, TOXIC LIQUID, INORGANIC, N.O.S., (contains: osmium tetraoxide), 6.1, IIIMarine pollutant-Danger label(s)6.1Image: Special provisions (SP)223, 274	Hazard identification No	60
Proper shipping nameTOXIC LIQUID, INORGANIC, N.O.S.Particulars in the shipper's declarationUN3287, TOXIC LIQUID, INORGANIC, N.O.S., (contains: osmium tetraoxide), 6.1, IIIMarine pollutant-Danger label(s)6.1Image: Special provisions (SP)223, 274	Emergency Action Code	2X
Particulars in the shipper's declarationUN3287, TOXIC LIQUID, INORGANIC, N.O.S., (contains: osmium tetraoxide), 6.1, IIIMarine pollutant-Danger label(s)6.1Image: Special provisions (SP)223, 274	International Maritime Dangerous Goods C	ode (IMDG) - Additional information
tains: osmium tetraoxide), 6.1, IIIMarine pollutant-Danger label(s)6.1Image: Special provisions (SP)223, 274	Proper shipping name	TOXIC LIQUID, INORGANIC, N.O.S.
Danger label(s) 6.1 Special provisions (SP) 223, 274	Particulars in the shipper's declaration	
Special provisions (SP) 223, 274	Marine pollutant	-
	Danger label(s)	6.1
Excepted quantities (EQ) E1	Special provisions (SP)	223, 274
	Excepted quantities (EQ)	E1

according to Regulation (EC) No. 1907/2006 (REACH)



Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436	irticle nu	mber:	7436
-----------------------------	------------	-------	------

Limited quantities (LQ)	5 L
EmS	F-A, S-A
Stowage category	A
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
Proper shipping name	Toxic liquid, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3287, Toxic liquid, inorganic, n.o.s., (contains: osmium tetraoxide), 6.1, III
Danger label(s)	6.1
Special provisions (SP)	A3, A4, A137
Excepted quantities (EQ)	E1
Limited quantities (LQ)	2 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 **Relevant provisions of the European Union (EU)**

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No	
Osmium tetraoxide solution	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
osmium tetraoxide	substances in tattoo inks and perman- ent make-up		R75	75	

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in orna-mental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.
 Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

ments are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

® §ROTH

Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

® §ROTH

Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categoriesQualifying quantity (tonnes) for the application of lower and upper-tier requirementsNotes			
	not assigned			

Deco-Paint Directive

VOC content	0 %
-------------	-----

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
osmium tetraoxide	Metals and their compounds		A)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed


Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



® Roth

article number: 7436

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICSAustralian Inventory of Chemical SubstancesCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical Substances Produced or Imported in ChinaINSQNational Inventory of Chemical SubstancesKECIKorea Existing Chemicals InventoryNZIoCNew Zealand Inventory of Chemicals and Chemical Substances (PICCS)FCSITaiwan Chemical Substance InventoryTSCAToxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate

according to Regulation (EC) No. 1907/2006 (REACH)



Osmium tetraoxide solution 2 % for electron microscopy

article number: **7436**

Abbr.	Descriptions of used abbreviations	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
ΙΑΤΑ	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	ADG International Maritime Dangerous Goods Code	
IMDG-Code	G-Code International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
STEL	Short-term exposure limit	
SVHC	Substance of Very High Concern	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

° ROTH

Osmium tetraoxide solution 2 % for electron microscopy

article number: 7436

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.