acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446 date of compilation: 2019-09-04 Version: GHS 3.0 en Revision: 2024-03-04

Replaces version of: 2022-09-13

Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Diosmetin ROTICHROM® HPLC** 

Article number 7446 CAS number 520-34-3

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

### Classification of the substance or mixture

### Classification acc. to GHS

This substance does not meet the criteria for classification.

#### **Label elements** 2.2

# Labelling

not required

Page 1 / 11 Australia (en)



acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446

# **Endocrine disrupting properties**

# **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Name of substance Diosmetin Molecular formula C<sub>16</sub>H<sub>12</sub>O<sub>6</sub>  $300.3 \, g/_{mol}$ Molar mass CAS No 520-34-3

# **SECTION 4: First aid measures**

# **Description of first aid measures**



### **General notes**

Take off contaminated clothing.

## Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following skin contact

Rinse skin with water/shower.

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Nausea

#### Indication of any immediate medical attention and special treatment needed 4.3

none

Australia (en) Page 2 / 11



#### 2.3 Other hazards

# Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446



# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media



# Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

# Unsuitable extinguishing media

water jet

# 5.2 Special hazards arising from the substance or mixture

Combustible.

# **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures



# For non-emergency personnel

Control of dust.

### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

# 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically.

# Other information relating to spills and releases

Place in appropriate containers for disposal.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 11

acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446



# **SECTION 7: Handling and storage**

#### Precautions for safe handling 7.1

No special measures are necessary.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

## **Incompatible substances or mixtures**

Observe hints for combined storage.

**Consideration of other advice:** 

# **Ventilation requirements**

Use local and general ventilation.

# Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

#### 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

### **National limit values**

### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

#### Notation

Ceiling value is a limit value above which exposure should not occur Ceiling-C

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

#### 8.2 **Exposure controls**

# Individual protection measures (personal protective equipment)

# **Eye/face protection**



Use safety goggle with side protection.

Australia (en) Page 4 / 11

acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446

## Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

# type of material

NBR (Nitrile rubber)

### material thickness

>0,11 mm

## breakthrough times of the glove material

>480 minutes (permeation: level 6)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

# **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state solid
Form powder
Colour light yellow
Odour odourless

Melting point/freezing point 255.7 °C at 1,011 hPa (ECHA)

Boiling point or initial boiling point and boiling

range

not determined

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined Flash point not applicable Auto-ignition temperature not determined

Decomposition temperature 258.6 °C at 1,011 hPa (ECHA)

pH (value) not applicable

Australia (en) Page 5 / 11



acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446

Kinematic viscosity not relevant

Solubility(ies)

Water solubility (practically insoluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): 2.105

Vapour pressure 0 Pa at 20 °C

Density and/or relative density

Density  $1.517 \, {}^{9}/_{cm^3}$  at 20 °C (ECHA)

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS

classes: (physical hazards): not relevant

Other safety characteristics: There is no additional information.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

# 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

# 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

### **10.4** Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 258.6 °C at 1,011 hPa.

# 10.5 Incompatible materials

There is no additional information.

# 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Australia (en) Page 6 / 11



acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446



# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

## **Acute toxicity**

Shall not be classified as acutely toxic.

<b>Acute</b>	toxi	icity
--------------	------	-------

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>10,000 <sup>mg</sup> / <sub>kg</sub>	mouse		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

# **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

# • If swallowed

vomiting, nausea

### • If in eyes

Data are not available.

#### If inhaled

Data are not available.

### • If on skin

Data are not available.

Australia (en) Page 7 / 11

acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446

Other information

none

# 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
EC50	>100 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	>100 <sup>mg</sup> / <sub>I</sub>	algae	ECHA	72 h

# 12.2 Persistence and degradability

Theoretical Oxygen Demand: 1.705  $^{\rm mg}/_{\rm mg}$  Theoretical Carbon Dioxide: 2.345  $^{\rm mg}/_{\rm mg}$ 

# **Biodegradation**

The substance is readily biodegradable.

### **Process of degradability**

	Process Degradation rate		Time
oxygen depletion		71 %	28 d

# 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	2.105

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# 12.7 Other adverse effects

Data are not available.

Australia (en) Page 8 / 11



acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446



# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

## Sewage disposal-relevant information

Do not empty into drains.

# Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
116	Special progrutions for user	

# 14.6 Special precautions for user

There is no additional information.

# 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Australia (en) Page 9 / 11

acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446



# **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

EC Substance Inventory (EINECS, ELINCS, NLP)

ECSI KECI NCI KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# SECTION 16: Other information

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances

Australia (en) Page 10 / 11

acc. to Safe Work Australia - Code of Practice

### **Diosmetin ROTICHROM® HPLC**

article number: 7446



Abbr.	Descriptions of used abbreviations
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

# Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 11 / 11