acc. to Safe Work Australia - Code of Practice

Revision: 2024-03-04

date of compilation: 2017-02-21

#### 1,3-Butanediol ≥99 %, for synthesis

article number: 7473 Version: GHS 3.0 en

Replaces version of: 2022-01-25

Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **1,3-Butanediol** ≥99 %, for synthesis

Article number 7473

CAS number 107-88-0

Alternative name(s) 1,3-Butylene glycol

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data 
Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

#### 2.2 **Label elements**

#### Labelling

not required

Australia (en) Page 1 / 12

acc. to Safe Work Australia - Code of Practice



#### 1,3-Butanediol ≥99 %, for synthesis

article number: 7473

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance 1,3-Butanediol

Molecular formula  $C_4H_{10}O_2$  Molar mass  $90.12~{}^g/_{mol}$  CAS No 107-88-0

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 12

acc. to Safe Work Australia - Code of Practice



#### 1,3-Butanediol ≥99 %, for synthesis

article number: 7473

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

No special measures are necessary.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 12

acc. to Safe Work Australia - Code of Practice



#### 1,3-Butanediol ≥99 %, for synthesis

article number: 7473

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place. Hygroscopic.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Protect against external exposure, such as

humidity

**Consideration of other advice:** 

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

#### **Environmental values**

Relevant	t PNECs and ot	her threshold levels		
End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	1,804 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

## **Eye/face protection**



Use safety goggle with side protection.

#### Skin protection



Australia (en) Page 4 / 12

acc. to Safe Work Australia - Code of Practice

#### 1,3-Butanediol ≥99 %, for synthesis

article number: 7473

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour odourless
Melting point/freezing point -57 °C (ECHA)

Boiling point or initial boiling point and boiling 209 °C at 1,013 hPa (ECHA)

range

Flammability this material is combustible, but will not ignite readily

Lower and upper explosion limit

1.9 vol% (LEL) - 12.6 vol% (UEL)

Flash point

115 °C at 1,013 hPa (ECHA)

Auto-ignition temperature

410 °C at 1,019 hPa (ECHA)

Decomposition temperature not relevant

pH (value) 6-7 (in aqueous solution:  $1 \frac{g}{l}$ ,  $20 \degree C$ )

Kinematic viscosity  $131.3 \, \text{mm}^2 /_{\text{s}}$  at 20 °C Dynamic viscosity  $131.8 \, \text{mPa}$  s at 20 °C

Solubility(ies)

Water solubility (soluble)

Australia (en) Page 5 / 12

acc. to Safe Work Australia - Code of Practice



#### 1,3-Butanediol ≥99 %, for synthesis

article number: 7473

Partition coefficient

Partition coefficient n-octanol/water (log value): -0.9 (pH value: 7.5, 25 °C) (ECHA)

Vapour pressure <1 hPa at 20 °C

Density and/or relative density

Density  $1.004 \, {}^{9}/_{cm^3}$  at 20 °C (ECHA)

Relative vapour density 3.11 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Other safety characteristics:

Surface tension 72.6 <sup>mN</sup>/<sub>m</sub> (20 °C) (ECHA)

Refractive index 1.439 – 1.441

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

hazard classes acc. to GHS

(physical hazards): not relevant

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acid halides

#### 10.4 Conditions to avoid

Protect from moisture.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Australia (en) Page 6 / 12

acc. to Safe Work Australia - Code of Practice



#### 1,3-Butanediol ≥99 %, for synthesis

article number: 7473

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

#### **Acute toxicity**

Shall not be classified as acutely toxic.

#### **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
dermal	LD50	>20,000 <sup>mg</sup> / <sub>kg</sub>	rabbit		TOXNET
oral	LD50	22,800 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

vomiting, nausea

#### If in eyes

slightly irritant but not relevant for classification

#### If inhaled

Data are not available.

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Australia (en) Page 7 / 12

acc. to Safe Work Australia - Code of Practice



#### 1,3-Butanediol ≥99 %, for synthesis

article number: 7473

Other information

none

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Aquatic toxicity (ac	Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time		
LC50	>100 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h		
EC50	>1,000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h		
ErC50	>1,070 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h		

## **Aquatic toxicity (chronic)**

Endpoint	Value	Species	Source	Exposure time
EC50	>85 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	21 d
LC50	>85 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	21 d

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand:  $1.953 \frac{mg}{mg}$ Theoretical Carbon Dioxide:  $1.953 \frac{mg}{mg}$ 

#### **Biodegradation**

The substance is readily biodegradable.

<b>Process</b>	of d	legra	dal	oility	

Process	Degradation rate	Time
carbon dioxide generation	81 %	29 d

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0.9 (pH value: 7.5, 25 °C) (ECHA)
---------------------------	------------------------------------

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

Australia (en) Page 8 / 12

acc. to Safe Work Australia - Code of Practice

# ROTH

#### 1,3-Butanediol ≥99 %, for synthesis

article number: 7473

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

14.1	UN number	not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

## 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

## Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Australia (en) Page 9 / 12

acc. to Safe Work Australia - Code of Practice



#### 1,3-Butanediol ≥99 %, for synthesis

article number: 7473

## **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

#### National regulations(Australia)

#### **Australian Inventory of Chemical Substances(AICS)**

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC

CICR CSCL-ENCS DSL ECSI IECSC

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)

INSQ ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

**TSCA Toxic Substance Control Act** 

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 10 / 12

acc. to Safe Work Australia - Code of Practice



article number: 7473



## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UEL	Upper explosion limit (UEL)
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

Australia (en) Page 11 / 12

acc. to Safe Work Australia - Code of Practice



## 1,3-Butanediol ≥99 %, for synthesis

article number: 7473

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 12 / 12