

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: **7587**  
Version: **5.0 en**  
Replaces version of: 24.05.2022  
Version: (4)

date of compilation: 05.07.2016  
Revision: 02.03.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

|                                 |  |
|---------------------------------|--|
| Identification of the substance | <b>n-Pentane ROTISOLV® Pestilyse® plus ≥99 %</b> |
| Article number                  | 7587   |
| Registration number (REACH)     | 01-2119459286-30-xxxx                            |
| Index number in CLP Annex VI    | 601-006-00-1                                     |
| EC number                       | 203-692-4  |
| CAS number                      | 109-66-0   |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                           |  |
|---------------------------|--|
| Relevant identified uses: | Laboratory chemical<br>Laboratory and analytical use   |
| Uses advised against:     | Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs. |

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** **sicherheit@carlroth.de**

### 1.4 Emergency telephone number

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class  | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 2.6     | Flammable liquid  | 2         | Flam. Liq. 2              | H225             |
| 3.8D    | Specific target organ toxicity - single exposure (narcotic effects, drowsiness) | 3         | STOT SE 3                 | H336             |
| 3.10    | Aspiration hazard   | 1         | Asp. Tox. 1               | H304             |
| 4.1C    | Hazardous to the aquatic environment - chronic hazard                           | 2         | Aquatic Chronic 2         | H411             |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

### Supplemental hazard information

| Code   | Supplemental hazard information                      |
|--------|--|
| EUH066 | repeated exposure may cause skin dryness or cracking |

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms

GHS02, GHS07,  
GHS08, GHS09



#### Hazard statements

H225 Highly flammable liquid and vapour  
H304 May be fatal if swallowed and enters airways  
H336 May cause drowsiness or dizziness  
H411 Toxic to aquatic life with long lasting effects

#### Precautionary statements

##### Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P273 Avoid release to the environment

##### Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor  
P331 Do NOT induce vomiting

#### Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H304 May be fatal if swallowed and enters airways.  
H336 May cause drowsiness or dizziness.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.  
EUH066 Repeated exposure may cause skin dryness or cracking.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

### 2.3 Other hazards

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

|                   |                                |
|-------------------|--------------------------------|
| Name of substance | n-Pentane                      |
| Molecular formula | C <sub>5</sub> H <sub>12</sub> |
| Molar mass        | 72,15 g/mol                    |
| REACH Reg. No     | 01-2119459286-30-xxxx          |
| CAS No            | 109-66-0                       |
| EC No             | 203-692-4                      |
| Index No          | 601-006-00-1                   |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Aspiration hazard, Dizziness, Drowsiness, Narcosis

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



**n-Pentane ROTISOLV® Pestilyse® plus ≥99 %**

article number: **7587**

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Ground/bond container and receiving equipment.

#### Ventilation requirements

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No   | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source     |
|---------|---------------|----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|------------|
| EU      | pentane       | 109-66-0 | IOELV      | 1.000     | 3.000                    |            |                           |                 |                                |          | 2006/15/EC |
| MT      | pentane       | 109-66-0 | OELV       | 1.000     | 3.000                    |            |                           |                 |                                |          | CAP. 424   |

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Human health values

| Relevant DNELs and other threshold levels |                         |                                    |                   |                            |
|---|-------------------------|------------------------------------|-------------------|----------------------------|
| Endpoint                                  | Threshold level         | Protection goal, route of exposure | Used in           | Exposure time              |
| DNEL                                      | 3.000 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL                                      | 432 mg/kg bw/day        | human, dermal                      | worker (industry) | chronic - systemic effects |

#### Environmental values

| Relevant PNECs and other threshold levels |                 |                       |                              |                              |
|---|-----------------|-----------------------|------------------------------|------------------------------|
| Endpoint                                  | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| PNEC                                      | 230 µg/l        | aquatic organisms     | freshwater                   | short-term (single instance) |
| PNEC                                      | 230 µg/l        | aquatic organisms     | marine water                 | short-term (single instance) |
| PNEC                                      | 3.600 µg/l      | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| PNEC                                      | 1,2 mg/kg       | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| PNEC                                      | 1,2 mg/kg       | aquatic organisms     | marine sediment              | short-term (single instance) |
| PNEC                                      | 0,55 mg/kg      | terrestrial organisms | soil                         | short-term (single instance) |

### 8.2 Exposure controls

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggles with side protection.

#### Skin protection



##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

##### • type of material

NBR (Nitrile rubber)

##### • material thickness

>0,3 mm

##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

#### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

#### Environmental exposure controls

Keep away from drains, surface and ground water.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



**n-Pentane ROTISOLV® Pestilyse® plus ≥99 %**

article number: **7587**

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |  |
|--|--|
| Physical state   | liquid   |
| Colour   | colourless                                       |
| Odour  | characteristic - like: - Gasoline                |
| Melting point/freezing point                             | -130 °C  |
| Boiling point or initial boiling point and boiling range | 35 - 36 °C                                       |
| Flammability   | flammable liquid in accordance with GHS criteria |
| Lower and upper explosion limit                          | 1,4 vol% (LEL) - 8 vol% (UEL)                    |
| Flash point  | -40 °C (ECHA)                                    |
| Auto-ignition temperature                                | 260 °C (ECHA)                                    |
| Decomposition temperature                                | not relevant                                     |
| pH (value)   | not determined                                   |
| Kinematic viscosity                                      | 0,35 mm <sup>2</sup> /s at 25 °C                 |
| Dynamic viscosity  | 0,22 mPa s at 25 °C                              |
| <u>Solubility(ies)</u>                                   |  |
| Water solubility   | <0,1 g/l at 20 °C                                |
| <u>Partition coefficient</u>                             |  |
| Partition coefficient n-octanol/water (log value):       | 3,45 (pH value: 7, 25 °C) (ECHA)                 |
| Soil organic carbon/water (log KOC)                      | 2,9 (ECHA)                                       |
| Vapour pressure  | 570 hPa at 20 °C                                 |
| <u>Density and/or relative density</u>                   |  |
| Density  | 0,63 g/cm <sup>3</sup> at 20 °C (ECHA)           |
| Relative vapour density                                  | 2,49 (air = 1)                                   |
| Particle characteristics                                 | not relevant (liquid)                            |
| <u>Other safety parameters</u>                           |  |
| Oxidising properties                                     | none   |

### 9.2 Other information

Information with regard to physical hazard classes: There is no additional information.



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

Other safety characteristics:

|                                      |   |
|--------------------------------------|---|
| Gas group (explosion group)          | IIA<br>Maximum Experimental Safe Gap value; MESG > 0,9 mm             |
| Maximum explosion pressure           | 9,5 bar   |
| Temperature class (EU, acc. to ATEX) | T3<br>Maximum permissible surface temperature on the equipment: 200°C |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

#### If heated

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Halogens, Nitric acid,  
=> Explosive properties

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

Rubber articles, different plastics

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Classification according to GHS (1272/2008/EC, CLP)**

#### Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity     |          |               |         |        |        |
|--------------------|----------|---------------|---------|--------|--------|
| Exposure route     | Endpoint | Value         | Species | Method | Source |
| oral               | LD50     | >5.000 mg/kg  | rat     |        | ECHA   |
| inhalation: vapour | LC50     | >25,3 mg/l/4h | rat     |        | ECHA   |

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

### **Carcinogenicity**

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### **Specific target organ toxicity - single exposure**

May cause drowsiness or dizziness.

### **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

May be fatal if swallowed and enters airways.

### **Symptoms related to the physical, chemical and toxicological characteristics**

#### **• If swallowed**

aspiration hazard

#### **• If in eyes**

causes slight to moderate irritation

#### **• If inhaled**

headache, vertigo, dizziness, fatigue, narcosis

#### **• If on skin**

irritation and significant inflammation of the skin (dermatitis) due to the defatting properties of the product may be caused by repeated or prolonged exposure

#### **• Other information**

none

### **11.2 Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### **11.3 Information on other hazards**

There is no additional information.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Toxic to aquatic life with long lasting effects.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

| Aquatic toxicity (acute) |           |                                     |        |               |
|--------------------------|-----------|-------------------------------------|--------|---------------|
| Endpoint                 | Value     | Species                             | Source | Exposure time |
| LC50                     | 4,26 mg/l | rainbow trout (Oncorhynchus mykiss) | ECHA   | 96 h          |
| EC50                     | 2,7 mg/l  | daphnia magna                       | ECHA   | 48 h          |

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 3,548 mg/mg  
Theoretical Carbon Dioxide: 3,05 mg/mg

#### Biodegradation

The substance is readily biodegradable.

| Process of degradability |                  |      |
|--------------------------|------------------|------|
| Process                  | Degradation rate | Time |
| oxygen depletion         | 87 %             | 28 d |

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

|                           |                                  |
|---------------------------|----------------------------------|
| n-octanol/water (log KOW) | 3,45 (pH value: 7, 25 °C) (ECHA) |
| BCF                       | 171 (ECHA)                       |

### 12.4 Mobility in soil

|  |            |
|--|------------|
| The Organic Carbon normalised adsorption coefficient | 2,9 (ECHA) |
|--|------------|

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 3** flammable

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

**HP 14** ecotoxic

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

|           |         |
|-----------|---------|
| ADR       | UN 1265 |
| IMDG-Code | UN 1265 |
| ICAO-TI   | UN 1265 |

### 14.2 UN proper shipping name

|           |          |
|-----------|----------|
| ADR       | PENTANES |
| IMDG-Code | PENTANES |
| ICAO-TI   | Pentanes |

### 14.3 Transport hazard class(es)

|           |   |
|-----------|---|
| ADR       | 3 |
| IMDG-Code | 3 |
| ICAO-TI   | 3 |

### 14.4 Packing group

|           |    |
|-----------|----|
| ADR       | II |
| IMDG-Code | II |
| ICAO-TI   | II |

### 14.5 Environmental hazards

hazardous to the aquatic environment

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

# Safety data sheet



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU





## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587


### Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

|   |   |
|---|---|
| Proper shipping name  | PENTANES  |
| Particulars in the transport document   | UN1265, PENTANES, 3, II, (D/E), environmentally hazardous |
| Classification code   | F1  |
| Danger label(s)   | 3, "Fish and tree"  |
|   |   |
| Environmental hazards   | yes (hazardous to the aquatic environment)                |
| Excepted quantities (EQ)  | E2  |
| Limited quantities (LQ)   | 1 L   |
| Transport category (TC)   | 2   |
| Tunnel restriction code (TRC)   | D/E   |
| Hazard identification No  | 33  |

### International Maritime Dangerous Goods Code (IMDG) - Additional information

|   |   |
|---|---|
| Proper shipping name  | PENTANES  |
| Particulars in the shipper's declaration  | UN1265, PENTANES, 3, II, -40°C c.c., MARINE POLLUTANT |
| Marine pollutant  | yes (hazardous to the aquatic environment)            |
| Danger label(s)   | 3, "Fish and tree"                                    |
|   |   |
| Special provisions (SP)   | -   |
| Excepted quantities (EQ)  | E2  |
| Limited quantities (LQ)   | 1 L   |
| EmS   | F-E, S-D  |
| Stowage category  | E   |

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

|   |  |
|---|--|
| Proper shipping name  | Pentanes                                   |
| Particulars in the shipper's declaration  | UN1265, Pentanes, 3, II                    |
| Environmental hazards   | yes (hazardous to the aquatic environment) |
| Danger label(s)   | 3  |
|  |  |
| Excepted quantities (EQ)  | E2   |
| Limited quantities (LQ)   | 1 L  |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) |  |        |             |    |
|--|--|--------|-------------|----|
| Name of substance  | Name acc. to inventory   | CAS No | Restriction | No |
| n-Pentane  | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC |        | R3          | 3  |
| n-Pentane  | flammable / pyrophoric   |        | R40         | 40 |

#### Legend

- R3
1. Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  2. Articles not complying with paragraph 1 shall not be placed on the market.
  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and
    - present an aspiration hazard and are labelled with H304.
  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
  5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
    - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
    - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
    - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
    - metallic glitter intended mainly for decoration,
    - artificial snow and frost,
    - 'whoopie' cushions,
    - silly string aerosols,
    - imitation excrement,
    - horns for parties,
    - decorative flakes and foams,
    - artificial cobwebs,
    - stink bombs.
  2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  
'For professional users only'.
  3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
  4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### Seveso Directive

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

| 2012/18/EU (Seveso III) |  |   |     |       |
|-------------------------|--|---|-----|-------|
| No                      | Dangerous substance/hazard categories                                | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements |     | Notes |
| E2                      | environmental hazards (hazardous to the aquatic environment, cat. 2) | 200   | 500 | 57)   |

### Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

### Deco-Paint Directive

|             |         |
|-------------|---------|
| VOC content | 100 %   |
| VOC content | 630 g/l |

### Industrial Emissions Directive (IED)

|             |         |
|-------------|---------|
| VOC content | 100 %   |
| VOC content | 630 g/l |

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

### Water Framework Directive (WFD)

not listed

### Regulation on the marketing and use of explosives precursors

not listed

### Regulation on drug precursors

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### Regulation on persistent organic pollutants (POP)

not listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

### National inventories

| Country | Inventory  | Status                       |
|---------|------------|------------------------------|
| AU      | AIIC       | substance is listed          |
| CA      | DSL        | substance is listed          |
| CN      | IECSC      | substance is listed          |
| EU      | ECSI       | substance is listed          |
| EU      | REACH Reg. | substance is listed          |
| JP      | CSCL-ENCS  | substance is listed          |
| KR      | KECI       | substance is listed          |
| MX      | INSQ       | substance is listed          |
| NZ      | NZIoC      | substance is listed          |
| PH      | PICCS      | substance is listed          |
| TR      | CICR       | substance is listed          |
| TW      | TCSI       | substance is listed          |
| US      | TSCA       | substance is listed (ACTIVE) |
| VN      | NCI        | substance is listed          |

#### Legend

|            |   |
|------------|---|
| AIIC       | Australian Inventory of Industrial Chemicals                            |
| CICR       | Chemical Inventory and Control Regulation                               |
| CSCL-ENCS  | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| DSL        | Domestic Substances List (DSL)  |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NCI        | National Chemical Inventory   |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |

### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value)   | Actual entry (text/value)   | Safety-relevant |
|---------|---|---|-----------------|
| 2.2     |   | Labelling of packages where the contents do not exceed 125 ml:<br>change in the listing (table) | yes             |
| 2.3     | Results of PBT and vPvB assessment:<br>According to the results of its assessment, this substance is not a PBT or a vPvB. |   | yes             |



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: 7587

| Section | Former entry (text/value)   | Actual entry (text/value)   | Safety-relevant |
|---------|---|---|-----------------|
| 2.3     |   | Endocrine disrupting properties:<br>Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.  | yes             |
| 15.1    | VOC content:<br>100 %<br>630 g/l  | VOC content:<br>100 %   | yes             |
| 15.1    |   | VOC content:<br>630 g/l   | yes             |
| 15.1    |   | National inventories:<br>change in the listing (table)  | yes             |
| 15.2    | Chemical Safety Assessment:<br>No Chemical Safety Assessment has been carried out for this substance. | Chemical safety assessment:<br>According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant. | yes             |

### Abbreviations and acronyms

| Abbr.      | Descriptions of used abbreviations   |
|------------|--|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| ADR        | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)                                      |
| BCF        | Bioconcentration factor  |
| CAP. 424   | Occupational Health and Safety Authority Act (CAP. 424)  |
| CAS        | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)   |
| Ceiling-C  | Ceiling value  |
| CLP        | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures   |
| DGR        | Dangerous Goods Regulations (see IATA/DGR)   |
| DNEL       | Derived No-Effect Level  |
| EC50       | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval                   |
| EC No      | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)                  |
| ED         | Endocrine disruptor  |
| EINECS     | European Inventory of Existing Commercial Chemical Substances  |
| ELINCS     | European List of Notified Chemical Substances  |
| EmS        | Emergency Schedule   |
| GHS        | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  |
| IATA       | International Air Transport Association  |
| IATA/DGR   | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |
| ICAO       | International Civil Aviation Organization  |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## n-Pentane ROTISOLV® Pestilyse® plus ≥99 %

article number: **7587**

| Abbr.     | Descriptions of used abbreviations  |
|-----------|---|
| ICAO-TI   | Technical instructions for the safe transport of dangerous goods by air   |
| IMDG      | International Maritime Dangerous Goods Code   |
| IMDG-Code | International Maritime Dangerous Goods Code   |
| index No  | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008                          |
| IOELV     | Indicative occupational exposure limit value  |
| LC50      | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50      | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval                  |
| LEL       | Lower explosion limit (LEL)   |
| NLP       | No-Longer Polymer   |
| PBT       | Persistent, Bioaccumulative and Toxic   |
| PNEC      | Predicted No-Effect Concentration   |
| ppm       | Parts per million   |
| REACH     | Registration, Evaluation, Authorisation and Restriction of Chemicals  |
| STEL      | Short-term exposure limit   |
| SVHC      | Substance of Very High Concern  |
| TWA       | Time-weighted average   |
| UEL       | Upper explosion limit (UEL)   |
| VOC       | Volatile Organic Compounds  |
| vPvB      | Very Persistent and very Bioaccumulative  |

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text   |
|------|--|
| H225 | Highly flammable liquid and vapour.              |
| H304 | May be fatal if swallowed and enters airways.    |
| H336 | May cause drowsiness or dizziness.               |
| H411 | Toxic to aquatic life with long lasting effects. |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.