according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649 date of compilation: 18.04.2016 Version: 3.0 en Revision: 08.06.2021

Replaces version of: 30.03.2020

Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Indicator buffer tablets**, for determination of

water hardness with EDTA

Article number 7649

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	Skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16

2.2 **Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Page 1 / 18 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

Pictograms

GHS07



Hazard statements

H302 Harmful if swallowed

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray P280 Wear protective gloves/eye protection/face protection

Precautionary statements - response

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P330 Rinse mouth

Precautionary statements - disposal

P501 Dispose of contents/container in accordance with local/regional/national/interna-

tional regulations

Hazardous ingredients for labelling: Hexamethylene tetramine, Ammonium chloride

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



H317 May cause an allergic skin reaction.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/eye protection/face protection.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

contains: Hexamethylene tetramine, Ammonium chloride

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Malta (en) Page 2 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets , for determination of water hardness with EDTA

article number: 7649

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ammonium chloride	CAS No 12125-02-9	≥ 50	Acute Tox. 4 / H302 Eye Irrit. 2 / H319	<u>(!)</u>	GHS-HC
	EC No 235-186-4			~	
	Index No 017-014-00-8				
	REACH Reg. No 01-2119487950- 27-xxxx				
Hexamethylene tetra- mine	CAS No 100-97-0	< 2,5	Flam. Sol. 2 / H228 Skin Sens. 1 / H317	<u>(4)</u>	GHS-HC
	EC No 202-905-8				
	Index No 612-101-00-2				
	REACH Reg. No 01-2119474895- 20-xxxx				
Eriochrome Black T	CAS No 1787-61-7	≤ 2,5	Eye Irrit. 2 / H319 Aquatic Chronic 2 / H411	⟨!⟩⟨½ ⟩	
	EC No 217-250-3			V V	

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Ammonium chloride	CAS No 12125-02-9	-	-	1.410 ^{mg} / _{kg}	oral
	EC No 235-186-4				
	Index No 017-014-00-8				

For full text of abbreviations: see SECTION 16

Malta (en) Page 3 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Malta (en) Page 4 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

Malta (en) Page 5 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Relevant DNELs of components of the mixture

	-					
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Ammonium chlor- ide	12125-02-9	DNEL	128,9 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects
Ammonium chlor- ide	12125-02-9	DNEL	43,97 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Hexamethylene tet- ramine	100-97-0	DNEL	5,6 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Hexamethylene tet- ramine	100-97-0	DNEL	6,4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Ammonium chlor- ide	12125-02-9	PNEC	0,25 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Ammonium chlor- ide	12125-02-9	PNEC	0,025 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Ammonium chlor- ide	12125-02-9	PNEC	13,1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Ammonium chlor- ide	12125-02-9	PNEC	0,09 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Ammonium chlor- ide	12125-02-9	PNEC	50,7 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Ammonium chlor- ide	12125-02-9	PNEC	0,43 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Ammonium chlor- ide	12125-02-9	PNEC	0,9 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Hexamethylene tet- ramine	100-97-0	PNEC	3 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Hexamethylene tet- ramine	100-97-0	PNEC	0,3 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Hexamethylene tet- ramine	100-97-0	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Hexamethylene tet- ramine	100-97-0	PNEC	10,2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Hexamethylene tet- ramine	100-97-0	PNEC	1,02 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)

Malta (en) Page 6 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

Relevant PNECs of components of the mixture Name of sub-**CAS No** End-**Threshol Organism Environmental Exposure time** point d level stance compartment Hexamethylene tet- $0.28 \, \text{mg/kg}$ 100-97-0 **PNEC** terrestrial organsoil short-term (single instance) ramine isms

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0.11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Malta (en) Page 7 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid
Form tablets
Colour grey

Odour characteristic

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling not determined range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) not applicable
Kinematic viscosity not relevant

Solubility(ies)

Water solubility (soluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density not determined

Relative vapour density information on this property is not available

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes acc. to GHS classes: (physical hazards): not relevant

Other safety characteristics: There is no additional information.

Malta (en) Page 8 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Ammonium chloride	12125-02-9	oral	1.410 ^{mg} / _{kg}

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ammonium chloride	12125-02-9	oral	LD50	1.410 ^{mg} / _{kg}	rat
Hexamethylene tetramine	100-97-0	oral	LD50	>20.000 ^{mg} / _{kg}	rat
Hexamethylene tetramine	100-97-0	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Eriochrome Black T	1787-61-7	oral	LD50	17.590 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Malta (en) Page 9 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

• If inhaled

Inhalation of dust may cause irritation of the respiratory system

• If on skin

May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
Ammonium chloride	12125-02-9	LC50	46,27 ^{mg} / _l	Prosopium williamsoni	96 h			
Ammonium chloride	12125-02-9	LC50	42,91 ^{mg} / _l	rainbow trout (Onco- rhynchus mykiss)	96 h			

Malta (en) Page 10 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ammonium chloride	12125-02-9	EC50	136,6 ^{mg} / _l	daphnia magna	48 h
Ammonium chloride	12125-02-9	EC50	98,5 ^{mg} / _l	Ceriodaphnia dubia	48 h
Hexamethylene tetra- mine	100-97-0	EC50	36 ^{mg} / _l	daphnia magna	48 h
Hexamethylene tetra- mine	100-97-0	LC50	41 ^g / _l	fish	96 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ammonium chloride	12125-02-9	EC50	1.310 ^{mg} / _l	microorganisms	30 min
Hexamethylene tetra- mine	100-97-0	ErC50	3 ^g / _l	algae	14 d
Hexamethylene tetra- mine	100-97-0	EC50	>5.000 ^{mg} / _l	microorganisms	30 min

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Hexamethyl- ene tetramine	100-97-0	biotic/abiotic	45 %	28 d	MITI-Test	
Hexamethyl- ene tetramine	100-97-0	oxygen deple- tion	35 %	28 d		ECHA
Hexamethyl- ene tetramine	100-97-0	DOC removal	39 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Ammonium chloride	12125-02-9		-4,37	
Hexamethylene tetramine	100-97-0		-2,18 (20 °C)	
Eriochrome Black T	1787-61-7		1,78	

12.4 Mobility in soil

Data are not available.

Malta (en) Page 11 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	not subject to transport regulations

14.2 UN proper shipping name not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

Malta (en) Page 12 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Hexamethylene tetramine	flammable / pyrophoric		R40	40
Ammonium chloride	inorganic ammonium salts		R65	65

Legend

R40

R65

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

 - metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to
- the requirements indicated.

 1. Shall not be placed on the market, or used, in cellulose insulation mixtures or cellulose insulation articles after 14 July 2018 unless the emission of ammonia from those mixtures or articles results in a concentration of less than 3 ppm by volume (2,12 mg/m3) under the test conditions specified in paragraph 4.
- A supplier of a cellulose insulation mixture containing inorganic ammonium salts shall inform the recipient or consumer of the maximum permissible loading rate of the cellulose insulation mixture, expressed in thickness and dens-
- ity.

 A downstream user of a cellulose insulation mixture containing inorganic ammonium salts shall ensure that the maximum permissible loading rate communicated by the supplier is not exceeded.

 2. By way of derogation, paragraph 1 shall not apply to placing on the market of cellulose insulation mixtures intended to be used solely for the production of cellulose insulation articles, or to the use of those mixtures in the production of cellulose insulation articles.
- 3. In the case of a Member State that, on 14 July 2016, has national provisional measures in place that have been authorised by the Commission pursuant to Article 129(2)(a), the provisions of paragraphs 1 and 2 shall apply from that date.
- 4. Compliance with the emission limit specified in the first subparagraph of paragraph 1 shall be demonstrated in accordance with Technical Specification CEN/TS 16516, adapted as follows:
 (a) the duration of the test shall be at least 14 days instead of 28 days;
- (b) the ammonia gas emission shall be measured at least once per day throughout the test;
- (c) the emission limit shall not be reached or exceeded in any measurement taken during the test; (d) the relative humidity shall be 90 % instead of 50 %;

- (e) an appropriate method to measure the ammonia gas emission shall be used; (f) the loading rate, expressed in thickness and density, shall be recorded during the sampling of the cellulose insulation mixtures or articles to be tested.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

Page 13 / 18 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

Seveso Directive

2012/	18/EU (Seveso III)		
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

Deco-Paint Directive

VOC content	0 %
-------------	-----

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Hexamethylene tetramine	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Ammonium chloride	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		A)	
Eriochrome Black T	Metals and their compounds		A)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

Malta (en) Page 14 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

Explosives precursors which a	Explosives precursors which are subject to restrictions				
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of licensing under Article 5(3)
Hexamethylene tetramine	100-97-0	Annex II			

Legend

annex II Substances on their own or in mixtures or in substances for which suspicious transactions shall be reported

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National inventories

Country	Inventory	Status		
AU	AICS	all ingredients are listed		
CA	DSL	all ingredients are listed		
CN	IECSC	all ingredients are listed		
EU	ECSI	all ingredients are listed		
EU	REACH Reg.	not all ingredients are listed		
JP	CSCL-ENCS	not all ingredients are listed		
KR	KECI	not all ingredients are listed		
MX	INSQ	not all ingredients are listed		
NZ	NZIoC	all ingredients are listed		
PH	PICCS	not all ingredients are listed		
TR	CICR	not all ingredients are listed		
TW	TCSI	all ingredients are listed		
US	TSCA	all ingredients are listed		

Legend

AICS CICR CSCL-ENCS

Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)

NZIoC PICCS

Malta (en) Page 15 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

Legend

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Precautionary statements - disposal	yes
2.2		Precautionary statements - disposal: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Hexamethylene tetramine	Hazardous ingredients for labelling: Hexamethylene tetramine, Ammonium chloride	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Hexamethylene tetramine	contains: Hexamethylene tetramine, Ammonium chloride	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

Malta (en) Page 16 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets , for determination of water hardness with EDTA

article number: **7649**

Abbr.	Descriptions of used abbreviations	
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
Flam. Sol.	Flammable solid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
log KOW	n-Octanol/water	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	

Malta (en) Page 17 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Indicator buffer tablets, for determination of water hardness with EDTA

article number: 7649

Abbr.	Descriptions of used abbreviations
Skin Sens.	Skin sensitisation
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H228	Flammable solid.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Malta (en) Page 18 / 18