United Kingdom (en)

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis

article number: **7782** Version: **5.0 en** Replaces version of: 2024-03-05 Version: (4)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance	Hexane (isomers) ≥95 %, for synthesis
Article number	7782
Index No (GB CLP)	649-328-00-1
EC number	925-292-5
CAS number	64742-49-0
Alternative name(s)	Hydrocarbons, C <sub>6</sub> , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane

### **1.2** Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	





date of compilation: 2018-10-31 Revision: 2024-03-05

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hexane (isomers) ≥95 %, for synthesis

article number: 7782

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### **Classification acc. to GHS**

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.7	Reproductive toxicity	2	Repr. 2	H361fd
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

The classification as a carcinogen or mutagen is not required. The substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

### 2.2 Label elements

Labelling

Signal word Danger

**Pictograms** 

GHS02, GHS07, GHS08, GHS09



### **Hazard statements**

H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if in- haled)
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
H336 H361fd H373	May cause drowsiness or dizziness Suspected of damaging fertility. Suspected of damaging the unborn child (if haled) May cause damage to organs (nervous system) through prolonged or repea exposure

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis



article number: 7782

### Precautionary statements

#### **Precautionary statements - prevention**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P243	Take action to prevent static discharges
P273	Avoid release to the environment

#### **Precautionary statements - response**

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P331	Do NOT induce vomiting

### **Precautionary statements - storage**

P403+P235 Store in a well-ventilated place. Keep cool

For professional users only

### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance	Hexane (isomers)
Molecular formula	C <sub>6</sub> H <sub>14</sub>
Molar mass	86,18 <sup>g</sup> / <sub>mol</sub>
CAS No	64742-49-0
EC No	925-292-5
Index No (GB CLP)	649-328-00-1

### Impurities/additives/constituents:

Name of substance	Identifier	Wt%
n-Hexane	CAS No 110-54-3	44 - 55
	EC No 203-777-6	
	Index No 601-037-00-0	
Benzene	CAS No 71-43-2	< 0,1
	EC No 200-753-7	
	Index No 601-020-00-8	

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis



article number: 7782

#### Remarks

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Observe aspiration hazard if vomiting occurs.

### 4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Headache, Irritation, Loss of righting reflex, and ataxia, Dyspnoea, Dizziness, Drowsiness, Narcosis

# 4.3 Indication of any immediate medical attention and special treatment needed

### none

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide ( $CO_2$ )

### Unsuitable extinguishing media

water jet

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis



#### article number: 7782

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**


### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis

article number: 7782





Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

### Measures to protect the environment

Avoid release to the environment.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	n-hexane	110-54-3	IOELV	20	72						2006/15/ EC
GB	n-hexane	110-54-3	WEL	20	72						EH40/ 2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur



acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hexane (isomers) ≥95 %, for synthesis

#### article number: 7782

#### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Human health values

#### **Relevant DNELs and other threshold levels**

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	93 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	13 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

### **Relevant DNELs of components**

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of	Used in	Exposure time
n-Hexane	110-54-3	DNEL	75 mg/m³	exposure human, inhalat- ory	worker (industry)	chronic - systemic effects
n-Hexane	110-54-3	DNEL	11 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### **Relevant PNECs of components**

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Benzene	71-43-2	PNEC	ا <sup>روىر</sup> 80	aquatic organ- isms	freshwater	short-term (single instance)
Benzene	71-43-2	PNEC	8 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Benzene	71-43-2	PNEC	39 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Benzene	71-43-2	PNEC	1,36 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Benzene	71-43-2	PNEC	0,136 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Benzene	71-43-2	PNEC	0,225 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis

® ROTH

article number: 7782

#### Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

### • type of material

NBR: acrylonitrile-butadiene rubber

#### material thickness

0,4 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - colourless
Odour	mild sweet
Melting point/freezing point	-95 °C
Boiling point or initial boiling point and boiling range	65 – 70 °C at 100 kPa (ECHA)
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	1,2 vol% (LEL) - 7,3 vol% (UEL)

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis

### article number: 7782



Flash point	-26 °C at 1 atm
Auto-ignition temperature	300 °C at 1 atm (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	0,474 <sup>mm²</sup> / <sub>s</sub> at 20 °C
Solubility(ies)	
Water solubility	0,01 <sup>g</sup> / <sub>l</sub> at 25 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	4
Soil organic carbon/water (log KOC)	3,34 (ECHA)
Vapour pressure	47 kPa at 25 °C
Density and/or relative density	
Density	0,668 <sup>g</sup> / <sub>cm³</sub> at 15 °C
Relative vapour density	2,8 (air = 1)
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	
Refractive index	≥1,377

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

9.2

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hexane (isomers) ≥95 %, for synthesis

article number: 7782

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- **10.5 Incompatible materials** Rubber articles, different plastics
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Classification acc. to GHS**

### Acute toxicity

Shall not be classified as acutely toxic.

### Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species		
n-Hexane	110-54-3	inhalation: va- pour	LC50	185 <sup>mg</sup> / <sub>l</sub> /4h	rat		
n-Hexane	110-54-3	oral	LD50	25.000 <sup>mg</sup> / <sub>kg</sub>	rat		
n-Hexane	110-54-3	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rabbit		
Benzene	71-43-2	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		
Benzene	71-43-2	inhalation: va- pour	LC50	43.767 <sup>mg</sup> / <sub>m³</sub> / 4h	rat		

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Suspected of damaging the unborn child (if inhaled). Suspected of damaging fertility (if inhaled).

### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

May cause damage to organs (nervous system) through prolonged or repeated exposure.

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hexane (isomers) ≥95 %, for synthesis

### article number: 7782

Hazard category	Target organ	Exposure route
2	nervous system	if exposed

### **Aspiration hazard**

May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

aspiration hazard

### • If in eyes

slightly irritant but not relevant for classification

### If inhaled

vertigo, cough, headache, Dyspnoea, fatigue, narcosis

### • If on skin

has degreasing effect on the skin, causes skin irritation, risk of absorption via the skin

### • Other information

Other adverse effects: Loss of righting reflex, and ataxia

### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

quatic toxicity (acute) of components						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
n-Hexane	110-54-3	LL50	12,51 <sup>mg</sup> / <sub>l</sub>	fish	96 h	
n-Hexane	110-54-3	EL50	21,85 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h	
Benzene	71-43-2	LC50	5,3 <sup>mg</sup> / <sub>l</sub>	fish	96 h	
Benzene	71-43-2	EC50	10 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h	
Benzene	71-43-2	ErC50	100 <sup>mg</sup> / <sub>l</sub>	algae	72 h	

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 3,527 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 3,064 <sup>mg</sup>/<sub>mg</sub>

### **Biodegradation**

The substance is readily biodegradable.

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hexane (isomers) ≥95 %, for synthesis

article number: 7782

Degradability of components							
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source	
n-Hexane	110-54-3	oxygen deple- tion	83 %	10 d		ECHA	

### 12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)			4		
BCF				(ECHA)	
Bioaccumulative potential of components					
Name of substance	BCF	F	Log KOW	BOD5/COD	
n-Hexane	110-54-3	501,	,2	4 (pH value: 7, 20 °C)	
Benzene	71-43-2	13		2,13 (pH value: 7, 25 °C)	

### 12.4 Mobility in soil

The Organic Carbon normalised adsorption 3,2 coefficient	3,34 (ECHA)
--	-------------

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis



article number: 7782

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### Properties of waste which render it hazardous

- HP 3 flammable
- HP 4 irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- **HP 10** toxic for reproduction
- HP 14 ecotoxic

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADRRID	UN 1208
	IMDG-Code	UN 1208
	ICAO-TI	UN 1208
14.2	UN proper shipping name	
	ADRRID	HEXANES
	IMDG-Code	HEXANES
	ICAO-TI	Hexanes
14.3	Transport hazard class(es)	
	ADRRID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis



article number: 7782

Agreement concerning the International Ca information	arriage of Dangerous Goods by Road (ADR)Additional
Proper shipping name	HEXANES
Particulars in the transport document	UN1208, HEXANES, 3, II, (D/E), environmentally hazardous
Classification code	F1
Danger label(s)	3, "Fish and tree"
Environmental hazards	<b>yes</b> (hazardous to the aquatic environment)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	33
Emergency Action Code	3YE
Regulations concerning the International C information	arriage of Dangerous Goods by Rail (RID)Additional
Classification code	F1
Danger label(s)	3, "Fish and tree"
Environmental hazards	Yes Hazardous to water
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	33
International Maritime Dangerous Goods Co	ode (IMDG) - Additional information
Proper shipping name	HEXANES
Particulars in the shipper's declaration	UN1208, HEXANES, 3, II, -26°C c.c., MARINE POL- LUTANT
Marine pollutant	yes (P) (hazardous to the aquatic environment)
Danger label(s)	3, "Fish and tree"
Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hexane (isomers) ≥95 %, for synthesis

### article number: 7782

EmS	F-E, S-D
Stowage category	E
International Civil Aviation Organization (ICA	D-IATA/DGR) - Additional information
Proper shipping name	Hexanes
Particulars in the shipper's declaration	UN1208, Hexanes, 3, II
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

### Seveso Directive

2012/	2012/18/EU (Seveso III)						
Νο	Do Dangerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier re- quirements		Notes				
E2	environmental hazards (hazardous to the aquatic en- vironment, cat. 2)	200 500	57)				

#### Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

#### **Deco-Paint Directive**

VOC content	100 %
VOC content	668 <sup>g</sup> /l

### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content	668 <sup>g</sup> /l

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis



#### article number: 7782

Water Framework Directive (WFD)				
List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Hydrocarbons, C <sub>6</sub> , n-alkanes, iso- alkanes, cyclics, 5-60% n-hexane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

#### Legend

a) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

not listed

### **Regulation on drug precursors**

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### **Regulation on persistent organic pollutants (POP)**

not listed

### National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

### **Restrictions according to GB REACH, Annex 17**

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Hydrocarbons, C <sub>6</sub> , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Hydrocarbons, C <sub>6</sub> , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane	carcinogenic		28
Hydrocarbons, C <sub>6</sub> , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane	germ cell mutagenic (mutagenic)		29
Hydrocarbons, C <sub>6</sub> , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane	flammable / pyrophoric		40

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hexane (isomers) ≥95 %, for synthesis



#### article number: 7782

National inventories	Na	ationa	al in <sup>,</sup>	vento	ories
----------------------	----	--------	--------------------	-------	-------

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

Legenu	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes

### Abbreviations and acronyms

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Hexane (isomers) ≥95 %, for synthesis

### article number: 7782

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 9 lethality during a specified time interval

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hexane (isomers) ≥95 %, for synthesis

#### article number: 7782

Abbr.	Descriptions of used abbreviations
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
log KOW	n-Octanol/water
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if inhaled).
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.