acc. to Regulation (EC) No. 1907/2006 (REACH)



date of compilation: 2016-03-17

Revision: 2024-03-03

Silicone oil M 5, low viscosity, 5 cSt

article number: **7844** Version: **6.0 en** Replaces version of: 2022-10-24 Version: (5)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

| Identification of the substance | Silicone oil M 5, low viscosity, 5 cSt |
|---------------------------------|---|
| Article number | 7844 |
| EC number | 613-156-5 |
| CAS number | 63148-62-9 |
| Alternative name(s) | Polydimethylsiloxane |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

Laboratory chemical

Laboratory and analytical use

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This substance does not meet the criteria for classification.

2.2 Label elements

Labelling

not required

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 5, low viscosity, 5 cSt

article number: 7844

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

The substance was identified as a PBT (persistent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative). Non-classified PBT substance. Non-classified vPvB substance.

Endocrine disrupting properties

The substance has an endocrine disrupting potential.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Name of substance | Silicone oil |
|-------------------|--------------|
| Molecular formula | (C₂H₀OSi)n |
| CAS No | 63148-62-9 |
| EC No | 613-156-5 |

Impurities/additives/constituents:

| Name of substance | Identifier | Wt% |
|-------------------------------|--------------------|---------|
| Dodecamethylcyclohexasiloxane | CAS No 540-97-6 | 0,1 - 3 |
| | EC No 208-762-8 | |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

No special measures are necessary.

Following inhalation

Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.



Page 2 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 5, low viscosity, 5 cSt

article number: 7844

4.2 Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 5, low viscosity, 5 cSt

article number: 7844

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 - Provision of sufficient ventilation.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

| Relevant DNELs of components | | | | | | | |
|------------------------------------|----------|---------------|----------------------------|--|-------------------|-------------------------------|--|
| Name of sub- stance | CAS No | End- point | Threshol d level | Protection goal, route of exposure | Used in | Exposure time | |
| Dodecamethylcyclo- hexasiloxane | 540-97-6 | DNEL | 11 mg/m ³ | human, inhalat- ory | worker (industry) | chronic - systemic effects | |
| Dodecamethylcyclo- hexasiloxane | 540-97-6 | DNEL | 1,22 mg/ m ³ | human, inhalat- ory | worker (industry) | chronic - local ef- fects | |
| Dodecamethylcyclo- hexasiloxane | 540-97-6 | DNEL | 6,1 mg/m ³ | human, inhalat- ory | worker (industry) | acute - local ef- fects | |

Relevant PNECs of components

| | • | | | | | |
|------------------------------------|----------|---------------|------------------------------------|----------------------------|---------------------------------|---------------------------------|
| Name of sub- stance | CAS No | End- point | Threshol d level | Organism | Environmental compartment | Exposure time |
| Dodecamethylcyclo- hexasiloxane | 540-97-6 | PNEC | 1 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) |
| Dodecamethylcyclo- hexasiloxane | 540-97-6 | PNEC | 13 ^{mg} / _{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) |
| Dodecamethylcyclo- hexasiloxane | 540-97-6 | PNEC | 1,3 ^{mg} / _{kg} | aquatic organ- isms | marine sediment | short-term (single instance) |
| Dodecamethylcyclo- hexasiloxane | 540-97-6 | PNEC | 3,77 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 5, low viscosity, 5 cSt

article number: 7844

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown). Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties


9.1 Information on basic physical and chemical properties

| Physical state | liquid |
|------------------------------|------------|
| Form | viscous |
| Colour | colourless |
| Odour | odourless |
| Melting point/freezing point | -100 °C |



Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 5, low viscosity, 5 cSt





| cie | e number: 7844 | |
|-----|--|---|
| | Boiling point or initial boiling point and boiling range | not determined |
| | Flammability | this material is combustible, but will not ignite readily |
| | Lower and upper explosion limit | not determined |
| | Flash point | 120 °C |
| | Auto-ignition temperature | >350 °C |
| | Decomposition temperature | >150 °C |
| | pH (value) | not determined |
| | Kinematic viscosity | 4,5 – 5,5 ^{mm²} / _s at 25 °C |
| | Solubility(ies) | |
| | Water solubility | (The study does not need to be conducted be- cause the substance is known to be insoluble in water) |
| | Solubility in hydrocarbons, aliphatic | soluble |
| | Solubility in hydrocarbons, aromatic | soluble |
| | Solubility in ethylene glycol | practically insoluble |
| | Solubility in ethyl acetate | soluble |
| | Solubility in n-butyl acetate | soluble |
| | Solubility in toluene | soluble |
| | Solubility in trichloroethylene | soluble |
| | Solubility in methanol | practically insoluble |
| | Solubility in trichloromethane (chloroform) | soluble |
| | Partition coefficient | |
| | Partition coefficient n-octanol/water (log value): | this information is not available |
| | Vapour pressure | not determined |
| | Density and/or relative density | |
| | Density | 0,92 – 0,93 ^g / _{cm³} at 25 °C |
| | Relative vapour density | Information on this property is not available. |
| | Particle characteristics | not relevant (liquid) |
| | Other safety parameters | |
| | Oxidising properties | none |
| | | |

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 5, low viscosity, 5 cSt

article number: 7844

9.2 Other information

Information with regard to physical hazard classes:

Other safety characteristics:

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >150 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

| Acute toxicity | |
|----------------|--|
|----------------|--|

| Exposure route | Endpoint | Value | Species | Method | Source |
|----------------|----------|--------------------------------------|---------|--------|--------|
| oral | LD50 | >5.000 ^{mg} / _{kg} | rat | | TOXNET |
| dermal | LD50 | >2.000 ^{mg} / _{kg} | rabbit | | TOXNET |

Acute toxicity of components

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|-------------------------------|----------|-------------------|----------|--------------------------------------|---------|
| Dodecamethylcyclohexasiloxane | 540-97-6 | oral | LD50 | >2.000 ^{mg} / _{kg} | rat |
| Dodecamethylcyclohexasiloxane | 540-97-6 | dermal | LD50 | >2.000 ^{mg} / _{kg} | rat |



hazard classes acc. to GHS (physical hazards): not relevant

There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)

® \$POTH

Silicone oil M 5, low viscosity, 5 cSt

article number: 7844

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Health effects are not known. This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 5, low viscosity, 5 cSt

article number: 7844

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components

| 1 , | <i>·</i> | | | | |
|------------------------------------|----------|----------|---------------------------------|---------|------------------|
| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
| Dodecamethylcyclo- hexasiloxane | 540-97-6 | ErC50 | >2 ^{µg} / _l | algae | 72 h |

Aquatic toxicity (chronic) of components

| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
|------------------------------------|----------|----------|-----------------------------------|----------------|------------------|
| Dodecamethylcyclo- hexasiloxane | 540-97-6 | EC50 | >100 ^{mg} / _l | microorganisms | 3 h |

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable.

| Degradability of components | | | | | | |
|---|----------|------------------------------|-----------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degrada- tion rate | Time | Method | Source |
| Dodecamethyl- cyclohexasilox- ane | 540-97-6 | carbon dioxide generation | 4,47 % | 28 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components | | | | |
|---|----------|-------|----------------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| Dodecamethylcyclohexasiloxane | 540-97-6 | 1.160 | 8,87 (23,6 °C) | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

The substance was identified as a PBT (persistent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative).

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 5, low viscosity, 5 cSt

article number: **7844**

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 10toxic for reproductionHP 14ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

| 14.1 UN | number | or ID | number |
|---------|--------|-------|--------|
|---------|--------|-------|--------|

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user There is no additional information.

- **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 5, low viscosity, 5 cSt

article number: **7844**

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|---|-------|--|
| Νο | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements | Notes | |
| | not assigned | | | |

Deco-Paint Directive

| VOC content | 0 % |
|-------------|-------------------------------|
| VOC content | 0 ^g / _l |

Industrial Emissions Directive (IED)

| VOC content | 0 % |
|-------------|-------------------------------|
| VOC content | 0 ^g / _l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 5, low viscosity, 5 cSt

article number: 7844

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

| Substance of Very High Concern (SVHC) acc. to GB REACH and HSE | | | | |
|--|----------|----------------|--|--|
| Name of substance | CAS No | Listed in | Remarks | |
| Dodecamethylcyclohexasiloxane | 540-97-6 | Candidate list | PBT A57d vPvB A57e desc-cand-5 rem-cand-3 | |

Legend

Candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list desc-cand-5 D6

PBT A57d PBT (Article 57d)

rem-cand-3 Dodecamethylcyclohexasiloxane (D6) meets the criteria of Article 57 (d) of Regulation (EC) 1907/2006 (REACH) as a bodecametry/cyclonexasinoxane (D6) meets the criteria of Article 57 (d) of Regulation (EC) 1907/2006 (REACH) as a substance which is persistent, bioaccumulative and toxic when it contains ≥ 0.1 % w/w octamethylcyclotetrasiloxane (D4) (EC No. 209-136-7). In addition to its intrinsic properties, it also meets the criteria of Article 57 (e) of Regulation (EC) 1907/2006 (REACH) as a substance which is very persistent and very bioaccumulative (vPvB) when it contains ≥ 0.1 % w/w decamethylcyclopentasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1 % w/w octamethylcyclotetrasiloxane (D4) (EC No. 209-136-7). VPvB (Article 57e)

vPvB A57e

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

| Name of substance | Name acc. to inventory | CAS No | No |
|-------------------------------|--|--------|----|
| Dodecamethylcyclohexasiloxane | this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC | | 3 |

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|-------------------------------------|
| AU | AIIC | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed (ACTIVE) |
| | | |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 5, low viscosity, 5 cSt

article number: **7844**

| Country | Inventory | Status |
|--|--|--|
| VN | NCI | all ingredients are listed |
| CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI NCI NZIOC PICCS REACH Reg. | Domestic Substances List EC Substance Inventory (I Inventory of Existing Chen National Inventory of Che Korea Existing Chemicals National Chemical Invent New Zealand Inventory of | Control Regulation Chemical Substances (CSCL-ENCS) (DSL) EINECS, ELINCS, NLP) mical Substances Produced or Imported in China emical Substances Inventory ory of Chemicals nemicals and Chemical Substances (PICCS) nees cee Inventory |

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|---|--------------------------|
| 2.3 | Results of PBT and vPvB assessment: Containing a PBT-/vPvB-substance in a concen- tration of ≥ 0,1%. | Results of PBT and vPvB assessment: The substance was identified as a PBT (persist- ent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative). Non-classified PBT sub- stance. Non-classified vPvB substance. | yes |
| 14.8 | Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional in- formation: Not subject to ADR, RID and ADN. | | yes |
| 15.1 | VOC content: 0 % 0 ^g / _l | VOC content: 0 % | yes |
| 15.1 | | VOC content: 0 ^g / _l | yes |
| 15.1 | Water Framework Directive (WFD) | | yes |
| 15.1 | | List of pollutants (WFD): change in the listing (table) | yes |
| 15.1 | | Substance of Very High Concern (SVHC) acc. to GB REACH and HSE: change in the listing (table) | yes |
| 15.1 | | Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table) | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

acc. to Regulation (EC) No. 1907/2006 (REACH)

S I

Silicone oil M 5, low viscosity, 5 cSt

article number: 7844

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|----------|--|
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| HSE | Health and Safety Executive |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 5, low viscosity, 5 cSt



article number: 7844

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.