acc. to Regulation (EC) No. 1907/2006 (REACH)

N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: **7867** Version: **4.0 en** Replaces version of: 2022-06-10 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

1.2

Identification of the substance	N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis		
Article number	7867		
EC number	203-750-9		
CAS number	110-26-9		
Alternative name(s)	Bisacrylamide		
Relevant identified uses of the substance or mixture and uses advised against			

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	



date of compilation: 2017-03-17 Revision: 2024-03-02

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: **7867**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1B	Carc. 1B	H350
3.7	Reproductive toxicity	2	Repr. 2	H361fd
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms



Hazard statements

H301 H312+H332 H340	- Toxic if swallowed Harmful in contact with skin or if inhaled May cause genetic defects (if swallowed)
H350	May cause cancer (if swallowed)
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if swallowed)
H372	Causes damage to organs (peripheral nervous system) through prolonged or re- peated exposure (if swallowed)

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe dust
P280	Wear protective gloves/eye protection

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P302+P352	IF ON SKIN: Wash with plenty of water
P308+P313	IF exposed or concerned: Get medical advice/attention

acc. to Regulation (EC) No. 1907/2006 (REACH)

N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	N,N'-Methylene bisacrylamide
	N,N -Methylene bisaci ylannue
Molecular formula	$C_7H_{10}N_2O_2$
Molar mass	154,2 ^g / _{mol}
CAS No	110-26-9
EC No	203-750-9

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route
-	-	100 ^{mg} / _{kg} 1.141 ^{mg} / _{kg} 3,025 ^{mg} / _l /4h	oral dermal inhalation: dust/ mist

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).



acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions (such as skin rashes, hives, asthma or anaphylactic shock), Loss of righting reflex, and ataxia, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

4.3 Indication of any immediate medical attention and special treatment needed

Give sodium sulfate as laxative (1 tablespoon in 1 glass of water).

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Avoid exposure. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

UV-radiation/sunlight

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m ³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur i Inhalable fraction r Respirable fraction acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

Notation	
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15- minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	3 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

acc. to Regulation (EC) No. 1907/2006 (REACH)

N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: **7867**

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White). Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	white
Odour	characteristic
Melting point/freezing point	175 °C at 1.013 hPa (ECHA)
Boiling point or initial boiling point and boiling range	331 °C at 1.013 hPa (ECHA)
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	173,7 °C at 1.013 hPa (ECHA)
pH (value)	>5 (in aqueous solution: 25 ^g / _l , 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	34,1 ^g / _l at 20 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	-0,08 (24 °C) (ECHA)
Vapour pressure	0,073 Pa at 358 K
Density and/or relative density	
Density	1,222 ^g / _{cm³} at 19,8 °C (ECHA)
Relative vapour density	Information on this property is not available.
Bulk density	~ 200 ^{kg} / _{m³}



acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	
Surface tension	70,3 ^{mN} / _m (20 °C) (ECHA)

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Can polymerise exothermically if heated, exposed to air, sunlight or by addition of free radical initiators. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

Danger of polymerisation.

10.3 Possibility of hazardous reactions

Violent reaction with: Bases, Oxidisers, Peroxides, Sulphuric acid

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat. Decompostion takes place from temperatures above: 173,7 $^\circ C$ at 1.013 hPa.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5. Peroxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed. Harmful in contact with skin. Harmful if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	390 ^{mg} / _{kg}	rat		TOXNET
dermal	LD50	1.141 ^{mg} / _{kg}	rabbit		ECHA
inhalation: dust/ mist	LC50	12,1 ^{mg} / _l /1h	rat		

acc. to Regulation (EC) No. 1907/2006 (REACH)

N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

May cause genetic defects (if swallowed).

Carcinogenicity

May cause cancer (if swallowed).

Reproductive toxicity

Suspected of damaging the unborn child (if swallowed). Suspected of damaging fertility (if swallowed).

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs (peripheral nervous system) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
1	peripheral nervous system	if swallowed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

• If in eyes

Data are not available.

If inhaled

causes slight to moderate irritation

• If on skin

Data are not available.

Other information

Other adverse effects: Liver and kidney damage, Loss of righting reflex, and ataxia, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.



acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	835 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	>100 ^{mg} / _l	algae	ECHA	72 h

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 1,453 $^{\rm mg}/_{\rm mg}$ Theoretical Oxygen Demand (with nitrification): 1,894 $^{\rm mg}/_{\rm mg}$ Theoretical Carbon Dioxide: 1,998 $^{\rm mg}/_{\rm mg}$

Biodegradation

Not readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	2,1 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

	n-octanol/water (log KOW)	-0,08 (24 °C) (ECHA)	
--	---------------------------	----------------------	--

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.


SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 7867

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP7 carcinogenic
- HP 10 toxic for reproduction
- HP 11 mutagenic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information 14.1 UN number or ID number ADRRID UN 2811 IMDG-Code UN 2811 ICAO-TI UN 2811 14.2 UN proper shipping name ADRRID TOXIC SOLID, ORGANIC, N.O.S. IMDG-Code TOXIC SOLID, ORGANIC, N.O.S. ICAO-TI Toxic solid, organic, n.o.s. Technical name N,N'-Methylene bisacrylamide 14.3 Transport hazard class(es) ADRRID 6.1 IMDG-Code 6.1 ICAO-TI 6.1 14.4 Packing group ADRRID Ш IMDG-Code Ш III ICAO-TI 14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.



acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

information	age of Dangerous doous by Road (ADR)Additional
Proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Particulars in the transport document	UN2811, TOXIC SOLID, ORGANIC, N.O.S., (N,N'- Methylene bisacrylamide), 6.1, III, (E)
Classification code	T2
Danger label(s)	6.1
Special provisions (SP)	274, 614, 802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	60
Emergency Action Code	2X
Regulations concerning the International Carr information	iage of Dangerous Goods by Rail (RID)Additional
Classification code	Τ2
Danger label(s)	6.1
Special provisions (SP)	274, 614, 802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	2
Hazard identification No	60
International Maritime Dangerous Goods Code	e (IMDG) - Additional information
Proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Particulars in the shipper's declaration	UN2811, TOXIC SOLID, ORGANIC, N.O.S., (N,N'- Methylene bisacrylamide), 6.1, III
Marine pollutant	-
Danger label(s)	6.1

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867	
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-A
Stowage category	A
International Civil Aviation Organization (ICA	O-IATA/DGR) - Additional information
Proper shipping name	Toxic solid, organic, n.o.s.
Particulars in the shipper's declaration	UN2811, Toxic solid, organic, n.o.s., (N,N'-Methyl- ene bisacrylamide), 6.1, III
Danger label(s)	6.1
Special provisions (SP)	A3, A5
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)		
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

Deco-Paint Directive

VOC content	0 %
VOC content	0 g/l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
N,N'-Methylene bisacrylamide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

Country	Inventory	Status
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 0 % 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content: 0 ^g / _l	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)

acc. to Regulation (EC) No. 1907/2006 (REACH)

N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: **7867**

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).



acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N'-Methylene bisacrylamide ≥98 %, for gel electrophoresis

article number: 7867

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H340	May cause genetic defects (if swallowed).
H350	May cause cancer (if swallowed).
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if swallowed).
H372	Causes damage to organs (peripheral nervous system) through prolonged or repeated exposure (if swal- lowed).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.