acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870 Version: GHS 3.0 en Revision: 2024-03-03

Replaces version of: 2022-05-04

Version: (GHS 2)



Product identifier 1.1

Identification of the substance **Ethidium bromide** ≥98 %

Article number 7870

CAS number 1239-45-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

Emergency telephone number 1.4

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	1	Acute Tox. 1	H330
3.5	Germ cell mutagenicity	2	Muta. 2	H341

For full text of abbreviations: see SECTION 16

Australia (en) Page 1 / 13



date of compilation: 2019-04-01

acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870

2.2 **Label elements**

Labelling

Signal word **Danger**

Pictograms

GHS06, GHS08





Hazard statements

Harmful if swallowed H302 H330 Fatal if inhaled

H341 Suspected of causing genetic defects

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P284 In case of inadequate ventilation wear respiratory protection

Precautionary statements - response

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfort-

able for breathing

P310 Immediately call a POISON CENTER or doctor/physician

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance Ethidium bromide

Molecular formula C21H20BrN3 394.3 g/mol Molar mass CAS No 1239-45-8

Australia (en) Page 2 / 13



acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Headache, Dyspnoea, Spasms, Blood pressure drop, Cardiac arrhythmias, Methaemoglo-binaemia, Cyanosis (blue coloured blood)

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen bromide (HBr)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Avoid exposure. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. May cause decomposition by long-term light influence.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

direct light irradiation, UV-radiation/sunlight

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870



Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA

hours time-weighted average (unless otherwise specified)

Exposure controls 8.2

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

Page 5 / 13 Australia (en)



acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870



breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form powder, crystalline

Colour red brown
Odour odourless
Melting point/freezing point 261 – 264 °C
Boiling point or initial boiling point and boiling not determined

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point >100 °C

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) 4 – 7 (in aqueous solution: 20 ^g/_l, 20 °C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 40 g/l at 25 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): -0.38 (calculated value)

Vapour pressure not determined

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870



Density and/or relative density

Density 1.01 g/_{cm³} at 20 °C

Relative vapour density Information on this property is not available.

Bulk density \sim 340 kg/_{m³}

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

May cause decomposition by long-term light influence.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Direct light irradiation. UV-radiation/sunlight. Keep away from heat.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Fatal if inhaled.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Australia (en) Page 7 / 13

acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870



Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Other adverse effects: Headache, Dyspnoea, Spasms, Blood pressure drop, Cardiac arrhythmias, Methaemoglobinaemia, Cyanosis (blue coloured blood)

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): $1.927 \, ^{mg}/_{mg}$ Theoretical Oxygen Demand (with nitrification): $2.144 \, ^{mg}/_{mg}$ Theoretical Carbon Dioxide: $2.344 \, ^{mg}/_{mg}$

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0.38 (Calculated value)
---------------------------	--------------------------

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870

12.5 Results of PBT and vPvB assessment

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H6.1 Poisonous (Acute)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 **UN number**

UN RTDG UN 2811 **IMDG-Code** UN 2811 ICAO-TI **UN 2811**

14.2 UN proper shipping name

UN RTDG TOXIC SOLID, ORGANIC, N.O.S. **IMDG-Code** TOXIC SOLID, ORGANIC, N.O.S. ICAO-TI Toxic solid, organic, n.o.s.

Technical name Ethidium bromide

14.3 Transport hazard class(es)

Page 9 / 13 Australia (en)



12.4 Mobility in soil

Data are not available.

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870

UN RTDG 6.1
IMDG-Code 6.1
ICAO-TI 6.1

14.4 Packing group

UN RTDG I
IMDG-Code I
ICAO-TI I

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 2811
Class 6.1
Packing group I
Danger label(s) 6.1

Special provisions (SP) 274

UN RTDG

Excepted quantities (EQ) E5

UN RTDG

Limited quantities (LQ) 0

UN RTDG

Emergency Action Code 2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name TOXIC SOLID, ORGANIC, N.O.S.

Particulars in the shipper's declaration UN2811, TOXIC SOLID, ORGANIC, N.O.S., (Ethidi-

um bromide), 6.1, I

Marine pollutant -

Danger label(s) 6.1

Special provisions (SP) 274
Excepted quantities (EQ) E5

Australia (en) Page 10 / 13



acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870

Limited quantities (LQ) 0

EmS F-A, S-A

Stowage category В

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Toxic solid, organic, n.o.s.

Particulars in the shipper's declaration UN2811, Toxic solid, organic, n.o.s., (Ethidium

bromide), 6.1, I

Danger label(s) 6.1

Special provisions (SP) A3, A5

Excepted quantities (EQ) **E**5

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

Australian Inventory of Industrial Chemicals EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China

Korea Existing Chemicals Inventory National Chemical Inventory New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) Taiwan Chemical Substance Inventory

Australia (en) Page 11 / 13



acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870



15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
UN RTDG	UN Recommendations on the Transport of Dangerous Good	
vPvB	Very Persistent and very Bioaccumulative	
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants	

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice

Ethidium bromide ≥98 %

article number: 7870



Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H330	Fatal if inhaled.
H341	Suspected of causing genetic defects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13