acc. to Regulation (EC) No. 1907/2006 (REACH)



date of compilation: 2015-11-18

Revision: 2024-03-02

Acrylamide ≥98 %, 2x crystalline, extra pure

article number: **7871** Version: **5.0 en** Replaces version of: 2022-06-10 Version: (4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Acrylamide ≥98 %, 2x crystalline, extra pure
Article number	7871
Index No (GB CLP)	616-003-00-0
EC number	201-173-7
CAS number	79-06-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

Classification acc. to GHS

Section	Hazard class		Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1B	Carc. 1B	H350
3.7	Reproductive toxicity	2	Repr. 2	H361f
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Pictograms

GHS06, GHS08

Signal word Danger



Hazard statements

H301	Toxic if swallowed
H312+H332	Harmful in contact with skin or if inhaled
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H340	May cause genetic defects
H350	May cause cancer
H361f	Suspected of damaging fertility
H361f	Suspected of damaging fertility
H372	Causes damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P201	Obtain special instructions before use
P280	Wear protective gloves/protective clothing/eye protection/face protection

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of soap and water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Acrylamide
Molecular formula	C_3H_5NO
Molar mass	71,08 ^g / _{mol}
CAS No	79-06-1
EC No	201-173-7
Index No (GB CLP)	616-003-00-0

Substance of Very High Concern (SVHC)

Name of substance	CAS No	EC No	Listed in	Remarks
Acrylamide	79-06-1	201-173-7	Candidate list	Carc. A57a Muta. A57b

Legend

Candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list Carc. A57a Carcinogenic (article 57a) Muta. A57b Mutagenic (article 57b)

Substance, Specific Conc. Limits, M-factors, ATE						
Specific Conc. Limits M-Factors ATE Exposure route						
-	-	100 ^{mg/} kg 1.141 ^{mg/} kg >1,5 ^{mg/} l/4h	oral dermal inhalation: dust/ mist			

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acrylamide ≥98 %, 2x crystalline, extra pure

article number: 7871

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions (such as skin rashes, hives, asthma or anaphylactic shock), Irritation, Loss of righting reflex, and ataxia, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

4.3 Indication of any immediate medical attention and special treatment needed

Give sodium sulfate as laxative (1 tablespoon in 1 glass of water).

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Avoid exposure. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

UV-radiation/sunlight

Consideration of other advice:

Store locked up.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m ³]	Nota- tion	Source
EU	acrylamide	79-06-1	IOELV	0,1			Н	2017/2398/ EU
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005
GB	acrylamide	79-06-1	WEL	0,1				EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur Absorbed through the skin Inhalable fraction Ceiling-C

н

Respirable fraction

STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	120 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects		
DNEL	120 mg/m ³	human, inhalatory	worker (industry)	acute - local effects		
DNEL	3 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects		

Environmental values

Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0,032 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
PNEC	2 ^{µg} /I	aquatic organisms	marine water	short-term (single instance)	

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

Relevant	PNECs and ot	her threshold levels		
End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0,2 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White). Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

.,,	•
Physical state	solid
Form	crystalline
Colour	white
Odour	odourless
Melting point/freezing point	84,5 °C at 1.013 hPa (ECHA)
Boiling point or initial boiling point and boiling range	232 °C at 1.013 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	138 °C
Auto-ignition temperature	not determined
Decomposition temperature	>175 °C
pH (value)	5 – 8 (in aqueous solution: 50 ^g / _l , 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	2.155 ^g / _l at 30 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	-0,9 (pH value: ~7, 20 °C) (ECHA)
Vapour pressure	0,009 hPa at 25 °C
Density and/or relative density	
Density	1,13 ^g / _{cm³} at 20 °C
Relative vapour density	2,45 (air = 1)
Bulk density	~500 ^{kg} / _{m³}
Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	none

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure

article number: 7871

9.2 Other information

Information with regard to physical hazard classes:

Other safety characteristics:

SECTION 10: Stability and reactivity

10.1 Reactivity

Can polymerise exothermically if heated, exposed to air, sunlight or by addition of free radical initiators. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

Danger of polymerisation.

10.3 Possibility of hazardous reactions

Violent reaction with: Bases, Oxidisers, Peroxides, Sulphuric acid

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat. Decompostion takes place from temperatures above: >175 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5. Peroxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed. Harmful in contact with skin. Harmful if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	354 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	1.141 ^{mg} / _{kg}	rabbit		ECHA

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.



hazard classes acc. to GHS (physical hazards): not relevant

There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

• If inhaled

causes slight to moderate irritation

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

Other adverse effects: Liver and kidney damage, Loss of righting reflex, and ataxia, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (act	ıte)			
Endpoint	Value	Species	Source	Exposure time
EC50	98 ^{mg} / _l	aquatic invertebrates	ECHA	48 h

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Foth

Acrylamide ≥98 %, 2x crystalline, extra pure

article number: 7871

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 1,351 $^{\rm mg}/_{\rm mg}$ Theoretical Oxygen Demand (with nitrification): 2,251 $^{\rm mg}/_{\rm mg}$ Theoretical Carbon Dioxide: 1,857 $^{\rm mg}/_{\rm mg}$

Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	100 %	28 d
oxygen depletion	7,4 %	5 d

-0,9 (pH value: ~7, 20 °C) (ECHA)

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

Properties of waste which render it hazardous

- **HP 4** irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP7 carcinogenic HP10 toxic for roprodu
- **HP 10** toxic for reproduction **HP 11** mutagenic
- HP 11 mutagenic HP 13 sensitising

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADRRID	UN 2074
	IMDG-Code	UN 2074
	ICAO-TI	UN 2074
14.2	UN proper shipping name	
	ADRRID	ACRYLAMIDE, SOLID
	IMDG-Code	ACRYLAMIDE, SOLID
	ICAO-TI	Acrylamide, solid
14.3	Transport hazard class(es)	
	ADRRID	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

Agreement concerning the International Carri	age of Dangerous Goods by Road (ADR)Additional			
information				
Proper shipping name	ACRYLAMIDE, SOLID			
Particulars in the transport document	UN2074, ACRYLAMIDE, SOLID, 6.1, III, (E)			
Classification code	Τ2			
Danger label(s)	6.1			
Special provisions (SP)	802(ADN)			
Excepted quantities (EQ)	E1			
Limited quantities (LQ)	5 kg			
Transport category (TC)	2			
Tunnel restriction code (TRC)	E			
Hazard identification No	60			
Emergency Action Code	2X			
Regulations concerning the International Carr information	iage of Dangerous Goods by Rail (RID)Additional			
Classification code	T2			
Danger label(s)	6.1			
Special provisions (SP)	802(ADN)			
Excepted quantities (EQ)	E1			
Limited quantities (LQ)	5 kg			
Transport category (TC)	2			
Hazard identification No	60			
International Maritime Dangerous Goods Code	(IMDG) - Additional information			
Proper shipping name	ACRYLAMIDE, SOLID			
Particulars in the shipper's declaration	UN2074, ACRYLAMIDE, SOLID, 6.1, III			
Marine pollutant	-			
Danger label(s)	6.1			
Excepted quantities (EQ)	E1			
Limited quantities (LQ)	5 kg			
EmS	F-A, S-A			
Stowage category	A			

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: **7871**

International Civil Aviation Organization (I	CAO-IATA/DGR) - Additional information
Proper shipping name	Acrylamide, solid
Particulars in the shipper's declaration	UN2074, Acrylamide, solid, 6.1, III
Danger label(s)	6.1
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	18/EU (Seveso III)		
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

Deco-Paint Directive

VOC content	100 %
VOC content	1.130 ^g / _l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

st of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Acrylamide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid,		a)	

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acrylamide ≥98 %, 2x crystalline, extra pure

article number: 7871

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
	reproduction or other endocrine- related functions in or via the aquatic environment			

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE			
Name of substance	CAS No	Listed in	Remarks
Acrylamide	79-06-1	Candidate list	Carc. A57a Muta. A57b

Legend

Candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list Carc. A57a Carcinogenic (Article 57a) Muta. A57b Mutagenic (Article 57b)

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance Name acc. to inventory CAS No No				
Acrylamide	Acrylamide	79-06-1	60	
Acrylamide	carcinogenic		28	
Acrylamide	germ cell mutagenic (mutagenic)		29	

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

inven	tories
	l inven

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 100 % 1.130 ^g / _l	VOC content: 100 %	yes
15.1		VOC content: 1.130 ^g / _l	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acrylamide ≥98 %, 2x crystalline, extra pure



article number: 7871

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protec- tion of workers from the risks related to exposure to carcinogens or mutagens at work
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acrylamide ≥98 %, 2x crystalline, extra pure

article number: 7871

Abbr.	Descriptions of used abbreviations
IOELV	Indicative occupational exposure limit value
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.