according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



date of compilation: 2017-01-10

Revision: 2024-03-04

Ruthenium(III) chloride hydrate pure

article number: **7910** Version: **3.0 en** Replaces version of: 2022-03-01 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Ruthenium(III) chloride hydrate pure

7910

233-167-5

14898-67-0

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

EC number

CAS number

1.2

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Danger
-------------	--------

Pictograms

GHS05, GHS07



Hazard statements

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage

Precautionary statements

Precautionary statements - prevention


P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310	Immediately call a POISON CENTER/doctor

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



H314

Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
5546	
P310	Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Ruthenium(III) chloride hydrate
Molecular formula	$RuCl_3 \cdot x H_2O$
Molar mass	207,4 ^g / _{mol} (+ x H ₂ O)
CAS No	14898-67-0
EC No	233-167-5

Substance, Specific Conc. Limits, M-factors, ATE				
Specific Conc. Limits	M-Factors	ATE	Exposure route	
-	-	723 ^{mg} / _{kg}	oral	

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a doctor.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

- **4.2 Most important symptoms and effects, both acute and delayed** Corrosion, Vomiting, Risk of blindness, Gastric perforation
- **4.3 Indication of any immediate medical attention and special treatment needed** none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated:

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m ³]	Nota- tion	Source
IE	dusts, non-specific		OELV	10			i	S.I. No. 619 of 2001
IE	dusts, non-specific		OELV	4			r	S.I. No. 619 of 2001

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur i Inhalable fraction r Respirable fraction STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified) TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

Human health values				
Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0,38 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0,27 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant	Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	0,244 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0,024 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)		
PNEC	8,92 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	7,62 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	0,762 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		
PNEC	1,55 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	•
Physical state	solid
Form	powder
Colour	black
Odour	pungent
Melting point/freezing point	100 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	90 °C (ECHA)
pH (value)	<2 (20 °C) (aqueous solution of the substance)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	(practically insoluble)
<u>Partition coefficient</u> Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

Density and/or relative density	
Density	3,1 ^g / _{cm³}
Relative vapour density	Information on this property is not available.
Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong alkali

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 90 °C.

10.5 Incompatible materials

aluminium, Steel, zinc

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	723 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

Data are not available.

• If on skin

causes severe burns, causes poorly healing wounds

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	>0,38 ^{mg} / _l	fish	ECHA	96 h
EC50	53 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	0,602 ^{mg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	530 ^{mg} /l	microorganisms	ECHA	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential Data are not available.

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

Properties of waste which render it hazardous

HP 6 acute toxicity HP 8 corrosive

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

UN number or ID number	
ADRRID	UN 3260
IMDG-Code	UN 3260
ICAO-TI	UN 3260
UN proper shipping name	
ADRRID	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
ICAO-TI	Corrosive solid, acidic, inorganic, n.o.s.
Technical name	Ruthenium(III) chloride hydrate
Transport hazard class(es)	
ADRRID	8
IMDG-Code	8
ICAO-TI	8
Packing group	
ADRRID	II
IMDG-Code	II
ICAO-TI	II
Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
	ADRRID IMDG-Code ICAO-TI UN proper shipping name ADRRID IMDG-Code ICAO-TI Technical name Transport hazard class(es) ADRRID IMDG-Code ICAO-TI Packing group ADRRID IMDG-Code

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
Particulars in the transport document	UN3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., (Ruthenium(III) chloride hydrate), 8, II, (E)
Classification code	C2

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
Regulations concerning the International Car information	riage of Dangerous Goods by Rail (RID)Additional
Classification code	C2
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Hazard identification No	80
International Maritime Dangerous Goods Cod	e (IMDG) - Additional information
Proper shipping name	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., (Ruthenium(III) chloride hydrate), 8, II
Marine pollutant	-
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-B
Stowage category	В
Segregation group	1 - Acids

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		
Proper shipping name	Corrosive solid, acidic, inorganic, n.o.s.	
Particulars in the shipper's declaration	UN3260, Corrosive solid, acidic, inorganic, n.o.s., (Ruthenium(III) chloride hydrate), 8, II	
Danger label(s)	8	
Special provisions (SP)	A3	
Excepted quantities (EQ)	E2	
Limited quantities (LQ)	5 kg	

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
Ruthenium(III) chloride hydrate	substances in tattoo inks and perman- ent make-up		R75	75

Legend R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such sub-stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant

category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive cat-egory 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;
(ii) 0,1 % by weight, in all other cases;
(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in present in the account of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in present in the mixture in a concentration equal to a substance 0.00005 % by weight;

mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";
(ii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the case of a substance to the table of the table of the case of the table of the table of the case of the table of table of the table of the table of t the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;

the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concen-tration equal to or greater than the concentration limit specified for that substance in that Appendix. 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mix-ture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures com-monly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body. 3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the strictest paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

Legend	
5. I sta tha plio	f Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a sub- nce such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such t it then falls within a different one of those points from the one within which it fell previously, and the date of ap- ation of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, para- uph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as
ťak	f Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing
of a suc am	a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or the that it then falls within a different one of those points from the one within which it fell previously, and the endment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, t amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the
dat 7. 9	e falling 18 months after entry into force of the act by which that amendment was made. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the
(a)	xture is marked with the following information: the statement "Mixture for use in tattoos or permanent make-up"; a reference number to uniquely identify the batch;
(c) nar	The list of ingredients in accordance with the nomenclature established in the glossary of common ingredient mes pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the PAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall
be any pui this ent	listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means / substance added during the process of formulation and present in the mixture for use for tattooing purposes. Im- rities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of s entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredi- ; does not need to be marked in accordance with this Regulation;
(e) tioi	the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1; the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentra n limit specified in Appendix 13;
the	he statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below concentration limit specified in Appendix 13;
	safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 72/2008.
The ma	e information shall be clearly visible, easily legible and marked in a way that is indelible. e information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the rket, unless the Member State(s) concerned provide(s) otherwise.
Wh (a),	ere necessary because of the size of the package, the information listed in the first subparagraph, except for point shall be included instead in the instructions for use.
pro	fore using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the ocedure with the information marked on the package or included in the instructions for use pursuant to this para- loh.
8. N tati	vixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tooing purposes.
ate 00-	This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener- a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50- 0, EC No 200-001-8).
10	This approximation with a planting any the provident of a privile providence for the test and a providence of the test of the second se

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
	not assigned			

Deco-Paint Directive

VOC content	0 %
-------------	-----

Industrial Emissions Directive (IED)

VOC content	0 %	
-------------	-----	--

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

CSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)KECIKorea Existing Chemicals InventoryNCINational Chemical InventoryNZIoCNew Zealand Inventory of ChemicalsREACH Reg.REACH registered substancesTCSITaiwan Chemical Substance Inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Classification code: 8	Classification code: C2	yes
15.1	Water Framework Directive (WFD)	Water Framework Directive (WFD): not listed	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ruthenium(III) chloride hydrate pure

article number: 7910

Abbr.	Descriptions of used abbreviations
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.