Australia (en)

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP

article number: **8004** Version: **GHS 3.0 en** Replaces version of: 2021-03-03 Version: (GHS 2)

Product identifier

1.1

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

	Identification of the substance	Potassium permanganate ≥99 %, Ph.Eur., USP, BP			
	Article number	8004			
	CAS number	7722-64-7			
1.2	Relevant identified uses of the substance or mixture and uses advised against				
	Relevant identified uses:	Laboratory chemical Laboratory and analytical use			
	Uses advised against:	Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.			

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS



date of compilation: 2019-02-08 Revision: 2024-03-04



acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1C	Skin Corr. 1C	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.7	Reproductive toxicity	2	Repr. 2	H361d
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms



Hazard statements

H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H361d	Suspected of damaging the unborn child
H373	May cause damage to organs (brain) through prolonged or repeated exposure
	(if inhaled)

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking
P260	Do not breathe dusts or mists
P280	Wear eye protection/face protection

Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water or shower
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

For professional users only

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Potassium permanganate
Molecular formula	KMnO₄
Molar mass	158 ^g / _{mol}
CAS No	7722-64-7

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Corrosion, Risk of serious damage to eyes, Risk of blindness, Gastric perforation, Nausea, Vomiting, Gastrointestinal complaints, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

SECTION 7: Handling and storage

Precautions for safe handling 7.1

Handle and open container with care. Avoid exposure. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Keep away from combustible material.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES
AU	manganese compounds	7722-64-7	WES	1			Mn	WES

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Mn

Calculated as Mn (manganese)

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

TWA hours time-weighted average (unless otherwise specified)

Human health values

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	0.2 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		

Environmental values

Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	0.06 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	1.64 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	violet
Odour	odourless
Melting point/freezing point	>240 °C (slow decomposition)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	>240 °C (ECHA)
pH (value)	7 – 9 (in aqueous solution: 20 ^g / _l , 20 °C)
Kinematic viscosity	not relevant
Kinematic viscosity	notrelevant
Solubility(ies)	Tiot relevant
	≥64 ^g / _l at 20 °C (ECHA)
Solubility(ies)	
<u>Solubility(ies)</u> Water solubility	
<u>Solubility(ies)</u> Water solubility <u>Partition coefficient</u>	≥64 ^g / _l at 20 °C (ECHA)
<u>Solubility(ies)</u> Water solubility <u>Partition coefficient</u> Partition coefficient n-octanol/water (log value):	≥64 ^g / _l at 20 °C (ECHA) -1.73 (calc.)
Solubility(ies) Water solubility <u>Partition coefficient</u> Partition coefficient n-octanol/water (log value): Vapour pressure	≥64 ^g / _l at 20 °C (ECHA) -1.73 (calc.)
Solubility(ies) Water solubility Partition coefficient Partition coefficient n-octanol/water (log value): Vapour pressure Density and/or relative density	≥64 ^g / _l at 20 °C (ECHA) -1.73 (calc.) <0.01 hPa at 20 °C

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	oxidiser
Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Exothermic reaction with: Nitric acid, Reducing agents, Ammonium hydroxide, Carbide, Carbon, **Danger of explosion:** Ammonia (NH3), Ammonium compounds, Chlorine, Acetic acid, Acetic anhydride, Metal powder, Nitro compound, Phosphorus, Acid chlorides, inorganic, Sulphur, Sulphuric acid and sulphurous acid,

Risk of ignition: Acetone, Aldehydes, Alcohols, Amines, Combustible materials, Dichloromethane, Ethanol, Ester, Mineral acids, Sulphuric acid, Hydrogen sulphide (H₂S), Hydrogen peroxide, Organic substances

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >240 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2,000 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	>2,000 ^{mg} / _{kg}	rat		ECHA

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled).

Hazard category	Target organ	Exposure route
2	brain	if inhaled

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects), nausea, gastrointestinal complaints

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

cough, breathing difficulties, Inhalation of dust may cause irritation of the respiratory system

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

Other adverse effects: Liver and kidney damage, Central nervous system

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	0.47 ^{mg} / _l	fish	ECHA	96 h
EC50	0.06 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	0.8 ^{mg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	164 ^{mg} / _l	microorganisms	ECHA	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-1.73 (Calc.)
---------------------------	---------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H5.1 Oxidizing H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

	UN RTDG	UN 1490
	IMDG-Code	UN 1490
	ICAO-TI	UN 1490
14.2	UN proper shipping name	
	UN RTDG	POTASSIUM PERMANGANATE
	IMDG-Code	POTASSIUM PERMANGANATE
	ICAO-TI	Potassium permanganate
14.3	Transport hazard class(es)	
	UN RTDG	5.1
	IMDG-Code	5.1
	ICAO-TI	5.1
14.4	Packing group	
	UN RTDG	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	

There is no additional information.

14.7 Transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



Transport informationNational regulationsAdd	itional information(UN RTDG)
UN number	1490
Class	5.1
Environmental hazards	Yes Hazardous to the aquatic environment
Packing group	II
Danger label(s)	5.1 Fish and tree
Special provisions (SP)	- UN RTDG
Excepted quantities (EQ)	E2 UN RTDG
Limited quantities (LQ)	1 kg UN RTDG
Emergency Action Code	1Y
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	POTASSIUM PERMANGANATE
Particulars in the shipper's declaration	UN1490, POTASSIUM PERMANGANATE, 5.1, II, MARINE POLLUTANT
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	5.1, "Fish and tree"
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-H, S-Q
Stowage category	D
Segregation group	14 - Permanganates
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information
Proper shipping name	Potassium permanganate
Particulars in the shipper's declaration	UN1490, Potassium permanganate, 5.1, II
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	5.1
Excepted quantities (EQ)	E2
Limited quantities (LQ)	2,5 kg

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Potassium permanganate	7722-64-7	Table I	2841.61

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.1	Index No: 025-002-00-9		yes
1.1	EC number: 231-760-3	CAS number: 7722-64-7	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Precautionary statements - disposal		yes
2.2		Precautionary statements - disposal: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



Section	Former entry (text/value)	Actual entry (text/value)	Safet relev ant
3.1	Index No: 025-002-00-9		yes
11.1		Acute toxicity: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic): change in the listing (table)	yes
14.1	UN number: 1490	UN number	yes
14.1		UN RTDG: UN 1490	yes
14.1		IMDG-Code: UN 1490	yes
14.1		ICAO-TI: UN 1490	yes
14.2	UN proper shipping name: POTASSIUM PERMANGANATE	UN proper shipping name	yes
14.2	Hazardous ingredients: Potassium permanganate		yes
14.2		UN RTDG: POTASSIUM PERMANGANATE	yes
14.2		IMDG-Code: POTASSIUM PERMANGANATE	yes
14.2		ICAO-TI: Potassium permanganate	yes
14.3	Transport hazard class(es): class 5.1 hazard - oxidizing substances	Transport hazard class(es)	yes
14.3	Class: 5.1 (oxidizing substances)		yes
14.3		UN RTDG: 5.1	yes
14.3		IMDG-Code: 5.1	yes
14.3		ICAO-TI: 5.1	yes
14.4	Packing group: II (substance presenting medium danger)	Packing group	yes
14.4		UN RTDG: II	yes
14.4		IMDG-Code: II	yes
14.4		ICAO-TI: II	yes
14.6	Special precautions for user: Provisions for dangerous goods (ADR) should be complied within the premises.	Special precautions for user: There is no additional information.	yes
14.8	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)		yes

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8	UN number: 1490		yes
14.8	Proper shipping name: POTASSIUM PERMANGANATE		yes
14.8	Particulars in the transport document: UN1490, POTASSIUM PERMANGANATE, 5.1, II, (E), environmentally hazardous		yes
14.8	Class: 5.1		yes
14.8	Classification code: O2		yes
14.8	Packing group: II		yes
14.8	Danger label(s): 5.1 + "fish and tree"		yes
14.8		Danger label(s): change in the listing (table)	yes
14.8	Environmental hazards: yes (hazardous to the aquatic environment)		yes
14.8	Excepted quantities (EQ): E2		yes
14.8	Limited quantities (LQ): 1 kg		yes
14.8	Transport category (TC): 2		yes
14.8	Tunnel restriction code (TRC): E		yes
14.8	Hazard identification No: 50		yes
14.8	Emergency Action Code: 1Y		yes
14.8	UN number: 1490		yes
14.8	Class: 5.1		yes
14.8	Packing group: II		yes
14.8	Acute toxicity: oralLD50>2,000 ^{mg} / _{kg} ratECHA dermalLD50>2,000 ^{mg/} _{kg} ratECHA	Transport informationNational regulationsAddi- tional information(UN RTDG)	yes
14.8	Aquatic toxicity (chronic): EC50164 ^{mg} / _l microorganismsECHA3 h growth (EbCx) 20%86.4 ^{mg} /lmicroorgan- ismsECHA3 h	UN number: 1490	yes
14.8		Class: 5.1	yes

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Environmental hazards: Yes Hazardous to the aquatic environment	yes
14.8		Packing group: II	yes
14.8		Danger label(s): 5.1 Fish and tree	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): UN RTDG	yes
14.8		Excepted quantities (EQ): E2 UN RTDG	yes
14.8		Limited quantities (LQ): 1 kg UN RTDG	yes
14.8		Emergency Action Code: 1Y	yes
14.8	Marine pollutant: yes (P) (hazardous to the aquatic environment)	Marine pollutant: yes (hazardous to the aquatic environment)	yes
14.8	UN number: 1490		yes
14.8	Class: 5.1		yes
14.8	Packing group: II		yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Danger label(s): change in the listing (table)	yes
15.1	Safety, health and environmental regulations/ legislation specific for the substance or mixture	Safety, health and environmental regulations/ legislation specific for the substance or mixture: There is no additional information.	yes
15.1	National inventories: Substance is listed in the following national in- ventories:		yes
15.1		National inventories: change in the listing (table)	yes
15.1		National regulations(Australia)	yes
15.1		Australian Inventory of Chemical Substances(AICS): Substance is listed.	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances	yes
15.1		UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances: change in the listing (table)	yes
15.1		National inventories	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Descriptions of used abbreviations
Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling value
Dangerous Goods Regulations (see IATA/DGR)
Derived No-Effect Level
Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
Endocrine disruptor
European Inventory of Existing Commercial Chemical Substances
European List of Notified Chemical Substances
Emergency Schedule
= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
International Air Transport Association
Dangerous Goods Regulations (DGR) for the air transport (IATA)
International Civil Aviation Organization
Technical instructions for the safe transport of dangerous goods by air
International Maritime Dangerous Goods Code
International Maritime Dangerous Goods Code
Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
No-Longer Polymer
Persistent, Bioaccumulative and Toxic
Predicted No-Effect Concentration

acc. to Safe Work Australia - Code of Practice

Potassium permanganate ≥99 %, Ph.Eur., USP, BP



article number: 8004

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.