

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: **8004**
Version: **4.0 en**
Replaces version of: 2021-03-03
Version: (3)

date of compilation: 2015-08-17
Revision: 2024-03-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP
Article number	8004
Index No (GB CLP)	025-002-00-9
EC number	231-760-3
CAS number	7722-64-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1C	Skin Corr. 1C	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.7	Reproductive toxicity	2	Repr. 2	H361d
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS03, GHS05,
GHS07, GHS08,
GHS09



Hazard statements

H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H361d	Suspected of damaging the unborn child
H373	May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled)
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P220	Keep/store away from clothing/combustible materials
P273	Avoid release to the environment
P280	Wear protective gloves/eye protection

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Potassium permanganate
Molecular formula	KMnO ₄
Molar mass	158 g/mol
CAS No	7722-64-7
EC No	231-760-3
Index No (GB CLP)	025-002-00-9

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	M-factor (acute) = 10	500 mg/kg	oral

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes hold-
ing eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is
conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and
the stomach (strong corrosive effects).

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Corrosion, Risk of serious damage to eyes, Risk of blindness, Gastric perforation, Nausea, Vomiting, Gastrointestinal complaints, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle and open container with care. Avoid exposure. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Keep away from combustible material.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [mg/m ³]	STEL [mg/m ³]	Ceiling-C [mg/m ³]	Notation	Source
EU	manganese, inorganic compounds	7722-64-7	IOELV	0,2			Mn, i	2017/164/EU
EU	manganese, inorganic compounds	7722-64-7	IOELV	0,05			Mn, r	2017/164/EU
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005
GB	manganese, inorganic compounds	7722-64-7	WEL	0,2			Mn, i	EH40/2005

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

Country	Name of agent	CAS No	Identifier	TWA [mg/m ³]	STEL [mg/m ³]	Ceiling-C [mg/m ³]	Notation	Source
GB	manganese, inorganic compounds	7722-64-7	WEL	0,05			Mn, r	EH40/2005

Notation

Ceiling-C	Ceiling value is a limit value above which exposure should not occur
i	Inhalable fraction
Mn	Calculated as Mn (manganese)
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0,2 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0,06 $\mu\text{g}/\text{l}$	aquatic organisms	freshwater	short-term (single instance)
PNEC	1,64 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	violet
Odour	odourless
Melting point/freezing point	>240 °C (slow decomposition)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	>240 °C (ECHA)

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: **8004**

pH (value)	7 – 9 (in aqueous solution: 20 g/l, 20 °C)
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	≥ 64 g/l at 20 °C (ECHA)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	-1,73 (calc.)
Vapour pressure	<0,01 hPa at 20 °C
<u>Density and/or relative density</u>	
Density	2,7 g/cm ³ at 20 °C (ECHA)
Relative vapour density	Information on this property is not available.
Bulk density	1.300 – 1.600 kg/m ³
Particle characteristics	No data available.
<u>Other safety parameters</u>	
Oxidising properties	oxidiser

9.2 Other information

Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Exothermic reaction with: Nitric acid, Reducing agents, Ammonium hydroxide, Carbide, Carbon,
Danger of explosion: Ammonia (NH₃), Ammonium compounds, Chlorine, Acetic acid, Acetic anhydride, Metal powder, Nitro compound, Phosphorus, Acid chlorides, inorganic, Sulphur, Sulphuric acid and sulphurous acid,
Risk of ignition: Acetone, Aldehydes, Alcohols, Amines, Combustible materials, Dichloromethane, Ethanol, Ester, Mineral acids, Sulphuric acid, Hydrogen sulphide (H₂S), Hydrogen peroxide, Organic substances

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >240 °C.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	$>2.000 \text{ mg/kg}$	rat		ECHA
dermal	LD50	$>2.000 \text{ mg/kg}$	rat		ECHA

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled).

Hazard category	Target organ	Exposure route
2	brain	if inhaled

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects), nausea, gastrointestinal complaints

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

cough, breathing difficulties, Inhalation of dust may cause irritation of the respiratory system

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

Other adverse effects: Liver and kidney damage, Central nervous system

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	0,47 mg/l	fish	ECHA	96 h
EC50	0,06 mg/l	aquatic invertebrates	ECHA	48 h
ErC50	0,8 mg/l	algae	ECHA	72 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	164 mg/l	microorganisms	ECHA	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-1,73 (Calc.)
---------------------------	---------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 2 oxidising
- HP 4 irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP 8 corrosive
- HP 10 toxic for reproduction
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 1490
IMDG-Code	UN 1490
ICAO-TI	UN 1490

14.2 UN proper shipping name

ADRRID	POTASSIUM PERMANGANATE
IMDG-Code	POTASSIUM PERMANGANATE

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)





Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: **8004**

ICAO-TI	Potassium permanganate
14.3 Transport hazard class(es)	
ADRRID	5.1
IMDG-Code	5.1
ICAO-TI	5.1
14.4 Packing group	
ADRRID	II
IMDG-Code	II
ICAO-TI	II
14.5 Environmental hazards	hazardous to the aquatic environment
14.6 Special precautions for user	
Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7 Maritime transport in bulk according to IMO instruments	
The cargo is not intended to be carried in bulk.	

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

Proper shipping name	POTASSIUM PERMANGANATE
Particulars in the transport document	UN1490, POTASSIUM PERMANGANATE, 5.1, II, (E), environmentally hazardous
Classification code	O2
Danger label(s)	5.1, "Fish and tree"
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	50
Emergency Action Code	1Y

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

Classification code	O2
Danger label(s)	5.1, "Fish and tree"
 	

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

Environmental hazards	Yes Hazardous to water
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Hazard identification No	50

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	POTASSIUM PERMANGANATE
Particulars in the shipper's declaration	UN1490, POTASSIUM PERMANGANATE, 5.1, II, MARINE POLLUTANT
Marine pollutant	yes (hazardous to the aquatic environment)
Danger label(s)	5.1, "Fish and tree"



Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-H, S-Q
Stowage category	D
Segregation group	14 - Permanganates

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Potassium permanganate
Particulars in the shipper's declaration	UN1490, Potassium permanganate, 5.1, II
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	5.1



Excepted quantities (EQ)	E2
Limited quantities (LQ)	2,5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

2012/18/EU (Seveso III)

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P8	oxidising liquids and solids	50	200	55)

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Deco-Paint Directive

VOC content	0 %
VOC content	0 g/l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Potassium permanganate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Potassium permanganate	Metals and their compounds		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

Name of substance	CAS No	Wt%	Classification	CN Code	Threshold level
Potassium permanganate	7722-64-7	100	Category 2b	2841 61 00	100 kg

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate ≥99 %, Ph.Eur., USP, BP

article number: 8004

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Potassium permanganate	7722-64-7	Table I	2841.61

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: **8004**

Legend

NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.1	Index No: 025-002-00-9		yes
1.1		EC number: 231-760-3	yes
1.1	EC number: 231-760-3	CAS number: 7722-64-7	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate ≥99 %, Ph.Eur., USP, BP

article number: 8004

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
3.1	Index No: 025-002-00-9		yes
11.1		Acute toxicity: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic): change in the listing (table)	yes
14.1	UN number: 1490	UN number or ID number	yes
14.1		ADRRID: UN 1490	yes
14.1		IMDG-Code: UN 1490	yes
14.1		ICAO-TI: UN 1490	yes
14.2	UN proper shipping name: POTASSIUM PERMANGANATE	UN proper shipping name	yes
14.2	Hazardous ingredients: Potassium permanganate		yes
14.2		ADRRID: POTASSIUM PERMANGANATE	yes
14.2		IMDG-Code: POTASSIUM PERMANGANATE	yes
14.2		ICAO-TI: Potassium permanganate	yes
14.3	Transport hazard class(es): class 5.1 hazard - oxidizing substances	Transport hazard class(es)	yes
14.3	Class: 5.1 (oxidizing substances)		yes
14.3		ADRRID: 5.1	yes
14.3		IMDG-Code: 5.1	yes
14.3		ICAO-TI: 5.1	yes
14.4	Packing group: II (substance presenting medium danger)	Packing group	yes
14.4		ADRRID: II	yes
14.4		IMDG-Code: II	yes
14.4		ICAO-TI: II	yes
14.8	UN number: 1490		yes

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.8	Class: 5.1		yes
14.8	Packing group: II		yes
14.8	Emergency Action Code: 1Y		yes
14.8		Emergency Action Code: 1Y	yes
14.8		Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information	yes
14.8		Classification code: O2	yes
14.8		Danger label(s): 5.1, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 1 kg	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 50	yes
14.8	UN number: 1490		yes
14.8	Class: 5.1		yes
14.8	Marine pollutant: yes (P) (hazardous to the aquatic environment)	Marine pollutant: yes (hazardous to the aquatic environment)	yes
14.8	Packing group: II		yes
14.8	UN number: 1490		yes
14.8	Class: 5.1		yes
14.8	Packing group: II		yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Danger label(s): change in the listing (table)	yes

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate ≥99 %, Ph.Eur., USP, BP

article number: **8004**

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1	• Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC): Not listed.		yes
15.1	• Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS): Not listed.		yes
15.1	• Regulation 850/2004/EC on persistent organic pollutants (POP): Not listed.		yes
15.1	• Restrictions according to REACH, Annex XVII: not listed		yes
15.1		• Restrictions according to REACH, Annex XVII: change in the listing (table)	yes
15.1	• Restrictions according to REACH, Title VIII: None.		yes
15.1	• Directive 75/324/EEC relating to aerosol dispensers		yes
15.1	Filling batch		yes
15.1		Deco-Paint Directive	yes
15.1		VOC content: 0 %	yes
15.1		VOC content: 0 g/l	yes
15.1		Industrial Emissions Directive (IED)	yes
15.1		VOC content: 0 %	yes
15.1	Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors	VOC content: 0 g/l	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		Regulation on the marketing and use of explosives precursors: not listed	yes
15.1	• List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: not listed	Regulation on drug precursors	yes
15.1		Regulation on drug precursors: change in the listing (table)	yes
15.1		Regulation on substances that deplete the ozone layer (ODS): not listed	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): not listed	yes
15.1		Regulation on persistent organic pollutants (POP): not listed	yes

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes
15.1	Deco-Paint Directive (2004/42/EC)	Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1	VOC content: 0 % 0 g/l	UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances	yes
15.1		Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors: change in the listing (table)	yes
15.1	National inventories: Substance is listed in the following national inventories:		yes
15.1		National inventories: change in the listing (table)	yes
15.1		UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances: change in the listing (table)	yes
15.1		National inventories	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CN Code	Combined Nomenclature
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: **8004**

Abbr.	Descriptions of used abbreviations
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	\equiv EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium permanganate $\geq 99\%$, Ph.Eur., USP, BP

article number: 8004

Abbr.	Descriptions of used abbreviations
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.