

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: **8029**

Version: **5.1 en**

Replaces version of: 2024-03-02

Version: (5)

date of compilation: 2015-09-02

Revision: 2024-09-18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|--|
| Identification of the substance | Sodium dodecyl sulfate $\geq 99,5$ %, Rotiphorese®-Grade, pellets, for electrophoresis |
| Article number | 8029 |
| EC number | 205-788-1 |
| CAS number | 151-21-3 |
| Alternative name(s) | SDS |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
| Uses advised against: | Do not use for private purposes (household). Food, drink and animal feedingstuffs. |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|---|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5\%$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

Classification acc. to GHS

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 3.10 | Acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 3 | Aquatic Chronic 3 | H412 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS05, GHS07



Hazard statements

| | |
|------|---|
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H412 | Harmful to aquatic life with long lasting effects |

Precautionary statements

Precautionary statements - prevention

| | |
|------|---------------------------------------|
| P273 | Avoid release to the environment |
| P280 | Wear protective gloves/eye protection |

Precautionary statements - response

| | |
|----------------|---|
| P302+P352 | IF ON SKIN: Wash with plenty of water |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |
| P312 | Call a POISON CENTRE/doctor if you feel unwell |

Hazardous ingredients for labelling: Sodium dodecyl sulfate

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate ≥99,5 %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-------------------|------------------------|
| Name of substance | Sodium dodecyl sulfate |
| Molecular formula | $C_{12}H_{25}NaO_4S$ |
| Molar mass | 288,4 g/mol |
| CAS No | 151-21-3 |
| EC No | 205-788-1 |

Substance, Specific Conc. Limits, M-factors, ATE

| Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-----------------------|-----------|-----------|----------------|
| - | - | 977 mg/kg | oral |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Risk of blindness, Risk of serious damage to eyes, Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Sulphur oxides (SO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5\%$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

Incompatible substances or mixtures

Observe hints for combined storage. Incompatible materials: see section 10.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [mg/m ³] | STEL [mg/m ³] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|---------------|--------|------------|--------------------------|---------------------------|--------------------------------|----------|-----------|
| GB | dust | | WEL | 10 | | | i | EH40/2005 |
| GB | dust | | WEL | 4 | | | r | EH40/2005 |

Notation

| | |
|-----------|--|
| Ceiling-C | Ceiling value is a limit value above which exposure should not occur |
| i | Inhalable fraction |
| r | Respirable fraction |
| STEL | Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

Human health values

| Relevant DNELs and other threshold levels | | | | |
|---|-----------------------|------------------------------------|-------------------|----------------------------|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| DNEL | 285 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 4.060 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

Environmental values

| Relevant PNECs and other threshold levels | | | | |
|---|-----------------|-------------------|------------------------------|------------------------------|
| Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
| PNEC | 0,176 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| PNEC | 0,018 mg/l | aquatic organisms | marine water | short-term (single instance) |
| PNEC | 1,35 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| PNEC | 6,97 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

Relevant PNECs and other threshold levels

| End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|-----------|-----------------|-----------------------|---------------------------|------------------------------|
| PNEC | 0,697 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| PNEC | 1,29 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|---|
| Physical state | solid |
| Form | acc. to product description |
| Colour | white |
| Odour | odourless |
| Melting point/freezing point | 205 °C (ECHA) |
| Boiling point or initial boiling point and boiling range | 216 °C at 1.022 mbar (ECHA) |
| Flammability | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit | not relevant (solid) |
| Flash point | 170 °C (ECHA) |
| Auto-ignition temperature | 310,5 °C (ECHA) |
| Decomposition temperature | >216 °C at 1.022 mbar (ECHA) |
| pH (value) | 6 – 9 (in aqueous solution: 10 g/l, 20 °C) |
| Kinematic viscosity | not relevant |

Solubility(ies)

Water solubility ~ 130 g/l at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): $\leq -2,03$ (20 °C) (ECHA)

Soil organic carbon/water (log KOC) 2,5 – 2,65 (ECHA)

Vapour pressure not determined

Density and/or relative density

Density ~ 0,63 g/cm³ at 20 °C

Relative vapour density not relevant (solid)

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

Other safety characteristics:

Surface tension 25,2 mN/m (23 °C), (ECHA)

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >216 °C at 1.022 mbar.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

| Acute toxicity | | | | | |
|----------------|----------|----------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | 977 mg/kg | rat | | ECHA |
| dermal | LD50 | >2.000 mg/kg | rat | | ECHA |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5\%$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

Data are not available.

• If on skin

causes skin irritation

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (acute) | | | | |
|--------------------------|-----------|---------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | 29 mg/l | fish | ECHA | 96 h |
| ErC50 | >120 mg/l | algae | ECHA | 72 h |

| Aquatic toxicity (chronic) | | | | |
|----------------------------|-------------------|-----------------------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| EC50 | 135 mg/l | microorganisms | ECHA | 3 h |
| NOEC | 0,88 mg/l | aquatic invertebrates | ECHA | 7 d |
| NOEC | $\geq 1,357$ mg/l | fish | ECHA | 42 d |

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 1,997 mg/mg

Theoretical Oxygen Demand (with nitrification): 1,997 mg/mg

Theoretical Carbon Dioxide: 1,831 mg/mg

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

| Process of degradability | | |
|---------------------------|------------------|------|
| Process | Degradation rate | Time |
| biotic/abiotic | 90 % | 28 d |
| carbon dioxide generation | 95 % | 28 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| | |
|---------------------------|-----------------------------|
| n-octanol/water (log KOW) | $\leq -2,03$ (20 °C) (ECHA) |
|---------------------------|-----------------------------|

12.4 Mobility in soil

| | |
|--|---|
| Henry's law constant | $0,019 \text{ Pa m}^3/\text{mol}$ at 25 °C (ECHA) |
| The Organic Carbon normalised adsorption coefficient | 2,5 - 2,65 (ECHA) |

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 4 irritant - skin irritation and eye damage
HP 6 acute toxicity
HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate ≥99,5 %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

SECTION 14: Transport information

- 14.1 UN number or ID number** not subject to transport regulations
- 14.2 UN proper shipping name** not assigned
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments**
The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| | not assigned | | |

Deco-Paint Directive

| | |
|-------------|---------|
| VOC content | 100 % |
| VOC content | 630 g/l |

Industrial Emissions Directive (IED)

| | |
|-------------|-------|
| VOC content | 0 % |
| VOC content | 0 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

not listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|----------------------------|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Sodium dodecyl sulfate | Metals and their compounds | | a) | |

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate ≥99,5 %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

| Country | Inventory | Status |
|---------|-----------|---------------------|
| VN | NCI | substance is listed |

Legend

| | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|--|--|-----------------|
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 14.8 | Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: Not subject to ADR, RID and ADN. | | yes |
| 15.1 | VOC content: 100 % 630 g/l | VOC content: 100 % | yes |
| 15.1 | | VOC content: 630 g/l | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: 8029

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ED | Endocrine disruptor |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| NOEC | No Observed Effect Concentration |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H412 | Harmful to aquatic life with long lasting effects. |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium dodecyl sulfate $\geq 99,5$ %, Rotiphorese®-Grade, pellets, for electrophoresis

article number: **8029**

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.