

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Butyldiglycol ≥ 97%, pure

article number: **8046**  
Version: **2.0 en**  
Replaces version of: 2015-12-01  
Version: (1.0)

date of compilation: 2015-12-01  
Revision: 2017-02-08

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Butyldiglycol</b>
Article number	8046
Registration number (REACH)	This information is not available.
Index No	603-096-00-8
EC number	203-961-6
CAS number	112-34-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

**e-mail (competent person)** : [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
3.3	serious eye damage/eye irritation	(Eye Irrit. 2)	H319

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Butyldiglycol  $\geq 97\%$ ,

article number: **8046**

## Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

Warning

#### Pictograms



#### Hazard statements

H319 Causes serious eye irritation.

#### Precautionary statements

##### Precautionary statements - prevention

P280 Wear protective gloves/eye protection.

##### Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Warning**

Symbol(s)



## 2.3 Other hazards

There is no additional information.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	2-(2-Butoxyethoxy)ethanol
Index No	603-096-00-8
EC number	203-961-6
CAS number	112-34-5
Molecular formula	C <sub>8</sub> H <sub>18</sub> O <sub>3</sub>
Molar mass	162,2 g/mol

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Butyldiglycol  $\geq 97\%$ ,

article number: 8046

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. Consult an ophthalmologist.

#### Following ingestion

Rinse mouth. Call a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Vertigo, Breathing difficulties, Nausea, Vomiting, Diarrhoea

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, foam, alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Butyldiglycol  $\geq$  97%,

article number: 8046

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with eyes.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

#### Advice on general occupational hygiene

Wash hands before breaks and after work.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

##### • Ventilation requirements

Use local and general ventilation.

##### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

### 7.3 Specific end use(s)

No information available.

Butyldiglycol ≥ 97%,

article number: 8046

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**National limit values**

**Occupational exposure limit values (Workplace Exposure Limits)**

Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Source
EU	2-(2-butoxyethoxy)ethanol	112-34-5		IOELV	10	67,5	15	101,2	2006/15/EC
GB	2-(2-butoxyethoxy)ethanol	112-34-5		WEL	10	67,5	15	101,2	EH40/2005

**Notation**

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

**Relevant DNELs/DMELs/PNECs and other threshold levels**

**• human health values**

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	101,2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
DNEL	67,5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	83 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
DNEL	67,5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

**• environmental values**

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	1,1 mg/l	freshwater	short-term (single instance)
PNEC	0,11 mg/l	marine water	short-term (single instance)
PNEC	200 mg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	4,4 mg/kg	freshwater sediment	short-term (single instance)
PNEC	0,44 mg/kg	marine sediment	short-term (single instance)
PNEC	56 mg/kg	water	short-term (single instance)
PNEC	0,32 mg/kg	soil	short-term (single instance)
PNEC	11 mg/l	water	intermittent release

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Butyldiglycol  $\geq$  97%,

article number: 8046

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)



#### Eye/face protection

Use safety goggle with side protection.

#### Skin protection

##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### • type of material

Butyl caoutchouc (butyl rubber)

##### • material thickness

0,4 mm.

##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of  $> 65$  °C , colour code: Brown).

#### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid (fluid)
Colour	colourless
Odour	faintly perceptible
Odour threshold	No data available

#### Other physical and chemical parameters

pH (value)	This information is not available.
Melting point/freezing point	-68 °C
Initial boiling point and boiling range	224 - 234 °C
Flash point	109 °C (c.c.)
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Butyldiglycol ≥ 97%,**

article number: **8046**

## Explosive limits

• lower explosion limit (LEL)	0,7 vol%
• upper explosion limit (UEL)	5,3 vol%
Explosion limits of dust clouds	not relevant
Vapour pressure	<0,1 hPa at 20 °C
Density	0,95 g/cm <sup>3</sup>
Vapour density	This information is not available.
Bulk density	Not applicable
Relative density	Information on this property is not available.

## Solubility(ies)

Water solubility 955 g/l at 20 °C

## Partition coefficient

n-octanol/water (log KOW) 0,56 (25 °C) (exp.)  
(Lit.)

Auto-ignition temperature 225 °C - (DIN 51794)

Decomposition temperature no data available

## Viscosity

• dynamic viscosity 5,85 mPa s at 20 °C

Explosive properties Shall not be classified as explosive

Oxidising properties none

## 9.2 Other information

Temperature class (EU, acc. to ATEX) T3 (Maximum permissible surface temperature on the equipment: 200°C)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

In case of warming: Vapours can form explosive mixtures with air.

### 10.2 Chemical stability

Conditions to avoid: Contact with air/oxygen.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Aluminium, Oxidisers

### 10.4 Conditions to avoid

Keep away from heat.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Butyldiglycol  $\geq$  97%,

article number: 8046

## 10.5 Incompatible materials

aluminium

## 10.6 Hazardous decomposition products

Peroxides.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	5.660 mg/kg	rat	TOXNET
dermal	LD50	2.700 mg/kg	rabbit	TOXNET

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

- **Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

- **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

Dizziness, Dyspnoea, nausea, vomiting, diarrhoea, Causes damage to liver through prolonged or repeated exposure if swallowed

- **If in eyes**

Causes serious eye irritation

- **If inhaled**

Irritation to respiratory tract

- **If on skin**

Frequently or prolonged contact with skin may cause dermal irritation



# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Butyldiglycol  $\geq 97\%$ ,

article number: 8046

## Other information

None

## SECTION 12: Ecological information

### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
EC50	$>100 \text{ mg/l}$	daphnia magna		48 h
LC50	$2.750 \text{ mg/l}$	orfe (Leuciscus idus)		48 h

### 12.2 Process of degradability

The substance is readily biodegradable.  
Theoretical Oxygen Demand:  $2.170 \text{ mg/g}$   
Theoretical Carbon Dioxide:  $2,17 \text{ mg/mg}$

Process	Degradation rate	Time
biotic/abiotic	58 %	d
oxygen depletion	85 %	28 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 0,56 (25 °C)

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Butyldiglycol ≥ 97%,**

article number: **8046**

## 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

- 14.1** UN number (not subject to transport regulations)
- 14.2** UN proper shipping name not relevant
- 14.3** Transport hazard class(es) not relevant
- Class -
- 14.4** Packing group not relevant
- 14.5** Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regulations)
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**  
The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations**
- **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**  
Not subject to ADR, RID and ADN.
  - **International Maritime Dangerous Goods Code (IMDG)**  
Not subject to IMDG.
  - **International Civil Aviation Organization (ICAO-IATA/DGR)**  
Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**  
Not listed.
- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**  
Not listed.
- **Regulation 850/2004/EC on persistent organic pollutants (POP)**  
Not listed.
- **List of substances subject to authorisation (REACH, Annex XIV)**  
not listed
- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 100 %

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Butyldiglycol  $\geq$  97%,

article number: 8046

**Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

not listed

**Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

not listed

**Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

not listed

## National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
7.1	Precautions for safe handling: Avoid exposure.	Precautions for safe handling: Provision of sufficient ventilation. Avoid exposure.
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)
8.1		• human health values: change in the listing (table)
8.2	• type of material: NBR (Nitrile rubber)	• type of material: Butyl caoutchouc (butyl rubber)
8.2	Respiratory protection: Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of $> 65^{\circ}\text{C}$ , colour code: Brown). Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).	Respiratory protection: Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of $> 65^{\circ}\text{C}$ , colour code: Brown).
9.2		Temperature class (EU, acc. to ATEX): T3 (Maximum permissible surface temperature on the equipment: $200^{\circ}\text{C}$ )
11.1	Acute toxicity	Acute toxicity: Shall not be classified as acutely toxic.
12.6	Other adverse effects: Slightly hazardous to water.	Other adverse effects: Data are not available.
14.8		• International Civil Aviation Organization (ICAO-IATA/DGR): Not subject to ICAO-IATA.
16		Abbreviations and acronyms: change in the listing (table)

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Butyldiglycol  $\geq$  97%,

article number: 8046

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	indicative occupational exposure limit value
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Butyldiglycol ≥ 97%,**

article number: **8046**

---

## Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H319	causes serious eye irritation

## Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.