

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: **8082**
Version: **GHS 1.0 en**

date of compilation: 2021-10-19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis
Article number	8082
CAS number	599-61-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.8	Specific target organ toxicity - single exposure	2	STOT SE 2	H371
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: 8082

2.2 Label elements

Labelling

Signal word

Warning

Pictograms

GHS07, GHS08



Hazard statements

H302	Harmful if swallowed
H371	May cause damage to organs (blood)
H373	May cause damage to organs (blood) through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling
P270	Do not eat, drink or smoke when using this product

Precautionary statements - response

P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor
P314	Get medical advice/attention if you feel unwell
P330	Rinse mouth

Precautionary statements - disposal

P501	Dispose of contents/container to industrial combustion plant
------	--

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	3,3'-Diaminodiphenyl sulphone
Molecular formula	$C_{12}H_{12}N_2O_2S$
Molar mass	248.3 g/mol
CAS No	599-61-1

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: 8082

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂), Sulphur oxides (SO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: 8082

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: 8082

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	2.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	2.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	0.35 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	0.35 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
DNEL	0.35 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.01 mg/l	aquatic organisms	water	intermittent release
PNEC	0.004 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.041 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.004 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.006 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: 8082

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder
Colour	light brown
Odour	faintly perceptible
Melting point/freezing point	173 °C (ECHA)
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: **8082**

Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	>173 °C (ECHA)
pH (value)	not applicable
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	0.38 g/l at 36 °C
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	0.76 (25 °C) (ECHA)
Soil organic carbon/water (log KOC)	1.76 (ECHA)
Vapour pressure	0.00002 hPa at 20 °C
Density	1.4 g/cm ³ at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	No data available.
<u>Other safety parameters</u>	
Oxidising properties	none
9.2 Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	
Surface tension	73.6 mN/m (20 °C) (ECHA)

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone ≥99% for synthesis

article number: 8082

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >173 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
dermal	LD50	>2,000 mg/kg	rabbit		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause damage to organs (blood).

Hazard category	Target organ	Exposure route
2	blood	if exposed

Specific target organ toxicity - repeated exposure

May cause damage to organs (blood) through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
2	blood	if exposed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

3,3'-Diaminodiphenyl sulphone ≥99% for synthesis

article number: 8082

Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

Data are not available.

- **If in eyes**

Data are not available.

- **If inhaled**

Data are not available.

- **If on skin**

Data are not available.

- **Other information**

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Not listed.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	>100 mg/l	fish	ECHA	96 h
ErC50	2.7 mg/l	algae	ECHA	72 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
LC50	0.5 mg/l	aquatic invertebrates	ECHA	21 d
EC50	>0.46 mg/l	aquatic invertebrates	ECHA	21 d

Biodegradation

Data are not available.

12.2 Process of degradability

Theoretical Oxygen Demand with nitrification: 2.078 mg/mg

Theoretical Oxygen Demand: 1.804 mg/mg

Theoretical Carbon Dioxide: 2.127 mg/mg

Biochemical Oxygen Demand: 0 mg/g at 5 d

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	>0 - <1 %	11 d

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: 8082

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0.76 (25 °C) (ECHA)
---------------------------	---------------------

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	1.76 (ECHA)
--	-------------

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number

UN RTDG	UN 3077
IMDG-Code	UN 3077
ICAO-TI	UN 3077

14.2 UN proper shipping name

UN RTDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
---------	---



Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: **8082**

IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
ICAO-TI	Environmentally hazardous substance, solid, n.o.s.
Technical name	3,3'-Diaminodiphenyl sulphone
14.3 Transport hazard class(es)	
UN RTDG	9
IMDG-Code	9
ICAO-TI	9
14.4 Packing group	
UN RTDG	III
IMDG-Code	III
ICAO-TI	III
14.5 Environmental hazards	hazardous to the aquatic environment
14.6 Special precautions for user	
There is no additional information.	
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	
The cargo is not intended to be carried in bulk.	
14.8 Information for each of the UN Model Regulations	
Transport information National regulations Additional information (UN RTDG)	
UN number	3077
Class	9
Environmental hazards	Yes Hazardous to the aquatic environment
Packing group	III
Danger label(s)	9 Fish and tree
 	
Special provisions (SP)	274, 331, 335, 375 UN RTDG
Excepted quantities (EQ)	E1 UN RTDG
Limited quantities (LQ)	5 kg UN RTDG

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: **8082**

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Particulars in the shipper's declaration	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (3,3'-Diaminodiphenyl sulphone), 9, III
Marine pollutant	YES (hazardous to the aquatic environment), (3,3'-Diaminodiphenyl sulphone)
Danger label(s)	9, "Fish and tree"
Special provisions (SP)	274, 335, 966, 967, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-F
Stowage category	A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Environmentally hazardous substance, solid, n.o.s.
Particulars in the shipper's declaration	UN3077, Environmentally hazardous substance, solid, n.o.s., (3,3'-Diaminodiphenyl sulphone), 9, III
Environmental hazards	YES (hazardous to the aquatic environment)
Danger label(s)	9, "Fish and tree"
Special provisions (SP)	A97, A158, A179, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone ≥99% for synthesis

article number: 8082

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	NDSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS	Australian Inventory of Chemical Substances
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

Safety data sheet

acc. to Safe Work Australia - Code of Practice



3,3'-Diaminodiphenyl sulphone $\geq 99\%$ for synthesis

article number: **8082**

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H371	May cause damage to organs (blood).
H373	May cause damage to organs (blood) through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.