
acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm



Replaces version of: 2021-11-26

Version: (1)



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50

nm

Article number 8251

 Index No (GB CLP)
 029-016-00-6

 EC number
 215-269-1

 CAS number
 1317-38-0

 Form
 Nanoform

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

United Kingdom (en) Page 1 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



Classification acc. to GHS							
Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement			
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400			
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aguatic Chronic 1	H410			

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Warning

Pictograms

GHS09



Hazard statements

H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust

P273 Avoid release to the environment

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Copper(II) oxide

Molecular formula CuO

 Molar mass
 79,55 g/mol

 CAS No
 1317-38-0

EC No 215-269-1

Index No (GB CLP) 029-016-00-6

Form Nanoform

United Kingdom (en) Page 2 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)



Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	M-factor (acute) = 100 M-factor (chronic) = 10	-	

Remarks

Contains: Nanomaterial

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Conjunctival redness of the eyes, Conjunctivitis (pink eye), Diarrhoea, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

United Kingdom (en) Page 3 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures


Observe hints for combined storage.

United Kingdom (en) Page 4 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	137 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local effects

Environmental values

Relevant PNECs and other threshold levels

End- point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	87 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	676 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	65 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)
PNEC	230 ^{µg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

United Kingdom (en) Page 5 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	7,8 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	5,2 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)			

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection






Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

United Kingdom (en) Page 6 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form nanoparticle

Colour black

Odour odourless

Melting point/freezing point 1.326 °C (ECHA)

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined
Decomposition temperature not relevant

pH (value) 7 (in aqueous solution: 50 g/_l, 20 °C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility $0 \, {}^{g}/_{l}$ at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $6,31 \, {}^{9}/_{cm^{3}}$ (ECHA)

Relative vapour density Information on this property is not available.

Particle characteristics

Particle characteristics as supplied: Nanoform, Nanomaterial

Particle size 15 – 50 nm

Other safety parameters

Oxidising properties none

United Kingdom (en) Page 7 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Risk of ignition: Fluorine, Potassium, Hydrogen sulphide, Hydrogen,

Violent reaction with: Boron, Hydrazine, Magnesium, Sodium,

Danger of explosion: Aluminium (Powder)

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.500 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	>2.000 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

United Kingdom (en) Page 8 / 17




Other information

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

diarrhoea, vomiting

• If in eyes

conjunctivitis (pink eye)

If inhaled

Inhalation of dust may cause irritation of the respiratory system, cough, breathing difficulties

• If on skin

Data are not available.

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	38,4 ^{µg} / _l	fish	ECHA	96 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

United Kingdom (en) Page 9 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 3077
IMDG-Code UN 3077
ICAO-TI UN 3077

14.2 UN proper shipping name

ADRRID ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

United Kingdom (en) Page 10 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: **8251**



	ICAO-TI	Environmentally hazardous substance, solid, n.o.s.
	Technical name	Copper(II) oxide
14.3	Transport hazard class(es)	
	ADRRID	9
	IMDG-Code	9
	ICAO-TI	9
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III

14.5 Environmental hazards

ICAO-TI

hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

III

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the transport document

UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Copper(II) oxide), 9, III, (-)

Classification code M7

Danger label(s) 9, "Fish and tree"





Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3
Tunnel restriction code (TRC) Hazard identification No 90
Emergency Action Code 22

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code M7

United Kingdom (en) Page 11 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251

Danger label(s) 9, "Fish and tree"



Environmental hazards Yes

Hazardous to water

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ)E1Limited quantities (LQ)5 kgTransport category (TC)3Hazard identification No90

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the shipper's declaration UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Copper(II) oxide), 9, III

Marine pollutant yes (hazardous to the aquatic environment), (Copper(II) ox-

ide)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-F

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Environmentally hazardous substance, solid,

n.o.s.

Particulars in the shipper's declaration UN3077, Environmentally hazardous substance,

solid, n.o.s., (Copper(II) oxide), 9, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

United Kingdom (en) Page 12 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes				
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100 200	56)				

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

VOC content	0 %

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Copper(II) oxide	Metals and their compounds		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

United Kingdom (en) Page 13 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm





National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

article number: 8251

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

TCSI TSCA Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 14 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: M7	yes
14.8		Danger label(s): 9, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	
14.8		Environmental hazards: Yes Hazardous to water	
14.8		Special provisions (SP): 274, 335, 375, 601	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 kg	yes
14.8		Transport category (TC):	yes
14.8		Hazard identification No: 90	
15.1	Restrictions according to REACH, Annex XVII: not listed		
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes

United Kingdom (en) Page 15 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present	

United Kingdom (en) Page 16 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper(II) oxide ROTI®nanoMETIC ≥99 %, 15-50 nm

article number: 8251



Abbr.	Descriptions of used abbreviations	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17