

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: **8388**
Version: **6.0 en**
Replaces version of: 04.08.2020
Version: (5)

date of compilation: 08.09.2015
Revision: 16.06.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

| | |
|---------------------------------|---|
| Identification of the substance | Methanol $\geq 99\%$, for synthesis |
| Article number | 8388 |
| Registration number (REACH) | 01-2119433307-44-xxxx |
| Index number in CLP Annex VI | 603-001-00-X |
| EC number | 200-659-6 |
| CAS number | 67-56-1 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use Industrial use Professional use Formulation [mixing] of preparations and/or re-packaging (excluding alloys) |
| Uses advised against: | Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: **8388**

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|--|-----------|---------------------------|------------------|
| 2.6 | Flammable liquid | 2 | Flam. Liq. 2 | H225 |
| 3.1O | Acute toxicity (oral) | 3 | Acute Tox. 3 | H301 |
| 3.1D | Acute toxicity (dermal) | 3 | Acute Tox. 3 | H311 |
| 3.1I | Acute toxicity (inhal.) | 3 | Acute Tox. 3 | H331 |
| 3.8 | Specific target organ toxicity - single exposure | 1 | STOT SE 1 | H370 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS02, GHS06,
GHS08



Hazard statements

H225 Highly flammable liquid and vapour
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled
H370 Causes damage to organs (eye)

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking
P270 Do not eat, drink or smoke when using this product
P280 Wear protective gloves/eye protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H370 Causes damage to organs (eye).

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: **8388**

P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/eye protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-------------------|-----------------------|
| Name of substance | Methanol |
| Molecular formula | CH ₄ O |
| Molar mass | 32,04 g/mol |
| REACH Reg. No | 01-2119433307-44-xxxx |
| CAS No | 67-56-1 |
| EC No | 200-659-6 |
| Index No | 603-001-00-X |

| Substance, Specific Conc. Limits, M-factors, ATE | | | |
|--|-----------|-------------------------------------|-------------------------------------|
| Specific Conc. Limits | M-Factors | ATE | Exposure route |
| STOT SE 1; H370: C $\geq 10\%$ STOT SE 2; H371: $3\% \leq C < 10\%$ | - | 100 mg/kg 300 mg/kg 3 mg/l/4h | oral dermal inhalation: vapor |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: 8388

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, Vertigo, Headache,
Following skin contact: Has degreasing effect on the skin,
After eye contact: Conjunctival redness of the eyes, Conjunctivitis (pink eye),
Following ingestion: Abdominal pain, Malaise, Vomiting, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, Loss of righting reflex, and ataxia, Serious physical decay of vision, Risk of blindness, Large doses may result in coma and death

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: 8388

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: 8388

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|---------------|---------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|------------|
| EU | methanol | 67-56-1 | IOELV | 200 | 260 | | | | | | 2006/15/EC |
| MT | methanol | 67-56-1 | OELV | 200 | 260 | | | | | | CAP. 424 |

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

| Relevant DNELs and other threshold levels | | | | |
|---|-----------------------|------------------------------------|-------------------|----------------------------|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

Environmental values

| Relevant PNECs and other threshold levels | | | | |
|---|-----------------|-----------------------|------------------------------|------------------------------|
| Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
| PNEC | 20,8 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| PNEC | 2,08 mg/l | aquatic organisms | marine water | short-term (single instance) |
| PNEC | 100 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| PNEC | 77 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| PNEC | 7,7 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| PNEC | 100 mg/kg | terrestrial organisms | soil | short-term (single instance) |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: 8388

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



- **hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

- **type of material**

Butyl caoutchouc (butyl rubber)

- **material thickness**

0,7mm

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of $> 65\text{ }^{\circ}\text{C}$, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol ≥99 %, for synthesis

article number: **8388**

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Physical state | liquid |
| Colour | colourless |
| Odour | like: - alcohol |
| Melting point/freezing point | -98 °C (ECHA) |
| Boiling point or initial boiling point and boiling range | 65 °C at 1.013 hPa (ECHA) |
| Flammability | flammable liquid in accordance with GHS criteria |
| Lower and upper explosion limit | 5,5 vol% - 44 vol% |
| Flash point | 9,7 °C at 1.013 hPa (ECHA) |
| Auto-ignition temperature | 455 °C at 1.013 hPa (ECHA) |
| Decomposition temperature | not relevant |
| pH (value) | not determined |
| Kinematic viscosity | 0,7595 mm ² /s at 20 °C |

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): -0,77 (ECHA)

Vapour pressure 128 hPa at 20 °C
200 hPa at 30 °C

Density 0,79 g/cm³ at 20 °C

Relative vapour density 1,11 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: There is no additional information.

Other safety characteristics:

Miscibility completely miscible with water

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol ≥99 %, for synthesis

article number: **8388**

Temperature class (EU, acc. to ATEX)

T1
Maximum permissible surface temperature on the equipment: 450°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Oxidisers, Perchlorates, Nitrogen oxides (NO_x), Chlorates, Halogenated hydrocarbons, Hydrogen peroxide, Nitric acid, Sulphuric acid,

Exothermic reaction with: Reducing agents, Acids, Chlorine, Chloroform, Acid chlorides, inorganic,

Dangerous/dangerous reactions with: Fluorine, Alkali metals, Alkaline earth metal, strong oxidiser

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

aluminium, iron, zinc, different plastics, Rubber articles

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

| Acute toxicity | | | | | |
|--------------------|----------|--------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| inhalation: vapour | LC50 | 131 mg/l/4h | rat | | ECHA |
| oral | LD50 | 5.628 mg/kg | rat | | TOXNET |
| oral | LDLo | 143 mg/kg | human | | TOXNET |
| dermal | LD50 | 15.800 mg/kg | rabbit | | TOXNET |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: 8388

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Causes damage to organs (eye).

| Hazard category | Target organ | Exposure route |
|-----------------|--------------|----------------|
| 1 | eye | if exposed |

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

abdominal pain, vomiting, loss of righting reflex, and ataxia, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, risk of blindness, large doses may result in coma and death

• If in eyes

conjunctivitis (pink eye)

• If inhaled

vertigo, cough, headache

• If on skin

has degreasing effect on the skin

• Other information

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: 8388

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) | | | | |
|--------------------------|-------------|---------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | 15.400 mg/l | fish | ECHA | 96 h |
| ErC50 | 22.000 mg/l | algae | ECHA | 96 h |

Biodegradation

The substance is readily biodegradable.

12.2 Process of degradability

Theoretical Oxygen Demand: 1,498 mg/mg

Theoretical Carbon Dioxide: 1,374 mg/mg

Biochemical Oxygen Demand: 1.236 mg/g at 5 d

| Process of degradability | | |
|--------------------------|------------------|------|
| Process | Degradation rate | Time |
| biotic/abiotic | 99 % | 30 d |
| oxygen depletion | 69 % | 5 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| | |
|---------------------------|--------------|
| n-octanol/water (log KOW) | -0,77 (ECHA) |
|---------------------------|--------------|

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: **8388**

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-------------|---------|
| ADR/RID/ADN | UN 1230 |
| IMDG-Code | UN 1230 |
| ICAO-TI | UN 1230 |

14.2 UN proper shipping name

| | |
|-------------|----------|
| ADR/RID/ADN | METHANOL |
| IMDG-Code | METHANOL |
| ICAO-TI | Methanol |

14.3 Transport hazard class(es)

| | |
|-------------|---------|
| ADR/RID/ADN | 3 (6.1) |
| IMDG-Code | 3 (6.1) |
| ICAO-TI | 3 (6.1) |

14.4 Packing group

| | |
|-------------|----|
| ADR/RID/ADN | II |
| IMDG-Code | II |
| ICAO-TI | II |

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Safety data sheet


according to Regulation (EC) No. 1907/2006 (REACH)




Methanol $\geq 99\%$, for synthesis

article number: **8388**


Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

| | |
|---|--------------------------------------|
| Proper shipping name | METHANOL |
| Particulars in the transport document | UN1230, METHANOL, 3 (6.1), II, (D/E) |
| Classification code | FT1 |
| Danger label(s) | 3+6.1 |
|  | |
| Special provisions (SP) | 279, 802(ADN) |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No | 336 |

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|---|---|
| Proper shipping name | METHANOL |
| Particulars in the shipper's declaration | UN1230, METHANOL, 3 (6.1), II, 9,7°C c.c. |
| Marine pollutant | - |
| Danger label(s) | 3+6.1 |
|  | |
| Special provisions (SP) | 279 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-E, S-D |
| Stowage category | B |

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|---|-------------------------------|
| Proper shipping name | Methanol |
| Particulars in the shipper's declaration | UN1230, Methanol, 3 (6.1), II |
| Danger label(s) | 3+6.1 |
|  | |
| Special provisions (SP) | A113 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: 8388

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|---------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| Methanol | methanol | 67-56-1 | R69 | 69 |
| Methanol | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | R3 | 3 |
| Methanol | flammable / pyrophoric | | R40 | 40 |

Legend

- R3
1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
 - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
 - metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
 - 'For professional users only'.
 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- R69
- Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol ≥99 %, for synthesis

article number: 8388

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|---|-------|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes |
| 22 | methanol | 500 | 5.000 | |

Deco-Paint Directive

| | |
|-------------|------------------|
| VOC content | 100 % 790 g/l |
|-------------|------------------|

Industrial Emissions Directive (IED)

| | |
|-------------|---------|
| VOC content | 100 % |
| VOC content | 790 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|---|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Methanol | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment | | A) | |

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: **8388**

National inventories

| Country | Inventory | Status |
|---------|------------|---------------------|
| AU | AICS | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed |

Legend

| | |
|------------|---|
| AICS | Australian Inventory of Chemical Substances |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---------------------------|--|-----------------|
| 2.1 | | Classification according to Regulation (EC) No 1272/2008 (CLP); change in the listing (table) | yes |
| 2.1 | | The most important adverse physicochemical, human health and environmental effects: Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources. | yes |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: **8388**

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---|---|-----------------|
| 2.3 | Other hazards: There is no additional information. | Other hazards | yes |
| 2.3 | | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ADR/RID/ADN | European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN) |
| ATE | Acute Toxicity Estimate |
| CAP. 424 | Occupational Health and Safety Authority Act (CAP. 424) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Methanol $\geq 99\%$, for synthesis

article number: **8388**

| Abbr. | Descriptions of used abbreviations |
|-------|---|
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H331 | Toxic if inhaled. |
| H370 | Causes damage to organs (eye). |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.