acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408 date of compilation: 2016-03-23 Version: GHS 3.0 en

Replaces version of: 2021-11-19

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Platinum** 98,2-98,7 %

Article number 8408

CAS number 7440-06-4

Alternative name(s) Platinum black

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe

Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data
Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.7	Flammable solid	2	Flam. Sol. 2	H228

For full text of abbreviations: see SECTION 16

2.2 **Label elements**

Page 1 / 13 Australia (en)



Revision: 2024-03-04

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408

Signal word Warning

Pictograms

GHS02



Hazard statements

H228 Flammable solid

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Ground/bond container and receiving equipment P240

P241 Use explosion-proof electrical/ventilating/lighting equipment

Wear protective gloves/protective clothing/eye protection/face protection P280

Precautionary statements - response

In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction P370+P378

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance **Platinum**

Pt Molecular formula

Molar mass 195.1 g/mol

CAS No 7440-06-4

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off contaminated clothing.

Australia (en) Page 2 / 13



Labelling

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings In case of fire: Use metal fire powder to extinguish, sand, cement

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Danger of dust explosion.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Control of dust. Avoid contact with skin and eyes. Eliminate all ignition sources if safe to do so.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation. When not in use, keep containers tightly closed.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Co	oun ry	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
Α	VU	platinum	7440-06-4	WES	1				WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Australia (en) Page 5 / 13

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form powder Colour black

Odour odourless
Melting point/freezing point 1,768 °C
Boiling point or initial boiling point and boiling 3,825 °C

range

Flammability flammable solid in accordance with GHS criteria

Lower and upper explosion limit not determined

Flash point not applicable

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) not applicable

Kinematic viscosity not relevant

Solubility(ies)

Water solubility (The study does not need to be conducted be-

cause the substance is known to be insoluble in

water)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $21.45 \, {}^{9}/_{cm^3}$ at 20 ${}^{\circ}$ C

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard There is no additional information.

classes:

Other safety characteristics: There is no additional information.

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Dust explosibility.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Risk of ignition: Combustible materials, Phosphorus,

Exothermic reaction with: Aluminium, Fluorine, Hydrazine, Arsenic,

Danger of explosion: Peroxides, Hydrogen

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Australia (en) Page 7 / 13

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Recycling/reclamation of metals and metal compounds.

Sewage disposal-relevant information

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H4.1 Flammable solids

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN 3089
IMDG-Code UN 3089
ICAO-TI UN 3089

14.2 UN proper shipping name

UN RTDGMETAL POWDER, FLAMMABLE, N.O.S.IMDG-CodeMETAL POWDER, FLAMMABLE, N.O.S.ICAO-TIMetal powder, flammable, n.o.s.

14.3 Transport hazard class(es)

UN RTDG 4.1
IMDG-Code 4.1
ICAO-TI 4.1

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Australia (en) Page 9 / 13

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



 $Transport\ information National\ regulations Additional\ information (UN\ RTDG)$

UN number 3089
Class 4.1
Packing group III
Danger label(s) 4.1

Special provisions (SP) 223

223 UN RTDG

Excepted quantities (EQ) E1

UN RTDG

Limited quantities (LQ) 5 kg

5 kg UN RTDG

Emergency Action Code 4

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name METAL POWDER, FLAMMABLE, N.O.S.

Particulars in the shipper's declaration UN3089, METAL POWDER, FLAMMABLE, N.O.S.,

4.1, III

Marine pollutant -

Danger label(s) 4.1

Special provisions (SP) 223

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

EmS F-G, S-G

Stowage category A

Segregation group 7 - Heavy metals and their salts

15 - Powdered metals

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Metal powder, flammable, n.o.s.

Particulars in the shipper's declaration UN3089, Metal powder, flammable, n.o.s., 4.1, III

Danger label(s) 4.1

Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3

E1

10 kg

Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC CICR Australian Inventory of Industrial Chemicals Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances DSL ECSI

IECSC INSQ KECI

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 4Y	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations		
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)		
Ceiling-C	Ceiling value		
DGR	Dangerous Goods Regulations (see IATA/DGR)		
ED	Endocrine disruptor		
EINECS	European Inventory of Existing Commercial Chemical Substances		
ELINCS	European List of Notified Chemical Substances		
EmS	Emergency Schedule		
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations		
IATA	International Air Transport Association		
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)		
ICAO	International Civil Aviation Organization		
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air		
IMDG	International Maritime Dangerous Goods Code		
IMDG-Code	International Maritime Dangerous Goods Code		
NLP	No-Longer Polymer		
PBT	Persistent, Bioaccumulative and Toxic		
STEL	Short-term exposure limit		
TWA	Time-weighted average		
UN RTDG	UN Recommendations on the Transport of Dangerous Good		
vPvB	Very Persistent and very Bioaccumulative		
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants		

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice

Platinum 98,2-98,7 %

article number: 8408



UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H228	Flammable solid.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13