acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530 date of compilation: 2016-03-15 Version: GHS 4.0 en Revision: 2024-03-03

Replaces version of: 2022-04-27

Version: (GHS 3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Mercury** ≥99,9995 %, p.a.

Article number 8530

CAS number 7439-97-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1I	Acute toxicity (inhal.)	1	Acute Tox. 1	H330
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

Australia (en) Page 1 / 14



acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS06, GHS08



Hazard statements

H330 Fatal if inhaled

H360D May damage the unborn child

H372 Causes damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P284 In case of inadequate ventilation wear respiratory protection

Precautionary statements - response

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfort-

able for breathing

P310 Immediately call a POISON CENTER or doctor/physician

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

Australia (en) Page 2 / 14

acc. to Safe Work Australia - Code of Practice



article number: 8530



SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Mercury

Molecular formula Hg

Molar mass $200.6 \, ^{\mathrm{g}}/_{\mathrm{mol}}$ CAS No 7439-97-6

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Diarrhoea, Abdominal pain, Nausea, Vomiting, Breathing difficulties, Effects on special senses (such as sight, hearing and sense of smell), Impaired memory function, Renal impairment, Cardiac arrhythmias, Blood pressure drop, Circulatory collapse

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Australia (en) Page 3 / 14

acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Take up mechanically. For example: Mercurisorb-Roth® Art.9461. Observe instructions for use.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Provide adequate ventilation as well as local exhaustion at critical locations. Clear contaminated areas thoroughly. Avoid: Aerosol or mist formation.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep only in original container.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Australia (en) Page 4 / 14

acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	mercury	7439-97- 6	WES	0.00	0.025					vap	WES

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA**

hours time-weighted average (unless otherwise specified)

vap As vapours

Human health values

Relevant DNI	ELs and other t	hreshold levels		
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0.02 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects

Environmental values

Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	0.057 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0.067 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)			
PNEC	2.25 ^{µg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	9.3 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	9.3 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	22 ^{µg} / _{kg}	terrestrial organisms	soil	short-term (single instance)			

Australia (en) Page 5 / 14

acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: Hg (against mercury vapour, colour code: Red). Type: Hg-P3 (combined filters against mercury vapour and particles, colour code: Red/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Australia (en) Page 6 / 14

acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Colour metallic
Odour odourless

Melting point/freezing point -38.48 °C at 1,013 hPa (ECHA)
Boiling point or initial boiling point and boiling 356.8 °C at 1,013 hPa (ECHA)

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) not determined

Kinematic viscosity $0.1144 \, ^{\text{mm}^2} /_{\text{s}}$ at 20 °C Dynamic viscosity $1.55 \, \text{mPa}$ s at 20 °C

Solubility(ies)

Water solubility (practically insoluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): 0.62 (exp. Lit.)

Vapour pressure 0.003 hPa at 25 °C

Density and/or relative density

Density $13.55 \, {}^{9}/_{cm^3}$ at 20 °C (ECHA)

Relative vapour density 6.93 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

Australia (en) Page 7 / 14

acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Exothermic reaction with: Metals, Oxygen,

Dangerous/dangerous reactions with: Nitric acid,

Violent reaction with: Acetylene, Alkali metals, Aluminium, Amines, Ammonia (NH3), Perchlorates,

=> Explosive properties

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

aluminium, lead, copper, zinc, tin

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Fatal if inhaled.

_			•	• .
Λc	ute	+~	vic	141/
AL.			XII.	1 I V

Exposure route	Endpoint	Value	Species	Method	Source
inhalation: vapour	LC50	>26.6 ^{mg} / _{m³} /1h	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

May damage the unborn child.

Australia (en) Page 8 / 14

acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

diarrhoea, abdominal pain, nausea, vomiting

• If in eyes

risk of serious damage to eyes

If inhaled

poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

If on skin

risk of absorption via the skin

Other information

Other adverse effects: Circulatory collapse, Blood pressure drop, Cardiac arrhythmias, Renal impairment, Effects on special senses (such as sight, hearing and sense of smell)

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0.62 (Exp. Lit.)
---------------------------	------------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

Australia (en) Page 9 / 14

acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	U	Νn	um	nber
17.1	•		ıuı	IDCI

UN RTDG	UN 2809
IMDG-Code	UN 2809
ICAO-TI	UN 2809

14.2 UN proper shipping name

UN RTDG	MERCURY
IMDG-Code	MERCURY
ICAO-TI	Mercury

14.3 Transport hazard class(es)

UN RTDG	8 (6.1)
IMDG-Code	8 (6.1)
ICAO-TI	8 (6.1)

14.4 Packing group

UN RTDG	III
IMDG-Code	III
ICAO-TI	III

Australia (en) Page 10 / 14

acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 2809
Class 8
Subsidiary risk(s) 6.1
Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

Danger label(s) 8+6.1

Fish and tree



Special provisions (SP) 365

365 UN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ) 5 kg

5 kg UN RTDG

Emergency Action Code 2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name MERCURY

Particulars in the shipper's declaration UN2809, MERCURY, 8 (6.1), III, MARINE POLLUT-

ANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 8+6.1, "Fish and tree"



Special provisions (SP) 365

Excepted quantities (EQ) E0

Limited quantities (LQ) 5 kg

EmS F-A, S-B

Stowage category B

Segregation group 7 - Heavy metals and their salts

11 - Mercury and mercury compounds

Australia (en) Page 11 / 14

acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Mercury

Particulars in the shipper's declaration UN2809, Mercury, 8 (6.1), III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 8+6.1





Excepted quantities (EQ) E0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC

DSL

Australian Inventory of Industrial Chemicals
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

NZIoC

National Twentory of Chemicals Inventory
National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances

Taiwan Chemical Substance Inventory

Australia (en) Page 12 / 14

acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530

Legend

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million

Australia (en) Page 13 / 14



acc. to Safe Work Australia - Code of Practice

Mercury ≥99,9995 %, p.a.

article number: 8530



Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H330	Fatal if inhaled.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 14 / 14