acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: **8604** Version: **4.0 en** Replaces version of: 2021-07-29 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

| Identification of the substance | Sodium nitrite ≥99 %, crystalline, with anti-cak- ing agent |
|---|---|
| Article number | 8604 |
| Index No (GB CLP) | 007-010-00-4 |
| EC number | 231-555-9 |
| CAS number | 7632-00-0 |
| Delevant identified uses of the substar | oco or mixturo and usos advisod against |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Relevant ide | ntified uses: |
|-----------------|---------------|
| iterevante laci | nunca ases. |

Laboratory and analytical use Laboratory chemical

Uses advised against:

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |



date of compilation: 2016-05-31 Revision: 2024-03-01

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: **8604**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | ection Hazard class | | Hazard class and category | Hazard statement |
|---------------------------------------|---|---|---------------------------|---------------------|
| 2.14 | Oxidising solid | 3 | Ox. Sol. 3 | H272 |
| 3.10 Acute toxicity (oral) | | 3 | Acute Tox. 3 | H301 |
| 3.3 Serious eye damage/eye irritation | | 2 | Eye Irrit. 2 | H319 |
| 4.1A | Hazardous to the aquatic environment - acute hazard | 1 | Aquatic Acute 1 | H400 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms



Hazard statements

| H272 | May intensify fire; oxidiser |
|------|-------------------------------|
| H301 | Toxic if swallowed |
| H319 | Causes serious eye irritation |
| H400 | Very toxic to aquatic life |

Precautionary statements

Precautionary statements - prevention

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition |
|------|---|
| | sources. No smoking |
| P220 | Keep/store away from clothing/combustible materials |
| P264 | Wash thoroughly after handling |
| P273 | Avoid release to the environment |

Precautionary statements - response

| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor |
|----------------|---|
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | lenses, if present and easy to do. Continue rinsing |

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Name of substance | Sodium nitrite |
|-------------------|-------------------------------------|
| Molecular formula | NaNO ₂ |
| Molar mass | 68,99 ^g / _{mol} |
| CAS No | 7632-00-0 |
| EC No | 231-555-9 |
| Index No (GB CLP) | 007-010-00-4 |

| Substance, Specific Conc. Limits, M-factors, ATE | | | | | |
|--|---|-----------------------------------|------|--|--|
| Specific Conc. Limits M-Factors ATE Exposure route | | | | | |
| - | - | 180 ^{mg} / _{kg} | oral | | |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** Irritation, The product is skin resorptive
- **4.3 Indication of any immediate medical attention and special treatment needed** Water, to which activated charcoal may be added.



acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ≥99 %, crystalline, with anti-caking agent



article number: 8604

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Store locked up.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Coun try | Name of agent | CAS No | Identifi- er | TWA [mg/ m³] | STEL [mg/ m³] | Ceil- ing-C [mg/ m ³] | Nota- tion | Source |
|-------------|---------------|--------|-----------------|--------------------|---------------------|--|---------------|-----------|
| GB | dust | | WEL | 10 | | | i | EH40/2005 |
| GB | dust | | WEL | 4 | | | r | EH40/2005 |

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur
Inhalable fraction
Respirable fraction
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

Γ

| Human health values | | | | | |
|---|---------------------|------------------------------------|-------------------|----------------------------|--|
| Relevant DNELs and other threshold levels | | | | | |
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time | |
| DNEL | 2 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects | |
| DNEL | 2 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects | |

Environmental values

| Relevant | Relevant PNECs and other threshold levels | | | | | |
|---------------|---|-----------------------|---------------------------------|------------------------------|--|--|
| End- point | Threshold level | Organism | Environmental com- partment | Exposure time | | |
| PNEC | 0,005 ^{mg} / _l | aquatic organisms | water | intermittent release | | |
| PNEC | 0,005 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) | | |
| PNEC | 0,006 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) | | |
| PNEC | 21 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) | | |
| PNEC | 0,019 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single instance) | | |
| PNEC | 0,022 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) | | |
| PNEC | 0,001 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) | | |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

- type of material
- NBR (Nitrile rubber)
- material thickness
- >0,11 mm
- breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | solid |
|--|--|
| Form | crystalline |
| Colour | white |
| Odour | odourless |
| Melting point/freezing point | 271 °C at 1.013 hPa (ECHA) |
| Boiling point or initial boiling point and boiling range | 320 °C (slow decomposition) |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not applicable |
| Auto-ignition temperature | not determined |
| Decomposition temperature | >280 °C |
| pH (value) | 8 – 9 (in aqueous solution: 100 ^g / _l , 20 °C) |
| Kinematic viscosity | not relevant |
| Solubility(ies) | |
| Water solubility | 820 ^g / _l at 20 °C (ECHA) |
| Partition coefficient | |
| Partition coefficient n-octanol/water (log value): | -3,7 (OECD-107) |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

| | Vapour pressure | not determined |
|---|---|---|
| | Density and/or relative density | |
| | Density | ~ 2,17 ^g / _{cm³} |
| | Relative vapour density | Information on this property is not available. |
| | Bulk density | ~ 1.200 ^{kg} / _{m³} |
| | | |
| | Particle characteristics | No data available. |
| | Other safety parameters | |
| | Oxidising properties | oxidiser |
| 2 | Other information | |
| | Information with regard to physical hazard classes: | There is no additional information. |
| | Other safety characteristics: | There is no additional information. |
| | | |

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Risk of ignition: Combustible materials, **Violent reaction with:** Amines, Ammonia, Metal powder, Organic substances, Reducing agents, Acids, Cyanide

10.4 Conditions to avoid

Keep away from heat. Decompositon takes place from temperatures above: >280 °C. Protect from moisture.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ≥99 %, crystalline, with anti-caking agent



article number: **8604**

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed.

GHS of the United Nations, annex 4. May be harmful if inhaled.

| Acute toxicity | | | | | |
|---------------------------|----------|---------------------------------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | 180 ^{mg} / _{kg} | rat | | TOXNET |
| inhalation: dust/ mist | LC50 | 5,5 ^{mg} / _{kg} /4h | rat | | |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

diarrhoea, vomiting, abdominal pain, gastrointestinal complaints

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Roth

Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: **8604**

Other information

This information is based upon the present state of our knowledge. The product is skin resorptive

- **11.2** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.
- **11.3 Information on other hazards** There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life.

| Aquatic toxicity (acute) | | | | |
|--------------------------|-----------------------------------|-----------------------|--------|------------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | 26,3 ^{mg} / _l | fish | ECHA | 96 h |
| EC50 | 15,4 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h |
| ErC50 | >100 ^{mg} / _l | algae | ECHA | 72 h |

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|----------|------------------------------------|----------------------------|--------|------------------|
| EC50 | 114,9 ^{mg} / _l | aquatic invertebrates | ECHA | 80 d |
| LC50 | >95,6 ^{mg} / _l | aquatic invertebrates ECHA | | 80 d |

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| n-octanol/water (log KOW) | -3,7 (OECD-107) |
|---------------------------|-----------------|
|---------------------------|-----------------|

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: **8604**

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 2 oxidising
- HP 4 irritant skin irritation and eye damage
- HP 6 acute toxicity
- HP 14 ecotoxic

13.3 Remarks

14.2

14.3

14.4

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

| | ADRRID | UN 1500 |
|---|----------------------------|----------------|
| | IMDG-Code | UN 1500 |
| | ICAO-TI | UN 1500 |
| 2 | UN proper shipping name | |
| | ADRRID | SODIUM NITRITE |
| | IMDG-Code | SODIUM NITRITE |
| | ICAO-TI | Sodium nitrite |
| 3 | Transport hazard class(es) | |
| | ADRRID | 5.1 (6.1) |
| | IMDG-Code | 5.1 (6.1) |
| | ICAO-TI | 5.1 (6.1) |
| ŀ | Packing group | |
| | ADRRID | III |
| | | |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

| article | e number: 8604 | | | |
|---------|--|---|--|--|
| | IMDG-Code | III | | |
| | ICAO-TI | III | | |
| 14.5 | Environmental hazards | hazardous to the aquatic environment | | |
| 14.6 | Special precautions for user | | | |
| | Provisions for dangerous goods (ADR) should | d be complied within the premises. | | |
| 14.7 | Maritime transport in bulk according to I | MO instruments | | |
| | The cargo is not intended to be carried in bu | lk. | | |
| 14.8 | Information for each of the UN Model Reg | julations | | |
| | Agreement concerning the International of information | Carriage of Dangerous Goods by Road (ADR)Additiona | | |
| | Proper shipping name | SODIUM NITRITE | | |
| | Particulars in the transport document | UN1500, SODIUM NITRITE, 5.1 (6.1), III, (E), envir- onmentally hazardous | | |
| | Classification code | OT2 | | |
| | Danger label(s) | 5.1+6.1, "Fish and tree" | | |
| | | | | |
| | Environmental hazards | Yes (hazardous to the aquatic environment) | | |
| | Special provisions (SP) | 802(ADN) | | |
| | Excepted quantities (EQ) | E1 | | |
| | Limited quantities (LQ) | 5 kg | | |
| | Transport category (TC) | 3 | | |
| | Tunnel restriction code (TRC) | E | | |
| | Hazard identification No | 56 | | |
| | Emergency Action Code | 1Z | | |
| | Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information | | | |
| | Classification code | OT2 | | |
| | Danger label(s) | 5.1+6.1, "Fish and tree" | | |
| | | | | |
| | Environmental hazards | Yes Hazardous to water | | |
| | Special provisions (SP) | 802(ADN) | | |
| | Excepted quantities (EQ) | E1 | | |
| | Limited quantities (LQ) | 5 kg | | |
| | Transport category (TC) | 3 | | |
| | Hazard identification No | 56 | | |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

| International Maritime Dangerous Goods Code (IMDG) - Additional information | | | |
|--|---|--|--|
| Proper shipping name | SODIUM NITRITE | | |
| Particulars in the shipper's declaration | UN1500, SODIUM NITRITE, 5.1 (6.1), III, MARINE POLLUTANT | | |
| Marine pollutant | Yes (hazardous to the aquatic environment) | | |
| Danger label(s) | 5.1+6.1, "Fish and tree" | | |
| | | | |
| Special provisions (SP) | - | | |
| Excepted quantities (EQ) | E1 | | |
| Limited quantities (LQ) | 5 kg | | |
| EmS | F-A, S-Q | | |
| Stowage category | A | | |
| Segregation group | 12 - Nitrites and their mixtures | | |
| International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information | | | |
| Proper shipping name | Sodium nitrite | | |
| Particulars in the shipper's declaration | UN1500, Sodium nitrite, 5.1 (6.1), III | | |
| Environmental hazards | Yes (hazardous to the aquatic environment) | | |
| Danger label(s) | 5.1+6.1 | | |
| | | | |
| Excepted quantities (EQ) | E1 | | |
| Limited quantities (LQ) | 10 kg | | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|---|-----|-------|
| Νο | Dangerous substance/hazard categories | Qualifying quantity plication of lower a quiren | | Notes |
| P8 | oxidising liquids and solids | 50 | 200 | 55) |

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Deco-Paint Directive

| VOC content | 0 % |
|-------------|-----|
|-------------|-----|

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

| Industrial Emissions Directive (IED) | |
|--------------------------------------|-----|
| VOC content | 0 % |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|--|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Sodium nitrite | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | a) | |
| Sodium nitrite | Metals and their compounds | | a) | |

Legend a)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

| National inventories |
|----------------------|
|----------------------|

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

| Legena | |
|------------|---|
| AIIĊ | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |
| | |

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|--|--------------------------|
| 2.2 | Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger | | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|---|--------------------------|
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 14.8 | | Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information | yes |
| 14.8 | | Classification code: OT2 | yes |
| 14.8 | | Danger label(s): 5.1+6.1, "Fish and tree" | yes |
| 14.8 | | Danger label(s): change in the listing (table) | yes |
| 14.8 | | Environmental hazards: Yes Hazardous to water | yes |
| 14.8 | | Special provisions (SP): 802(ADN) | yes |
| 14.8 | | Excepted quantities (EQ): E1 | yes |
| 14.8 | | Limited quantities (LQ): 5 kg | yes |
| 14.8 | | Transport category (TC): 3 | yes |
| 14.8 | | Hazard identification No: 56 | yes |
| 15.1 | Restrictions according to REACH, Annex XVII | | yes |
| 15.1 | | Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table) | yes |
| 15.1 | List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed. | | yes |
| 15.1 | | National regulations(GB) | yes |
| 15.1 | | List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed | yes |
| 15.1 | | Restrictions according to GB REACH, Annex 17: not listed | yes |
| 15.1 | | Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|--|
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GB CLP | The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended) |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥99 %, crystalline, with anti-caking agent

article number: 8604

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--------------------------------|
| H272 | May intensify fire; oxidiser. |
| H301 | Toxic if swallowed. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.