acc. to Safe Work Australia - Code of Practice

# ROTH

## **Glycidether Hardener DBA for glycidether 100**

article number: **8623** date of compilation: 2020-10-12 Version: **GHS 3.0 en** Revision: 2024-03-02

Replaces version of: 2022-01-11

Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Identification of the substance Glycidether Hardener DBA for glycidether 100

Article number 8623

CAS number 26544-38-7

Alternative name(s) 2-Dodecenylsuccinic acid anhydride

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

## 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319
3.45	Skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

Australia (en) Page 1 / 13

acc. to Safe Work Australia - Code of Practice



## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

#### Labelling

Signal word Warning

## **Pictograms**

GHS07



## **Hazard statements**

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

## **Precautionary statements**

## **Precautionary statements - prevention**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P280 Wear eye protection/face protection

## **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P333+P313 If skin irritation or rash occurs: Get medical advice/attention

If eye irritation persists: Get medical advice/attention P337+P313

## **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

## SECTION 3: Composition/information on ingredients

#### 3.1 **Substances**

Name of substance Glycidether Hardener DBA

Molecular formula C<sub>16</sub>H<sub>26</sub>O<sub>3</sub> Molar mass 266.4 g/<sub>mol</sub> CAS No 26544-38-7

Australia (en) Page 2 / 13

acc. to Safe Work Australia - Code of Practice

## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

## Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## **Following skin contact**

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

## Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

## **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Combustible.

## **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice

# ROTH

## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Covering of drains.

## Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

## Incompatible substances or mixtures

Observe hints for combined storage.

## Consideration of other advice:

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

## 7.3 Specific end use(s)

No information available.

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice



## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

**National limit values** 

**Occupational exposure limit values (Workplace Exposure Limits)** 

This information is not available.

## **Human health values**

Relevant DNE	Ls and other t	hreshold levels		
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0.33 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

## **Environmental values**

Relevant	Relevant PNECs and other threshold levels			
End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0.02 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.002 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	1.7 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.17 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.2 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

Individual protection measures (personal protective equipment)

## **Eye/face protection**





Use safety goggle with side protection.

## **Skin protection**





Australia (en) Page 5 / 13

acc. to Safe Work Australia - Code of Practice

## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

## type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

## breakthrough times of the glove material

>480 minutes (permeation: level 6)

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Form viscous

Colour light yellow

Odour characteristic

Melting point/freezing point <-20 °C at 101.3 kPa (ECHA)

Boiling point or initial boiling point and boiling 200 °C

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point 177.8 °C at 101.3 kPa

Auto-ignition temperature 310 – 313 °C at 101.3 kPa (ECHA) (auto-ignition

temperature (liquids and gases))

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice

## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

Decomposition temperature 260 °C at 101.7 kPa (ECHA)

pH (value) not determined

Kinematic viscosity 428.3 mm²/s at 20 °C

Dynamic viscosity 430 mPa s at 20 °C

Solubility(ies)

Water solubility 0.01 <sup>g</sup>/<sub>l</sub> at 25 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): ≥4.39 (pH value: 7, 22 °C) (ECHA)

Soil organic carbon/water (log KOC) 2.917 (ECHA)

Vapour pressure 76.5 Pa at 20 °C

Density and/or relative density

Density  $1.004 \, {}^{9}/_{cm^3}$  at 20 °C (ECHA)

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS

classes: (physical hazards): not relevant

Other safety characteristics:

Surface tension  $28.6 \,^{\text{mN}}/_{\text{m}} (25 \,^{\circ}\text{C}) (ECHA)$ 

Refractive index 1.479

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

## If heated

Vapours may form explosive mixtures with air.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

Australia (en) Page 7 / 13

acc. to Safe Work Australia - Code of Practice

# ROTH

## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 260 °C at 101.7 kPa.

#### 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Causes serious eye irritation.

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

## Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

## • If in eyes

Causes serious eye irritation

#### • If inhaled

Data are not available.

#### • If on skin

May produce an allergic reaction, pruritis, localised redness

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice



## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

Other information

none

## 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

May cause long lasting harmful effects to aquatic life.

Aquatic toxicity (acu	ıte)			
Endpoint	Value	Species	Source	Exposure time
LC50	>100 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
ErC50	110 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	96 h

# Aquatic toxicity (chronic) Endpoint Value Species Source Exposure time EC50 800 mg/l microorganisms ECHA 3 h

## 12.2 Persistence and degradability

Theoretical Oxygen Demand:  $2.523 \frac{mg}{mg}$ /<sub>mg</sub> Theoretical Carbon Dioxide:  $2.643 \frac{mg}{mg}$ /<sub>mg</sub>

## 12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)	≥4.39 (pH value: 7, 22 °C) (ECHA)
· · · · · · · · · · · · · · · · · · ·	(p , , ,

## 12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	2.917 (ECHA)
--	--------------

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## 12.7 Other adverse effects

Data are not available.

Australia (en) Page 9 / 13

acc. to Safe Work Australia - Code of Practice

# ®

## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains.

## Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

## 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

14.1	UN number	not subject to transport regulations

14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

## 14.6 Special precautions for user

There is no additional information.

## 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice

## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

## **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

## National regulations(Australia)

## **Australian Inventory of Chemical Substances(AICS)**

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC CSCL-ENCS DSL ECSI IECSC

Australian Inventory of Industrial Chemicals
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China Korea Existing Chemicals Inventory

NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice



article number: 8623



## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
UN RTDG	UN Recommendations on the Transport of Dangerous Good	
vPvB	Very Persistent and very Bioaccumulative	

## Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice



## **Glycidether Hardener DBA for glycidether 100**

article number: 8623

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13