according to Regulation (EC) No. 1907/2006 (REACH)

Fatty acid methyl ester mixture ROTICHROM® ME 11

date of compilation: 2021-03-11 article number: 8632

Version: 1.0 en



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Fatty acid methyl ester mixture ROTICHROM®

8632 Article number

B, not relevant (mixture), The substance does not Registration number (REACH)

require registration according to Regulation (EC)

No 1907/2006 [REACH].

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---------------------------|---------------|---------------------------|---------------------|
| 2.6 | Flammable liquid | 3 | Flam. Liq. 3 | H226 |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |

For full text of abbreviations: see SECTION 16

United Kingdom (en) Page 1 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Pictograms

GHS02, GHS07



Hazard statements

H226 Flammable liquid and vapour

H315 Causes skin irritation

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/eye protection

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

REACH Reg. No B

3.2 Mixtures

United Kingdom (en) Page 2 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

Description of the mixture

| Name of sub- stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|-------------------------------|--|-----|-------------------------------|------------|-------|
| Caproic acid methyl ester | CAS No 106-70-7 | 20 | Flam. Liq. 3 / H226 | <u>(4)</u> | |
| | EC No 203-425-1 | | | ~ | |
| methyl heptanoate | CAS No 106-73-0 | 20 | Flam. Liq. 3 / H226 | <u>(4)</u> | |
| | EC No 203-428-8 | | | ~ | |
| Capric acid methyl es- ter | CAS No 110-42-9 | 20 | Aquatic Chronic 2 / H411 | * | |
| | EC No 203-766-6 | | | ~ | |
| | REACH Reg. No 01-2119487998- 07-xxxx | | | | |
| methyl octanoate | CAS No 111-11-5 | 20 | Skin Irrit. 2 / H315 | <u>(!)</u> | |
| | EC No 203-835-0 | | | ~ | |

| Name of sub- stance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-----------------------------|--------------------|-----------------------|-----------|------------------------------------|---------------------------|
| Capric acid methyl ester | CAS No 110-42-9 | - | - | 5 ^{mg} / _l /4h | inhalation: dust/ mist |
| | EC No 203-766-6 | | | | |

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

United Kingdom (en) Page 3 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

United Kingdom (en) Page 4 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

United Kingdom (en) Page 5 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

| Relevant DNELs of components of the mixture | | | | | | | | |
|---|----------|---------------|------------------------|--|-------------------|-------------------------------|--|--|
| Name of sub- stance | CAS No | End- point | Threshol d level | Protection goal, route of exposure | Used in | Exposure time | | |
| Capric acid methyl ester | 110-42-9 | DNEL | 61,4 mg/ m³ | human, inhalat- ory | worker (industry) | chronic - systemic effects | | |
| Capric acid methyl ester | 110-42-9 | DNEL | 121,8 mg/ kg bw/day | human, dermal | worker (industry) | chronic - systemic effects | | |

Relevant PNECs of components of the mixture Name of sub-**CAS No Organism Exposure time** End-Threshol **Environmental** stance point d level compartment methyl octanoate 111-11-5 **PNEC** 0,002 ^{mg}/_l aquatic organfreshwater short-term (single isms instance) methyl octanoate 111-11-5 **PNEC** 0 ^{mg}/₁ marine water short-term (single aquatic organisms instance) methyl octanoate 111-11-5 **PNEC** 0,048 ^{mg}/_l aquatic organwater intermittent reisms lease 0,028 mg/ 111-11-5 **PNEC** aquatic organfreshwater sedishort-term (single methyl octanoate isms ment instance) kq 0,003 ^{mg}/ methyl octanoate 111-11-5 **PNEC** aquatic organmarine sediment short-term (single isms instance) kg $10 \, \text{mg/}_{\text{kg}}$ 111-11-5 **PNEC** terrestrial organmethyl octanoate soil short-term (single isms instance) methyl octanoate 111-11-5 **PNEC** 100 ^{mg}/_l aquatic organsewage treatment short-term (single instance) plant (STP) isms 0,001 ^{mg}/_I Capric acid methyl 110-42-9 **PNEC** aquatic organfreshwater short-term (single ester isms instance) Capric acid methyl 110-42-9 **PNEC** $0 \frac{mg}{I}$ marine water aquatic organshort-term (single instance) ester isms $100 \, \text{mg/}_{\text{I}}$ Capric acid methyl 110-42-9 **PNEC** aquatic organsewage treatment short-term (single plant (STP) instance) ester isms 0,047 ^{mg}/ 110-42-9 **PNEC** short-term (single Capric acid methyl aquatic organfreshwater sediester isms ment instance) kg 0,005 ^{mg}/ Capric acid methyl aquatic organmarine sediment 110-42-9 **PNEC** short-term (single ester isms instance) kg 10 ^{mg}/_{kg} Capric acid methyl 110-42-9 PNFC terrestrial organsoil short-term (single ester isms instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment) Eye/face protection



Use safety goggle with side protection.

United Kingdom (en) Page 6 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless

Odour characteristic

Melting point/freezing point -71 °C

Boiling point or initial boiling point and boiling

range

(unknown) not determined

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 0,7 vol%

Flash point not determined

United Kingdom (en) Page 7 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

Auto-ignition temperature 230 °C

Decomposition temperature not relevant pH (value) not determined Kinematic viscosity not determined

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 3,7 hPa at 20 °C

Density $1 \, {}^{9}/_{cm^{3}}$ at 20 ${}^{\circ}$ C

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Flammable liquids

Sustained combustibility yes

Other safety characteristics:

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on

the equipment: 200°C

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong acid, Strong alkali

United Kingdom (en) Page 8 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

| Name of substance | CAS No | Exposure route | ATE |
|--------------------------|----------|-----------------------|------------------------------------|
| Capric acid methyl ester | 110-42-9 | inhalation: dust/mist | 5 ^{mg} / _l /4h |

Acute toxicity of components of the mixture

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|---------------------------|----------|--------------------------|----------|--------------------------------------|---------|
| Caproic acid methyl ester | 106-70-7 | oral | LD50 | >5.000 ^{mg} / _{kg} | rat |
| methyl heptanoate | 106-73-0 | oral | LD50 | >5.000 ^{mg} / _{kg} | rat |
| methyl heptanoate | 106-73-0 | dermal | LD50 | >5.000 ^{mg} / _{kg} | rabbit |
| methyl octanoate | 111-11-5 | oral | LD50 | >2.000 ^{mg} / _{kg} | rat |
| Capric acid methyl ester | 110-42-9 | oral | LD50 | >2.000 ^{mg} / _{kg} | rat |
| Capric acid methyl ester | 110-42-9 | inhalation: dust/mist | LC50 | >5 ^{mg} / _l /4h | rat |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

United Kingdom (en) Page 9 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

slightly irritant but not relevant for classification

If inhaled

Data are not available.

• If on skin

causes skin irritation

Other information

This mixture contains a substance not yet tested completely

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
|-------------------------------|----------|----------|------------------------------------|-----------------------|------------------|
| methyl octanoate | 111-11-5 | LC50 | 5,6 ^{mg} / _l | aquatic invertebrates | 48 h |
| methyl octanoate | 111-11-5 | EC50 | 4,76 ^{mg} / _l | algae | 96 h |
| Capric acid methyl es- ter | 110-42-9 | LC50 | 1.700 ^{mg} / _l | orfe (Leuciscus idus) | 48 h |
| Capric acid methyl es- ter | 110-42-9 | EC50 | 1,1 ^{mg} / _l | aquatic invertebrates | 48 h |

United Kingdom (en) Page 10 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

| Aquatic toxicity (acute) of components of the mixture | | | | | | | |
|---|----------|----------|------------------------------------|---------|------------------|--|--|
| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time | | |
| Capric acid methyl es- | 110-42-9 | ErC50 | >3,93 ^{mg} / _l | algae | 72 h | | |

| Aquatic toxicity (chronic) of components of the mixture | | | | | | | |
|---|----------|----------|-------------------------------------|-----------------------|------------------|--|--|
| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time | | |
| methyl octanoate | 111-11-5 | EC50 | >1.000 ^{mg} / _l | microorganisms | 3 h | | |
| Capric acid methyl es- ter | 110-42-9 | EC50 | 0,22 ^{mg} / _l | aquatic invertebrates | 21 d | | |
| Capric acid methyl es- ter | 110-42-9 | LC50 | 0,252 ^{mg} / _l | aquatic invertebrates | 21 d | | |

Biodegradation

Data are not available.

12.2 Process of degradability

| Degradability of components of the mixture | | | | | | | | |
|--|----------|-----------------------|-----------------------|------|--------|--------|--|--|
| Name of substance | CAS No | Process | Degrada- tion rate | Time | Method | Source | | |
| methyl octanoate | 111-11-5 | oxygen deple- tion | 78 % | 28 d | | ECHA | | |
| Capric acid methyl ester | 110-42-9 | oxygen deple- tion | 78 % | 28 d | | ECHA | | |

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components of the mixture | | | | | | | |
|--|----------|-----|--------------|----------|--|--|--|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD | | | |
| Caproic acid methyl ester | 106-70-7 | | 2,34 | | | | |
| methyl octanoate | 111-11-5 | | 3,32 | | | | |
| Capric acid methyl ester | 110-42-9 | | 4,42 (36 °C) | | | | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 11 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

| 14.1 | UN | number | or ID number |
|------|----|--------|--------------|
| 17.1 | | | |

| ADR/RID/ADN | UN 1993 |
|-------------|---------|
| IMDG-Code | UN 1993 |
| ICAO-TI | UN 1993 |

14.2 UN proper shipping name

| ADR/RID/ADN | FLAMMABLE LIQUID, N.O.S. |
|--|---------------------------|
| IMDG-Code | FLAMMABLE LIQUID, N.O.S. |
| ICAO-TI | Flammable liquid, n.o.s. |
| Technical name (hazardous ingredients) | Caproic acid methyl ester |

14.3 Transport hazard class(es)

| ADR/RID/ADN | 3 |
|-------------|---|
| IMDG-Code | 3 |
| ICAO-TI | 3 |

14.4 Packing group

| ADR/RID/ADN | III |
|-------------|-----|
| IMDG-Code | III |
| ICAO-TI | III |

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

United Kingdom (en) Page 12 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

Maritime transport in bulk according to IMO instruments 14.7

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

3Y

| Classification code | F1 |
|---------------------|----|
| Danger label(s) | 3 |



Special provisions (SP) 274, 601 Excepted quantities (EQ) E1 Limited quantities (LQ) 5 L Transport category (TC) 3 D/E Tunnel restriction code (TRC) Hazard identification No 30

Emergency Action Code International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant 3 Danger label(s)



Special provisions (SP) 223, 274, 955

Excepted quantities (EQ) **E**1 Limited quantities (LQ) 5 L **EmS** F-E, <u>S-E</u>

Stowage category Α

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

3 Danger label(s)



Special provisions (SP) А3 Excepted quantities (EQ) E1 Limited quantities (LQ) 10 L

United Kingdom (en) Page 13 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
|---------------------------------|--|--------|-------------|----|
| Fatty acid methyl ester mixture | this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC | | R3 | 3 |
| Caproic acid methyl ester | flammable / pyrophoric | | R40 | 40 |
| methyl heptanoate | flammable / pyrophoric | | R40 | 40 |

Legend

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

- can be used as fuel in decorative oil lamps for supply to the general public, and,
 present an aspiration hazard and are labelled with R65 or H304,
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly

(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage'; (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage'; (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission. those data available to the Commission.

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration, artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,decorative flakes and foams,
- artificial cobwebs.
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

- For professional users only.

 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

Page 14 / 18 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|--|-----|
| No | Dangerous substance/hazard categories | d categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | |
| P5c | flammable liquids (cat. 2, 3) | 5.000 50.000 | 51) |

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive (2004/42/EC)

Directive on industrial emissions (VOCs, 2010/75/EU)

| VOC content | 40 % |
|-------------|---------------------------------|
| VOC content | 400 ^g / _l |

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation 98/2013/EU on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

none of the ingredients are listed

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| AU | AICS | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | not all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |

United Kingdom (en) Page 15 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

| Country | Inventory | Status |
|---------|-----------|--------------------------------|
| KR | KECI | all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

AICS CSCL-ENCS DSL ECSI IECSC

Australian Inventory of Chemical Substances
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ADR/RID/ADN | European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN) |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |

United Kingdom (en) Page 16 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| SVHC | Substance of Very High Concern |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom (en) Page 17 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



Fatty acid methyl ester mixture ROTICHROM® ME 11

article number: 8632

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|--|
| H226 | Flammable liquid and vapour. |
| H315 | Causes skin irritation. |
| H411 | Toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18