acc. to Regulation (EC) No. 1907/2006 (REACH)

Benzyl alcohol ≥98 %, Ph.Eur.

article number: **8657**Version: **4.0 en**date of compilation: 2017-02-20
Revision: 2024-03-02

Replaces version of: 2022-08-05

Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Benzyl alcohol** ≥98 %, Ph.Eur.

Article number 8657

 Index No (GB CLP)
 603-057-00-5

 EC number
 202-859-9

 CAS number
 100-51-6

Alternative name(s) Phenylmethanol

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data
Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

United Kingdom (en) Page 1 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



Benzyl alcohol ≥98 %, Ph.Eur.

article number: 8657

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|-----------------------------------|---------------|---------------------------|---------------------|
| 3.10 | Acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| 3.1I | Acute toxicity (inhal.) | 4 | Acute Tox. 4 | H332 |
| 3.3 | Serious eye damage/eye irritation | 2 | Eye Irrit. 2 | H319 |

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling

Signal word Warning

Pictograms

GHS07



Hazard statements

H302+H332 Harmful if swallowed or if inhaled H319 Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing mist/vapours/spray

P270 Do not eat, drink or smoke when using this product

Precautionary statements - response

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Benzyl alcohol

Molecular formula C₇H₈O

Molar mass 108,1 g/_{mol}

CAS No 100-51-6

EC No 202-859-9

United Kingdom (en) Page 2 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



Benzyl alcohol ≥98 %, Ph.Eur.

article number: 8657

Index No (GB CLP) 603-057-00-5

| Substance, Specific Conc. Limits, M-factors, A |
|--|
|--|

| Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-----------------------|-----------|---|---|
| - | - | 1.580 ^{mg} / _{kg} 11 ^{mg} / _l /4h >4,178 ^{mg} / _l /4h | oral inhalation: vapour inhalation: dust/ mist |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Nausea, Diarrhoea, Vomiting, Agitation, Headache, Cough, Dyspnoea, Spasms, Dizziness, Unconsciousness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO_2)

Unsuitable extinguishing media

water jet

United Kingdom (en) Page 3 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

Benzyl alcohol ≥98 %, Ph.Eur.

article number: 8657



5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO₂), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Hygroscopic.

Incompatible substances or mixtures


Observe hints for combined storage.

Protect against external exposure, such as

humidity, contact with air/oxygen, UV-radiation/sunlight

United Kingdom (en) Page 4 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 8657



Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,7mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

United Kingdom (en) Page 5 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

Benzyl alcohol ≥98 %, Ph.Eur.

article number: 8657



other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour clear - colourless
Odour characteristic
Melting point/freezing point -15,4 °C (ECHA)

Boiling point or initial boiling point and boiling

range

Flammability

205,3 °C at 1.013 hPa (ECHA)

this material is combustible, but will not ignite

readily

Lower and upper explosion limit 1,3 vol% (LEL) - 13 vol% (UEL)

Flash point 100,4 °C (ECHA)

Auto-ignition temperature 436 °C (ECHA)

Decomposition temperature not relevant

pH (value) not determined

Kinematic viscosity not determined

Dynamic viscosity 5,05 mPa s at 25 °C

Solubility(ies)

Water solubility 40 ^g/_I at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): 1 (20 °C) (ECHA) Soil organic carbon/water (log KOC) 1,332 (ECHA)

Vapour pressure 0,07 hPa at 20 °C

Density and/or relative density

United Kingdom (en) Page 6 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



Benzyl alcohol ≥98 %, Ph.Eur.

article number: 8657

Density $1,041 \text{ g/}_{\text{cm}^3}$ at 24 °C (ECHA)

Relative vapour density 3,72 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Surface tension $39 \, ^{\text{mN}}/_{\text{m}} (20 \, ^{\circ}\text{C}) (ECHA)$

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acids, Sulphuric acid, Phosphorus trichloride, => Explosive properties

10.4 Conditions to avoid

UV-radiation/sunlight. Humidity. Contact with air/oxygen.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

United Kingdom (en) Page 7 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



Benzyl alcohol ≥98 %, Ph.Eur.

article number: 8657

| Acute toxicity | | | | | |
|---------------------------|----------|--|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | 1.580 ^{mg} / _{kg} | mouse | | ECHA |
| inhalation: dust/ mist | LC50 | >4.178 ^{mg} / _{m³} /4h | rat | | ECHA |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

nausea, diarrhoea, vomiting

If in eyes

Causes serious eye irritation

• If inhaled

irritant effects, cough, Dyspnoea

• If on skin

has degreasing effect on the skin, Frequently or prolonged contact with skin may cause dermal irritation

Other information

Other adverse effects: Headache, Agitation, Spasms, Dizziness, Unconsciousness

11.2 Endocrine disrupting properties


Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 8 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 8657



SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

| Endpoint | Value | Species | Source | Exposure time |
|----------|----------------------------------|-----------------------|--------|------------------|
| LC50 | 460 ^{mg} / _l | fish | ECHA | 96 h |
| EC50 | 230 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h |
| ErC50 | 770 ^{mg} / _l | algae | ECHA | 72 h |

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|----------|----------------------------------|-----------------------|--------|------------------|
| LC50 | 770 ^{mg} / _l | fish | ECHA | 1 h |
| EC50 | 66 ^{mg} / _I | aquatic invertebrates | ECHA | 21 d |

12.2 Persistence and degradability

Theoretical Oxygen Demand: $2,515 \frac{\text{mg}}{\text{mg}}$ Theoretical Carbon Dioxide: $2,849 \frac{\text{mg}}{\text{mg}}$

Biodegradation

The substance is readily biodegradable.

Process of degradability

| Process | Degradation rate | Time |
|------------------|------------------|------|
| oxygen depletion | 92 – 96 % | 14 d |
| DOC removal | 95 % | 21 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| | 4 (00 00) (50111) |
|---------------------------|-------------------|
| n-octanol/water (log KOW) | 1 (20 °C) (ECHA) |
| | |

12.4 Mobility in soil

| The Organic Carbon normalised adsorption coefficient | 1,332 (ECHA) |
|--|--------------|
|--|--------------|

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties


Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 9 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 8657



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 4 irritant - skin irritation and eye damage

HP 6 acute toxicity

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

| 14.1 | UN number or ID number | not subject to transport regulations |
|------|------------------------|--------------------------------------|
| | | |

14.2 UN proper shipping name not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

United Kingdom (en) Page 10 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

Benzyl alcohol ≥98 %, Ph.Eur.

article number: 8657



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/ | 18/EU (Seveso III) | | |
|-------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| | not assigned | | |

Deco-Paint Directive

| VOC content | 100 % |
|-------------|-----------------------------------|
| VOC content | 1.041 ^g / _l |

Industrial Emissions Directive (IED)

| VOC content | 0 % |
|-------------|-------------------------------|
| VOC content | 0 ^g / _l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

United Kingdom (en) Page 11 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



Benzyl alcohol ≥98 %, Ph.Eur.

article number: 8657

Restrictions according to GB REACH, Annex 17

| Dangerous | substances | with | restrictions | (GB | REACH. | Annex 17 |
|-------------|------------|---------|-----------------|-----|--------|----------|
| Dalluel Ous | SUBSTAILES | WILLI ! | 1 6211 14110112 | lab | NEACH. | Alliev I |

| Name of substance | Name acc. to inventory | CAS No | No |
|-------------------|--|--------|----|
| Benzyl alcohol | this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC | | 3 |

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| JP | ISHA-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC CICR

CSCL-ENCS DSL ECSI IECSC INSQ

CSCL-ENCS
DSL
Domestic Substances List (DSL)
ECSI
ECSI
Inventory of Existing Chemical Substances Produced or Imported in China
INSQ
ISHA-ENCS
Inventory of Existing and New Chemical Substances
ISHA-ENCS
KCI
KOTE
NATIONAL NATIONAL INVENTORY
NZIOC
NECS
PICCS
PICCS
PHILIPPINE INVENTORY
REACH Reg.
REACH registered substances
TCSI
Taiwan Chemical Substances
Toxic Substances
Toxic Substances
Toxic Substances
Toxic Substance Inventory
Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 12 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

Benzyl alcohol ≥98 %, Ph.Eur.

article number: 8657



SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|---|--------------------------|
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 14.8 | Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: Not subject to ADR, RID and ADN. | | yes |
| 15.1 | VOC content: 100 % 1.041 ⁹ / _I | VOC content: 100 % | yes |
| 15.1 | | VOC content: 1.041 ^g / _l | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations | |
|----------|---|--|
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) | |
| ATE | Acute Toxicity Estimate | |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) | |
| DGR | Dangerous Goods Regulations (see IATA/DGR) | |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval | |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) | |
| ED | Endocrine disruptor | |
| EINECS | European Inventory of Existing Commercial Chemical Substances | |
| ELINCS | European List of Notified Chemical Substances | |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control | |
| GB CLP | The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended) | |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) | |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations | |
| IATA | International Air Transport Association | |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) | |
| ICAO | International Civil Aviation Organization | |
| IMDG | International Maritime Dangerous Goods Code | |

United Kingdom (en) Page 13 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 8657



| Abbr. | Descriptions of used abbreviations |
|----------|--|
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--------------------------------|
| H302 | Harmful if swallowed. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 14 / 14