acc. to Safe Work Australia - Code of Practice



date of compilation: 2016-09-20

Revision: 2024-03-02

## Cycloheximide ≥90 %, for biochemistry

article number: **8682** Version: **GHS 4.0 en** Replaces version of: 2022-08-17 Version: (GHS 3)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## 1.1 Product identifier

Identification of the substance

Article number CAS number **Cycloheximide** ≥90 %, for biochemistry 8682

66-81-9

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

## 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

## e-mail (competent person):

## sicherheit@carlroth.de

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.7	Reproductive toxicity	1B	Repr. 1B	H360D

For full text of abbreviations: see SECTION 16

acc. to Safe Work Australia - Code of Practice

## Cycloheximide ≥90 %, for biochemistry



article number: 8682

## 2.2 Label elements

## Labelling

Signal word Danger

## **Pictograms**

GHS06, GHS08



## **Hazard statements**

H301	Toxic if swallowed
H341	Suspected of causing genetic defects
H360D	May damage the unborn child

## **Precautionary statements**

#### **Precautionary statements - prevention**

P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P308+P313	IF exposed or concerned: Get medical advice/attention
P321	Specific treatment (see on this label)
P330	Rinse mouth

## **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

For professional users only

## 2.3 Other hazards

## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Name of substance	Cycloheximide
Molecular formula	$C_{15H_{23}NO_{4}}$
Molar mass	281.3 <sup>g</sup> / <sub>mol</sub>
CAS No	66-81-9

acc. to Safe Work Australia - Code of Practice

# ® Roth

## Cycloheximide ≥90 %, for biochemistry

article number: 8682

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



## **General notes**

Take off contaminated clothing.

## **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes.

### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## 4.2 Most important symptoms and effects, both acute and delayed

Fatal if swallowed

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

## Unsuitable extinguishing media

water jet

5.2

## Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

## Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

acc. to Safe Work Australia - Code of Practice



## Cycloheximide ≥90 %, for biochemistry

article number: 8682

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically. Control of dust.

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid exposure. Avoid dust formation. Clear contaminated areas thoroughly.

## Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

## Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

## Incompatible substances or mixtures

Observe hints for combined storage.

## Consideration of other advice:

Store locked up.

## **Ventilation requirements**

Use local and general ventilation.

## Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

## 7.3 Specific end use(s)

No information available.

acc. to Safe Work Australia - Code of Practice



## Cycloheximide ≥90 %, for biochemistry

## article number: 8682

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur
Inhalable fraction
STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

## Eye/face protection



Use safety goggle with side protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

## • type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,5 mm

- breakthrough times of the glove material
- >480 minutes (permeation: level 6)

acc. to Safe Work Australia - Code of Practice

## Cycloheximide ≥90 %, for biochemistry



#### article number: 8682

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder
Colour	whitish
Odour	characteristic
Melting point/freezing point	112 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	4 – 5 (in aqueous solution: 20 <sup>g</sup> / <sub>l</sub> , 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	21 <sup>g</sup> / <sub>l</sub> at 20 °C
Partition coefficient	
Partition coefficient n-octanol/water (log value):	0.55
Vapour pressure	not determined
Density and/or relative density	
Density	not determined

acc. to Safe Work Australia - Code of Practice

article number: 8682

## Cycloheximide ≥90 %, for biochemistry



	Relative vapour density	9.72 (air = 1)
	Bulk density	~290 <sup>kg</sup> / <sub>m³</sub>
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Strong alkali, Carboxylic acid anhydride, Acid chlorides, inorganic

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## Classification acc. to GHS

### Acute toxicity

Toxic if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	133 <sup>mg</sup> / <sub>kg</sub>	mouse		TOXNET

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

acc. to Safe Work Australia - Code of Practice



## Cycloheximide ≥90 %, for biochemistry

#### article number: 8682

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Suspected of causing genetic defects.

## Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

May damage the unborn child.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

fatal if swallowed

• If in eyes

Data are not available.

• If inhaled

Data are not available.

#### • If on skin

Data are not available.

## Other information

none

## **11.2 Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 2.047  $^{\rm mg}/_{\rm mg}$ Theoretical Oxygen Demand (with nitrification): 2.275  $^{\rm mg}/_{\rm mg}$ Theoretical Carbon Dioxide: 2.346  $^{\rm mg}/_{\rm mg}$ 

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

acc. to Safe Work Australia - Code of Practice



## Cycloheximide ≥90 %, for biochemistry

#### article number: 8682

n-octanol/water (log KOW)	0.55	
---------------------------	------	--

## 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of  $\ge$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

## Relevant provisions relating to waste(Basel Convention)

#### Properties of waste which render it hazardous

H6.1 Poisonous (Acute)

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

## 14.1 UN number

UN RTDG	UN 2811
IMDG-Code	UN 2811
ICAO-TI	UN 2811
UN proper shipping name	
UN RTDG	TOXIC SOLID, ORGANIC, N.O.S.
IMDG-Code	TOXIC SOLID, ORGANIC, N.O.S.
ICAO-TI	Toxic solid, organic, n.o.s.
Technical name	Cycloheximide
	IMDG-Code ICAO-TI <b>UN proper shipping name</b> <b>UN RTDG</b> IMDG-Code ICAO-TI

acc. to Safe Work Australia - Code of Practice

## Cycloheximide ≥90 %, for biochemistry

article number: 8682



article	cle number: 8682		
14.3	Transport hazard class(es)		
	UN RTDG	6.1	
	IMDG-Code	6.1	
	ICAO-TI	6.1	
14.4	Packing group		
	UN RTDG	П	
	IMDG-Code	П	
	ICAO-TI	II	
14.5	Environmental hazards	hazardous to the aquatic environment	
14.6	<b>Special precautions for user</b> There is no additional information.		
14.7	Transport in bulk according to IMO instruments		
1-1.7	The cargo is not intended to be carried in bulk.		
	-		
14.8	Information for each of the UN Model Regulatio		
	Transport informationNational regulationsAdd		
	UN number	2811	
	Class	6.1	
	Environmental hazards	Yes Hazardous to the aquatic environment	
	Packing group	II	
	Danger label(s)	6.1 Fish and tree	
	Special provisions (SP)	274 UN RTDG	
	Excepted quantities (EQ)	E4 UN RTDG	
	Limited quantities (LQ)	500 g UN RTDG	
	Emergency Action Code	2X	
	International Maritime Dangerous Goods Code	(IMDG) - Additional information	
	Proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.	
	Particulars in the shipper's declaration	UN2811, TOXIC SOLID, ORGANIC, N.O.S., (Cyclo- heximide), 6.1, II, MARINE POLLUTANT	
	Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)	
	Danger label(s)	6.1, "Fish and tree"	

acc. to Safe Work Australia - Code of Practice

## Cycloheximide ≥90 %, for biochemistry



article number: <b>8682</b>		
Special provisions (SP)	274	
Excepted quantities (EQ)	E4	
Limited quantities (LQ)	500 g	
EmS	F-A, S-A	
Stowage category	В	
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information	
Proper shipping name	Toxic solid, organic, n.o.s.	
Particulars in the shipper's declaration	UN2811, Toxic solid, organic, n.o.s., (Cyclohexim- ide), 6.1, II	
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)	
Danger label(s)	6.1	
Special provisions (SP)	A3, A5	
Excepted quantities (EQ)	E4	
Limited quantities (LQ)	1 kg	

## **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

## National regulations(Australia)

## Australian Inventory of Chemical Substances(AICS)

Substance is listed.

## **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed

acc. to Safe Work Australia - Code of Practice



## Cycloheximide ≥90 %, for biochemistry

### article number: 8682

Country	Inventory	Status
VN	NCI	substance is listed
Legend AIIC CSCL-ENCS ECSI IECSC ISHA-ENCS KECI NCI NZIOC PICCS TCSI	EC Substance Inventory (E Inventory of Existing Che Inventory of Existing and Korea Existing Chemicals National Chemical Invent New Zealand Inventory of	Chemical Substances (CSCL-ENCS) EINECS, ELINCS, NLP) mical Substances Produced or Imported in China New Chemical Substances (ISHA-ENCS) Inventory ory f Chemicals nemicals and Chemical Substances (PICCS)

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code

acc. to Safe Work Australia - Code of Practice



## Cycloheximide ≥90 %, for biochemistry

#### article number: 8682

Abbr.	Descriptions of used abbreviations
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

## Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H341	Suspected of causing genetic defects.
H360D	May damage the unborn child.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.