acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate ≥ 98%, p.a.

article number: 8773 date of compilation: 2021-11-02 Version: GHS 2.0 en Revision: 2024-03-02

Replaces version of: 2021-11-02

Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Chromium(III) nitrate nonahydrate** \geq 98%, p.a.

Article number 8773

CAS number 7789-02-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	2.14 Oxidising solid		Ox. Sol. 3	H272
3.2	Skin corrosion/irritation		Skin Irrit. 2	H315
3.3 Serious eye damage/eye irritation		2A	Eye Irrit. 2A	H319
3.45	Skin sensitisation	1B	Skin Sens. 1B	H317

For full text of abbreviations: see SECTION 16

Australia (en) Page 1 / 14



acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate ≥ 98%, p.a.

article number: 8773



Labelling

Signal word Warning

Pictograms

GHS03, GHS07





Hazard statements

H272	May intensify fire; oxidiser
H315	Causes skin irritation
⊔ 217	May cauco an allorgic ckin re

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210	Keep away fron	n heat/sparks/oper	n flames/hot surfaces.	- No smoking

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and wate	P302+P352	IF ON SKIN: Wash	າ with plenty c	of soap and water
---	-----------	------------------	-----------------	-------------------

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P333+P313 If skin irritation or rash occurs: Get medical advice/attention

P337+P313 If eye irritation persists: Get medical advice/attention

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Chromium(III) nitrate nonahydrate

Molecular formula $Cr(NO_3)_3 \cdot 9 H_2O$

Molar mass $400.2 \, ^{9}/_{mol}$

CAS No 7789-02-8

Australia (en) Page 2 / 14



acc. to Safe Work Australia - Code of Practice



article number: 8773



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Australia (en) Page 3 / 14

acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate ≥ 98%, p.a.

article number: 8773



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Keep away from combustible material.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Specific designs for storage rooms or vessels


Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

Australia (en) Page 4 / 14

acc. to Safe Work Australia - Code of Practice



article number: 8773



SECTION 8: Exposure controls/personal protection

Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	chromium(III) compounds		WES	0.5			Cr	WES

Notation

Ceiling value is a limit value above which exposure should not occur Calculated as Cr (chromium) Ceiling-C

Cr STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA**

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNE	Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	0.464 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	0.619 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects		
DNEL	0.155 mg/m³	human, inhalatory	worker (industry)	chronic - local effects		
DNEL	0.21 mg/m ³	human, inhalatory	worker (industry)	acute - local effects		
DNEL	0.32 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	0.32 mg/kg bw/ day	human, dermal	worker (industry)	acute - systemic effects		

Environmental values


Relevant PNECs and other threshold levels **Threshold** End-**Organism Environmental com-Exposure time** level point partment $22 \, \mu g/I$ **PNEC** aquatic organisms freshwater short-term (single instance) $4.4 \, ^{\mu g}/_{l}$ **PNEC** aquatic organisms marine water short-term (single instance) 2.29 mg/_I **PNEC** sewage treatment plant aquatic organisms short-term (single instance) (STP) 0.32 ^{mg}/_{kg} **PNEC** aquatic organisms freshwater sediment short-term (single instance) **PNEC** $32 \, ^{\mu g}/_{kg}$ aquatic organisms marine sediment short-term (single instance) **PNEC** $320 \, ^{\mu g}/_{kg}$ terrestrial organisms soil short-term (single instance)

Australia (en) Page 5 / 14

acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate \geq 98%, p.a.

article number: 8773



Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Australia (en) Page 6 / 14



8.2 **Exposure controls**

Individual protection measures (personal protective equipment)



acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate ≥ 98%, p.a.

article number: 8773



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline
Colour dark violet
Odour characteristic

Melting point/freezing point >36 °C (Release of crystal water)

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined

Decomposition temperature >100 °C (anhydrous)

pH (value) 2 – 3 (in aqueous solution: 50 ^g/_l, 20 °C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 810 ^g/_l at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $1.8 \, \mathrm{^{9}/_{cm^3}}$

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties oxidiser

9.2 Other information

Information with regard to physical hazard There is no additional information.

classes:

Other safety characteristics: There is no additional information.

Australia (en) Page 7 / 14

acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate ≥ 98%, p.a.

article number: 8773



SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Combustible materials, Strong alkali

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >100 °C.

10.5 Incompatible materials

reducing agents, metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	3,250 ^{mg} / _{kg}	rat		TOXNET

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Australia (en) Page 8 / 14

acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate ≥ 98%, p.a.

article number: 8773



Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

Australia (en) Page 9 / 14



acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate ≥ 98%, p.a.

article number: 8773



SECTION 13: Disposal considerations

Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H5.1 Oxidizing

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

UN 2720

SECTION 14: Transport information

14.1	UN number	
	UN RTDG	

IMDG-Code UN 2720 ICAO-TI UN 2720

14.2 UN proper shipping name

UN RTDG CHROMIUM NITRATE IMDG-Code CHROMIUM NITRATE ICAO-TI Chromium nitrate

14.3 Transport hazard class(es)

UN RTDG 5.1 **IMDG-Code** 5.1 ICAO-TI 5.1

14.4 Packing group

III **UN RTDG IMDG-Code** III **ICAO-TI** III

Environmental hazards non-environmentally hazardous acc. to the dan-14.5

gerous goods regulations

Page 10 / 14 Australia (en)

acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate ≥ 98%, p.a.

article number: 8773



There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 2720 Class 5.1 **Packing group** Ш Danger label(s) 5.1

Special provisions (SP)

UN RTDG

E1 UN RTDG **Excepted quantities (EQ)**

Limited quantities (LQ)

5 kg UN RTDG

Emergency Action Code 17

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name **CHROMIUM NITRATE**

Particulars in the shipper's declaration UN2720, CHROMIUM NITRATE, 5.1, III

Marine pollutant 5.1 Danger label(s)



Special provisions (SP) Excepted quantities (EQ) E1 Limited quantities (LQ) 5 kg **EmS** F-A, S-Q

Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Chromium nitrate

Particulars in the shipper's declaration UN2720, Chromium nitrate, 5.1, III

Danger label(s) 5.1



Excepted quantities (EQ) E1

Australia (en) Page 11 / 14





acc. to Safe Work Australia - Code of Practice



article number: 8773

Limited quantities (LQ) 10 kg



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR CSCL-ENCS DSL ECSI IECSC

Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

REACH Reg.
Reach Reg. Reacher Students Substances
RECI National Inventory of Chemical Substances
RECI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 12 / 14

acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate ≥ 98%, p.a.

article number: 8773



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 1Z	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations			
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substance			
Ceiling-C	Ceiling value			
DGR	Dangerous Goods Regulations (see IATA/DGR)			
DNEL	Derived No-Effect Level			
ED	Endocrine disruptor			
EINECS	European Inventory of Existing Commercial Chemical Substances			
ELINCS	European List of Notified Chemical Substances			
EmS	Emergency Schedule			
GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the Untions				
IATA	International Air Transport Association			
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)				
ICAO	International Civil Aviation Organization			
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air			
IMDG	IMDG International Maritime Dangerous Goods Code			
IMDG-Code International Maritime Dangerous Goods Code				
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality durin specified time interval			
NLP	No-Longer Polymer			
PBT	Persistent, Bioaccumulative and Toxic			
PNEC	Predicted No-Effect Concentration			
STEL	Short-term exposure limit			
TWA	Time-weighted average			
UN RTDG	UN Recommendations on the Transport of Dangerous Good			
vPvB	Very Persistent and very Bioaccumulative			
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants			

Australia (en) Page 13 / 14

acc. to Safe Work Australia - Code of Practice

Chromium(III) nitrate nonahydrate ≥ 98%, p.a.

article number: 8773



Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 14 / 14