acc. to Safe Work Australia - Code of Practice



n-Undecan ≥ 95%, for synthesis

article number: **8781** Version: **GHS 2.0 en** Replaces version of: 2021-10-27 Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

CAS number

Identification of the substance Article number **n-Undecan** ≥ 95%, for synthesis 8781

1120-21-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	4	Flam. Liq. 4	H227
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

date of compilation: 2021-10-27 Revision: 2024-03-01

acc. to Safe Work Australia - Code of Practice

n-Undecan ≥ 95%, for synthesis

article number: 8781



Supplemental hazard information		
Code	Supplemental hazard information	
AUH066	repeated exposure may cause skin dryness or cracking	

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS08



Hazard statements

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking
P280	Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P331	Do NOT induce vomiting
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

Supplemental hazard information

AUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

acc. to Safe Work Australia - Code of Practice



n-Undecan ≥ 95%, for synthesis

article number: 8781

3.1

SECTION 3: Composition/information on ingredients

Substances	
Name of substance	n-Undecan
Molecular formula	C ₁₁ H ₂₄
Molar mass	156.3 ^g / _{mol}
CAS No	1120-21-4

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

acc. to Safe Work Australia - Code of Practice

n-Undecan ≥ 95%, for synthesis

article number: 8781

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

acc. to Safe Work Australia - Code of Practice

n-Undecan ≥ 95%, for synthesis

article number: 8781



Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Environmental values

Relevant	Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	3.5 ^{µg} / _l	aquatic organisms	water	intermittent release	
PNEC	0.92 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0.92 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)	
PNEC	14 ^{µg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	1 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	1 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	1 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)	

8.2 Exposure controls

acc. to Safe Work Australia - Code of Practice

n-Undecan ≥ 95%, for synthesis

article number: 8781

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.



acc. to Safe Work Australia - Code of Practice

n-Undecan ≥ 95%, for synthesis

article number: 8781

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties		
	Physical state	liquid	
	Colour	colourless	
	Odour	characteristic	
	Melting point/freezing point	-26 °C at 1,013 hPa (ECHA)	
	Boiling point or initial boiling point and boiling range	185.8 – 200.5 °C at 1,013 hPa (ECHA)	
	Flammability	flammable liquid in accordance with GHS criteria	
	Lower and upper explosion limit	0.6 vol% (LEL) - 6.5 vol% (UEL)	
	Flash point	65 °C at 1,013 hPa (ECHA)	
	Auto-ignition temperature	240 °C	
	Decomposition temperature	not relevant	
	pH (value)	not determined	
	Kinematic viscosity	1.597 ^{mm²} / _s at 20 °C	
	Solubility(ies)		
	Water solubility	0.00002 ^g / _l at 25 °C (ECHA)	
	Partition coefficient		
	Partition coefficient n-octanol/water (log value):	6.42 (pH value: 7, 25 °C) (ECHA)	
	Soil organic carbon/water (log KOC)	4.75 (ECHA)	
	Vapour pressure	not determined	
	Density and/or relative density		
	Density	0.744 ^g / _{cm³} at 15 °C (ECHA)	
	Relative vapour density	5.4 (air = 1)	
	Particle characteristics	not relevant (liquid)	
	Other safety parameters		
	Oxidising properties	none	
9.2	Other information		
	Information with regard to physical hazard classes:	There is no additional information.	
	Other safety characteristics:		
	Refractive index	1.417	



acc. to Safe Work Australia - Code of Practice

® Roth

n-Undecan ≥ 95%, for synthesis

article number: 8781

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
dermal	LD50	≥3,160 ^{mg} / _{kg}	rabbit		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

acc. to Safe Work Australia - Code of Practice

n-Undecan ≥ 95%, for synthesis

article number: 8781



Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

aspiration hazard

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (ac	Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time	
LL50	>100 ^{mg} / _l	fish	ECHA	24 h	
EL50	100 ^{mg} / _l	aquatic invertebrates	ECHA	48 h	

12.2 Persistence and degradability

Theoretical Oxygen Demand: 3.48 ^{mg}/_{mg} Theoretical Carbon Dioxide: 3.097 ^{mg}/_{mg}

Biodegradation

The substance is readily biodegradable.

Process of degradability

Process	Degradation rate	Time
oxygen depletion	7.3 %	4 d
carbon dioxide generation	0 %	3 d

acc. to Safe Work Australia - Code of Practice



n-Undecan ≥ 95%, for synthesis

article number: 8781

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)	6.42 (pH value: 7, 25 °C) (ECHA)	
n octarion water (log (log to tt))	0.12 (pri value: 7, 25° c) (2017)	

12.4 Mobility in soil

Henry's law constant	195,509 ^{Pa m³} / _{mol}
The Organic Carbon normalised adsorption coefficient	4.75 (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

acc. to Safe Work Australia - Code of Practice

n-Undecan ≥ 95%, for synthesis

article number: 8781



SEC	SECTION 14: Transport information		
14.1	.1 UN number		
	UN RTDG	UN 2330	
	IMDG-Code	UN 2330	
	ICAO-TI	UN 2330	
14.2	UN proper shipping name		
	UN RTDG	UNDECANE	
	IMDG-Code	UNDECANE	
	ICAO-TI	Undecane	
14.3	Transport hazard class(es)		
	UN RTDG	3	
	IMDG-Code	3	
	ICAO-TI	3	
14.4	Packing group		
	UN RTDG	III	
	IMDG-Code	III	
	ICAO-TI	III	
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations	
14.6	Special precautions for user		
	There is no additional information.		
14.7	Transport in bulk according to IMO instruments	5	
	The cargo is not intended to be carried in bulk.		
14.8	Information for each of the UN Model Regulation	ons	
	Transport informationNational regulationsAdd	itional information(UN RTDG)	
	UN number	2330	
	Class	3	
	Packing group	III	
	Danger label(s)	3	
	Special provisions (SP)	- UN RTDG	
	Excepted quantities (EQ)	E1 UN RTDG	
	Limited quantities (LQ)	5 L UN RTDG	

acc. to Safe Work Australia - Code of Practice



n-Undecan ≥ 95%, for synthesis

article number: 8781

Emergency Action Code	3Y
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	UNDECANE
Particulars in the shipper's declaration	UN2330, UNDECANE, 3, III
Marine pollutant	-
Danger label(s)	3
Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-E
Stowage category	A
International Civil Aviation Organization (ICAO	IATA/DGR) - Additional information
Proper shipping name	Undecane
Particulars in the shipper's declaration	UN2330, Undecane, 3, III
Danger label(s)	3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed

acc. to Safe Work Australia - Code of Practice



n-Undecan ≥ 95%, for synthesis

article number: 8781

Country	Inventory	Status
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
РН	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Supplemental hazard information: change in the listing (table)	yes
2.2		Supplemental hazard information: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 3Y	yes
15.1		National inventories: change in the listing (table)	yes

acc. to Safe Work Australia - Code of Practice



n-Undecan ≥ 95%, for synthesis

article number: 8781

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UEL	Upper explosion limit (UEL)
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.

acc. to Safe Work Australia - Code of Practice

n-Undecan \geq 95%, for synthesis

article number: 8781

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

