according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: **8892** Version: **3.0 en** Replaces version of: 2021-11-17 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

2-Methoxyethanol ≥99 %, for synthesis
8892
01-2119494721-33-xxxx
603-011-00-4
203-713-7
109-86-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

date of compilation: 2016-01-18 Revision: 2024-03-02

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class		Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.7	Reproductive toxicity	1B	Repr. 1B	H360FD

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07, GHS08



Hazard statements

H226	Flammable liquid and vapour
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled
H360FD	May damage fertility. May damage the unborn child

Precautionary statements

Precautionary statements - prevention

P210Keep away from heat. No smokingP280Wear protective gloves/eye protection

Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water [or shower]
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor

For professional users only

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892



H360FDMay damage fertility. May damage the unborn child.P280Wear protective gloves/eye protection.P308+P311IF exposed or concerned: Call a POISON CENTER/doctor.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	2-Methoxyethanol
Molecular formula	C ₃ H ₈ O ₂
Molar mass	76,1 ^g / _{mol}
REACH Reg. No	01-2119494721-33-xxxx
CAS No	109-86-4
EC No	203-713-7
Index No	603-011-00-4

Substance of Very High Concern (SVHC)						
Name of substance	CAS No	EC No	Listed in	Remarks		
2-Methoxyethanol	109-86-4	203-713-7	Candidate list	Repr. A57c		

Legend

Candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list Repr. A57c Toxic for reproduction (article 57c)

Substance, Specific Conc. Limits, M-factors, ATE						
Specific Conc. Limits	M-Factors	ATE	Exposure route			
-	-	500 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} 11 ^{mg} / _l /4h	oral dermal inhalation: vapour			

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

® Roth

2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	2-methoxyethanol	109-86-4	IOELV	1						Н	2022/ 431/EU
IE	2-methoxyethanol	109-86-4	OELV	1						Н	S.I. No. 619 of 2001

Notation

Ceiling-C
HCeiling value is a limit value above which exposure should not occur
Absorbed through the skinSTELShort-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-
minute period (unless otherwise specified)TWATime-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8
hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels									
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time					
DNEL	0,91 mg/kg	human, dermal	worker (industry)	chronic - systemic effects					
DNEL	3,2 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects					

Environmental values

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

Relevant PNECs and other threshold levels									
End- point	Threshold level	Organism	Environmental com- partment	Exposure time					
PNEC	10 ^{mg} /l	aquatic organisms	freshwater	short-term (single instance)					
PNEC	1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)					
PNEC	1.000 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)					
PNEC	36,8 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)					
PNEC	3,68 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)					
PNEC	7,3 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)					
PNEC	1,87 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)					
PNEC	94 ^{mg} / _l	aquatic organisms	water	intermittent release					

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

- material thickness
- >0,11 mm
- breakthrough times of the glove material
- >480 minutes (permeation: level 6)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	like ether
Melting point/freezing point	-85,1 °C at 1 atm (ECHA)
Boiling point or initial boiling point and boiling range	123,5 – 125,5 °C (ECHA)
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	2,3 vol% (LEL) - 24,5 vol% (UEL)
Flash point	37 °C (c.c.)
Auto-ignition temperature	285 °C (ECHA)
Decomposition temperature	not relevant
pH (value)	4 – 7 (in aqueous solution: 200 ^g / _l , 20 °C)
Kinematic viscosity	1,6 ^{mm²} / _s at 20 °C
Dynamic viscosity	1,7 mPa s at 20 °C
Solubility(ies)	
Water solubility	965 ^g / _l at 20 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	-0,77 (pH value: 7, 28 °C) (ECHA)
Vapour pressure	11 hPa at 20 °C 60 hPa at 50 °C
Density and/or relative density	
Density and/or relative density	0.064 0.066 g/ >t 20.°C
Density	0,964 – 0,966 ^g / _{cm³} at 20 °C

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article	number:	8892
---------	---------	------

	Relative vapour density	2,63 (air = 1)
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	
	Refractive index	1,402
	Temperature class (EU, acc. to ATEX)	T3 Maximum permissible surface temperature on the equipment: 200°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Alkalis, Aluminium, Magnesium, Zinc, **Violent reaction with:** strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

copper, light metal

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	2.257 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	3.930 ^{mg} / _{kg}	rabbit		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

• Other information

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	>10.000 ^{mg} / _l	fish	ECHA	96 h
EC50	27.000 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	25.500 ^{mg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

······································				
Endpoint	Value	Species	Source	Exposure time
EC50	>1.000 ^{mg} / _l	microorganisms	ECHA	3 h

12.2 Persistence and degradability

Theoretical Oxygen Demand: 1,682 ^{mg}/_{mg} Theoretical Carbon Dioxide: 1,735 ^{mg}/_{mg}

Biodegradation

The substance is readily biodegradable.

Process of degradability				
Process	Degradation rate	Time		
biotic/abiotic	97 %	10 d		
oxygen depletion	88 %	20 d		

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0,77 (pH value: 7, 28 °C) (ECHA)
---------------------------	-----------------------------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

SECTION 13: Disposal considerations

Waste treatment methods 13.1



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 3 flammable
- HP 6 acute toxicity
- HP 10 toxic for reproduction

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information ---

14.1	UN number or ID number	
	ADRRID	UN 1188
	IMDG-Code	UN 1188
	ICAO-TI	UN 1188
14.2	UN proper shipping name	
	ADRRID	ETHYLENE GLYCOL MONOMETHYL ETHER
	IMDG-Code	ETHYLENE GLYCOL MONOMETHYL ETHER
	ICAO-TI	Ethylene glycol monomethyl ether
14.3	Transport hazard class(es)	
	ADRRID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

	ICAO-TI	III			
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations			
14.6	Special precautions for user				
	Provisions for dangerous goods (ADR) should l	be complied within the premises.			
4.7	Maritime transport in bulk according to IM				
	The cargo is not intended to be carried in bulk.				
4.8	Information for each of the UN Model Regu	lations			
	Agreement concerning the International Ca information	arriage of Dangerous Goods by Road (ADR)Additiona			
	Proper shipping name	ETHYLENE GLYCOL MONOMETHYL ETHER			
	Particulars in the transport document	UN1188, ETHYLENE GLYCOL MONOMETHYL ETH- ER, 3, III, (D/E)			
	Classification code	F1			
	Danger label(s)	3			
	Excepted quantities (EQ)	E1			
	Limited quantities (LQ)	5 L			
	Transport category (TC)	3			
	Tunnel restriction code (TRC)	D/E			
	Hazard identification No	30			
	Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information				
	Classification code	F1			
	Danger label(s)	3			
	Excepted quantities (EQ)	E1			
	Limited quantities (LQ)	5 L			
	Transport category (TC)	3			
	Hazard identification No	30			
	International Maritime Dangerous Goods Code (IMDG) - Additional information				
	Proper shipping name	ETHYLENE GLYCOL MONOMETHYL ETHER			
	Particulars in the shipper's declaration	UN1188, ETHYLENE GLYCOL MONOMETHYL ETH ER, 3, III, 37°C c.c.			
	Marine pollutant	-			

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892 .

Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A
International Civil Aviation Organization (ICAC	-IATA/DGR) - Additional information
Proper shipping name	Ethylene glycol monomethyl ether
Particulars in the shipper's declaration	UN1188, Ethylene glycol monomethyl ether, 3, III
Danger label(s)	3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Name of substance	Name acc. to inventory	CAS No	Restriction	No
2-Methoxyethanol	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
2-Methoxyethanol	toxic for reproduction		R28-30	30
2-Methoxyethanol	flammable / pyrophoric		R40	40
2-Methoxyethanol	substances in tattoo inks and perman- ent make-up		R75	75

Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances,

- as constituents of other substances, or,

in mixtures

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. - the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 127272008.
Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of substances and mixtures is marked visibly, legibly and indelibly as follows:
'Restricted to professional users'.
2. By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products and oil products:

(c) the following fuels and oil products: - motor fuels which are covered by Directive 98/70/EC, - mineral oil products intended for use as fuel in mobile or fixed combustion plants, - fuels sold in closed systems (e.g. liquid gas bottles);

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

2-Methoxyethanol ≥99 %, for synthesis

article number: 8892



Legend (d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date; (f) devices covered by Regulation (EU) 2017/745. R3 1. Shall not be used in: - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays - tricks and jokes, games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they a can be used as fuel in decorative oil lamps for supply to the general public, and a present an aspiration hazard and are labelled with H304. 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met ments are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil - or even sucking the wick of lamps – may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.'; Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to december and decorative purposes such as the following: R40 for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration, artificial snow and frost, - 'whoopee' cushions, silly string aerosols, imitation excrement, horns for parties, decorative flakes and foams, - artificial cobwebs, - stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

2-Methoxyethanol ≥99 %, for synthesis



article number: 8892



tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC) Latest application Date of in-Name acc. to invent-CAS Listed in Remarks Sunset date clusion ory No date 109-86-Candidate list 2010-12-15 2-methoxyethanol Repr. A57c 4

Legend

Candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV Repr. A57c Toxic for reproduction (article 57c)

Seveso Directive

2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories		(tonnes) for the ap- and upper-tier re- ments	Notes	
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)	

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

VOC content	100 %	
VOC content	966 ^g /l	

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	966 ^g /l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

Water Framework Directive (WFD)

article number: 8892

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
2-Methoxyethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

Country	Inventory	Status
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed
DSL ECSI IECSC INSQ KECI NCI NZIOC PICCS	Domestic Substances List EC Substance Inventory (I Inventory of Existing Chen National Inventory of Che Korea Existing Chemicals National Chemical Invent New Zealand Inventory of	Control Regulation Chemical Substances (CSCL-ENCS) (DSL) EINECS, ELINCS, NLP) mical Substances Produced or Imported in China mical Substances Inventory ory of Chemicals nemicals and Chemical Substances (PICCS) nees cee Inventory

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: F1	yes
14.8		Danger label(s): 3	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 L	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 30	yes
15.1		Substance of Very High Concern (SVHC): change in the listing (table)	yes
15.1	VOC content: 100 % , 966 ^g / _l	VOC content: 100 %	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		VOC content: 966 ^g / _l	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Direct- ive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or muta- gens at work
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

2-Methoxyethanol ≥99 %, for synthesis



article number: 8892

Abbr.	Descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H360FD	May damage fertility. May damage the unborn child.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methoxyethanol ≥99 %, for synthesis

article number: 8892

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.