

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: **9015**
Version: **2.0 en**
Replaces version of: 11.07.2016
Version: (1.0)

date of compilation: 11.07.2016
Revision: 08.02.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Petroleum 180-230 °C**
Article number 9015
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Classification acc. to GHS | | | |
|----------------------------|-------------------------------------------------------|---------------------------|------------------|
| Section | Hazard class | Hazard class and category | Hazard statement |
| 3.9 | specific target organ toxicity - repeated exposure | (STOT RE 1) | H372 |
| 3.10 | aspiration hazard | (Asp. Tox. 1) | H304 |
| 4.1C | hazardous to the aquatic environment - chronic hazard | (Aquatic Chronic 2) | H411 |

Supplemental hazard information

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

| Code | Supplemental hazard information |
|--------|------------------------------------------------------|
| EUH066 | repeated exposure may cause skin dryness or cracking |

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms



Hazard statements

H304 May be fatal if swallowed and enters airways.
H372 Causes damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe mist/vapours/spray.
P273 Avoid release to the environment.

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
P314 Get medical advice/attention if you feel unwell.

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Hazardous ingredients for labelling:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H304 May be fatal if swallowed and enters airways.
H372 Causes damage to organs through prolonged or repeated exposure.
P260 Do not breathe mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
P314 Get medical advice/attention if you feel unwell.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

EUH066 Repeated exposure may cause skin dryness or cracking.
contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture

Composition/information on ingredients.

| Name of substance | Identifier | wt% | Classification acc. to 1272/2008/EC | Pictograms |
|--------------------------------------------------------------------------|----------------------------------------------------------------------|-------|------------------------------------------------------------------------------|------------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | EC No 919-164-8 REACH Reg. No 01-2119473977-17- xxxx | ≤ 100 | STOT RE 1 / H372 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411 EUH066 | |

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Do not induce vomiting. Aspiration hazard. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Unconsciousness, Agitation, Headache, Circulatory collapse, Vertigo, Irritant effects, Spasms

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
dry extinguishing powder, carbon dioxide (CO₂), sand

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid: Aerosol or mist formation.

• Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

• Ventilation requirements

Use local and general ventilation.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)



Eye/face protection

Use safety goggles with side protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• type of material

NBR (Nitrile rubber)

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

- **material thickness**

0,4 mm.

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

Splash protection - Protective gloves

- **Type of material**

NBR (Nitrile rubber).

- **Material thickness**

>0,11 mm.

- **Breakthrough times of the glove material**

>30 minutes (permeation: level 2).

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|-----------------|-----------------------------------|
| Physical state | liquid (fluid) |
| Colour | colourless - light yellow |
| Odour | this information is not available |
| Odour threshold | No data available |

Other physical and chemical parameters

| | |
|-----------------------------------------|------------------------------------|
| pH (value) | This information is not available. |
| Melting point/freezing point | -57 °C at 1 atm |
| Initial boiling point and boiling range | 180 - 230 °C |
| Flash point | >61 °C |
| Evaporation rate | no data available |
| Flammability (solid, gas) | not relevant (fluid) |
| <u>Explosive limits</u> | |
| • lower explosion limit (LEL) | 0,6 vol% |
| • upper explosion limit (UEL) | 7 vol% |
| Explosion limits of dust clouds | not relevant |
| Vapour pressure | 0,05 kPa at 20 °C |
| Density | 0,805 g/ml at 20 °C |
| Vapour density | This information is not available. |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

| | |
|--------------------------------------|----------------------------------------------------------------------|
| Bulk density | Not applicable |
| Relative density | Information on this property is not available. |
| <u>Solubility(ies)</u> | |
| Water solubility | no data available |
| <u>Partition coefficient</u> | |
| n-octanol/water (log KOW) | This information is not available. |
| Auto-ignition temperature | >200 °C |
| Decomposition temperature | no data available |
| Viscosity | |
| • kinematic viscosity | 1,3 - 2,2 mm ² /s at 20 °C |
| Explosive properties | Shall not be classified as explosive |
| Oxidising properties | none |
| 9.2 Other information | |
| Temperature class (EU, acc. to ATEX) | T3 (Maximum permissible surface temperature on the equipment: 200°C) |

SECTION 10: Stability and reactivity

10.1 Reactivity

In case of warming: Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

10.5 Incompatible materials

different plastic and rubber

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

• Acute toxicity of components of the mixture

| Name of substance | EC No | Exposure route | Endpoint | Value | Species |
|--------------------------------------------------------------------------|-----------|----------------|----------|---------------|---------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | 919-164-8 | oral | LD50 | >15.000 mg/kg | rat |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

data are not available

• If in eyes

data are not available

• If inhaled

data are not available

• If on skin

repeated exposure may cause skin dryness or cracking

Other information

Headache, Spasms, Unconsciousness, Vertigo, Agitation

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

| Name of substance | EC No | Endpoint | Value | Species | Exposure time |
|--------------------------------------------------------------------------|-----------|----------|----------|-----------------------|---------------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | 919-164-8 | LL50 | 100 mg/l | fish | 96 h |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | 919-164-8 | EL50 | 200 mg/l | aquatic invertebrates | 48 h |

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

Aquatic toxicity (chronic) of components of the mixture

| Name of substance | EC No | Endpoint | Value | Species | Exposure time |
|--------------------------------------------------------------------------|-----------|----------|-------------|-----------------------|---------------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | 919-164-8 | LL50 | >1.000 mg/l | fish | 24 h |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | 919-164-8 | EL50 | 1.000 mg/l | aquatic invertebrates | 24 h |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | 919-164-8 | EC50 | 0,328 mg/l | aquatic invertebrates | 21 d |

12.2 Process of degradability

The substance is readily biodegradable.

Degradability of components of the mixture

| Name of substance | EC No | Process | Degradation rate | Time |
|--------------------------------------------------------------------------|-----------|------------------|------------------|------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | 919-164-8 | oxygen depletion | 74,7 % | 28 d |

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

| | | |
|------|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| 14.1 | UN number | 3082 |
| 14.2 | UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| | Hazardous ingredients | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) |
| 14.3 | Transport hazard class(es) | |
| | Class | 9 (miscellaneous dangerous substances and articles) (environmentally hazardous) |
| 14.4 | Packing group | III (substance presenting low danger) |
| 14.5 | Environmental hazards | hazardous to the aquatic environment (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)) |
| 14.6 | Special precautions for user | |
| | Provisions for dangerous goods (ADR) should be complied within the premises. | |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code | |
| | The cargo is not intended to be carried in bulk. | |
| 14.8 | Information for each of the UN Model Regulations | |
| | • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) | |
| | UN number | 3082 |
| | Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |





safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Particulars in the transport document | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)), 9, III, (-) |
| Class | 9 |
| Classification code | M6 |
| Packing group | III |
| Danger label(s) | 9 + "fish and tree" |
|   | |
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 274, 335, 375, 601 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | - |
| Hazard identification No | 90 |
| • International Maritime Dangerous Goods Code (IMDG) | |
| UN number | 3082 |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Particulars in the shipper's declaration | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)), 9, III |
| Class | 9 |
| Marine pollutant | yes (hazardous to the aquatic environment) |
| Packing group | III |
| Danger label(s) | 9 + "fish and tree" |
|   | |
| Special provisions (SP) | 274, 335, 969 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| EmS | F-A, S-F |
| Stowage category | A |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

• International Civil Aviation Organization (ICAO-IATA/DGR)

| | |
|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| UN number | 3082 |
| Proper shipping name | Environmentally hazardous substance, liquid, n.o.s. |
| Particulars in the shipper's declaration | UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)), 9, III |
| Class | 9 |
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Packing group | III |
| | 9 + "fish and tree" |



| | |
|--------------------------|----------------------|
| Special provisions (SP) | A97, A158, A197, 274 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 30 kg |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients are listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

None of the ingredients are listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

None of the ingredients are listed.

- **Restrictions according to REACH, Annex XVII**

None of the ingredients are listed.

- **List of substances subject to authorisation (REACH, Annex XIV)**

None of the ingredients are listed.

- **Seveso Directive**

| 2012/18/EU (Seveso III) | | | |
|-------------------------|----------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| E2 | environmental hazards (hazardous to the aquatic environment, cat. 2) | 200 500 | 57) |

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 100 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 100 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3.2 | | Description of the mixture: change in the listing (table) |
| 12.1 | | Aquatic toxicity (chronic) of components of the mixture: change in the listing (table) |
| 12.2 | | Degradability of components of the mixture: change in the listing (table) |
| 14.8 | Particulars in the transport document: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)), 9, III, (E) | Particulars in the transport document: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)), 9, III, (-) |
| 14.8 | Tunnel restriction code (TRC): E | Tunnel restriction code (TRC): - |
| 14.8 | | • International Civil Aviation Organization (ICAO-IATA/DGR) |
| 14.8 | | UN number: 3082 |
| 14.8 | | Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. |
| 14.8 | | Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)), 9, III |
| 14.8 | | Class: 9 |
| 14.8 | | Environmental hazards: yes (hazardous to the aquatic environment) |
| 14.8 | | Packing group: III9 + "fish and tree" |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: 9015

| Section | Former entry (text/value) | Actual entry (text/value) |
|---------|---------------------------|--------------------------------------------------------------|
| 14.8 | | Packing group: change in the listing (table) |
| 14.8 | | Special provisions (SP): A97, A158, A197, 274 |
| 14.8 | | Excepted quantities (EQ): E1 |
| 14.8 | | Limited quantities (LQ): 30 kg |
| 16 | | Abbreviations and acronyms: change in the listing (table) |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| Aquatic Chronic | hazardous to the aquatic environment - chronic hazard |
| Asp. Tox. | aspiration hazard |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| CMR | Carcinogenic, Mutagenic or toxic for Reproduction |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| STOT RE | specific target organ toxicity - repeated exposure |

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Petroleum 180-230 °C special fraction 180-230 °C

article number: **9015**

| Abbr. | Descriptions of used abbreviations |
|-------|------------------------------------------|
| VOC | Volatile Organic Compounds |
| vPvB | very Persistent and very Bioaccumulative |

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|----------------------------------------------------------------|
| H304 | may be fatal if swallowed and enters airways |
| H372 | causes damage to organs through prolonged or repeated exposure |
| H411 | toxic to aquatic life with long lasting effects |

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.