

Safety data sheet

Safe Work Australia - Code of Practice



Palladium(II) nitrate dihydrate ~40 % Pd

article number: **9026**
Version: **GHS 1.0 en**

date of compilation: 2019-02-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Palladium(II) nitrate dihydrate
Article number	9026
Registration number (REACH)	01-2120279900-51-xxxx
EC number	233-265-8
CAS number	32916-07-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical
laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
2.14	oxidising solid	(Ox. Sol. 2)	H272
3.10	acute toxicity (oral)	(Acute Tox. 3)	H301
3.2	skin corrosion/irritation	(Skin Corr. 1B)	H314
4.1A	hazardous to the aquatic environment - acute hazard	(Aquatic Acute 1)	H400
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 1)	H410

2.2 Label elements

Safety data sheet

Safe Work Australia - Code of Practice



Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

Labelling GHS

Signal word

Danger

Pictograms

GHS03, GHS05,
GHS06, GHS09



Hazard statements

H272	May intensify fire; oxidiser
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat.
P221	Take any precaution to avoid mixing with combustibles.
P260	Do not breathe dusts or mists.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction.

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
P260	Do not breathe dusts or mists.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

There is no additional information.

Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Palladium(II) nitrate dihydrate
Registration number (REACH)	01-2120279900-51-xxxx
EC number	233-265-8
CAS number	32916-07-7
Molecular formula	$N_2O_6Pd \cdot 2 H_2O$
Molar mass	266.4 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes hold-
ing eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed
danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings

Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: nitrogen oxides (NO_x)

5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle and open container with care. Clear contaminated areas thoroughly.

• Measures to prevent fire as well as aerosol and dust generation

Take any precaution to avoid mixing with combustibles.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Store locked up.

- **Ventilation requirements**

Use local and general ventilation.

- **Specific designs for storage rooms or vessels**

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Relevant DNELs/DMELs/PNECs and other threshold levels

- **environmental values**

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	0.027 µg/l	freshwater	short-term (single instance)
PNEC	0.003 µg/l	marine water	short-term (single instance)
PNEC	1.46 mg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.274 mg/kg	freshwater sediment	short-term (single instance)
PNEC	0.027 mg/kg	marine sediment	short-term (single instance)
PNEC	0.012 mg/kg	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid (crystalline)
Colour	brown
Odour	Nitric acid
Odour threshold	No data available

Other physical and chemical parameters

pH (value)	<1 (water: 330 g/l, 20 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	This information is not available.
Flash point	not applicable
Evaporation rate	no data available
Flammability (solid, gas)	These information are not available

Explosive limits

• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	these information are not available

Safety data sheet

Safe Work Australia - Code of Practice



Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

Vapour pressure	This information is not available.
Density	1.118 g/cm ³ at 20 °C
Vapour density	This information is not available.
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	soluble
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	Information on this property is not available.
Decomposition temperature	70 °C (ECHA)
Viscosity	not relevant (solid matter)
Explosive properties	Shall not be classified as explosive
Oxidising properties	oxidiser

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Combustible materials, Strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: 70 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Source
oral	LD50	>200 - <2,000 mg/kg	rat	ECHA

Skin corrosion/irritation

Causes severe burns.

Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

- **Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

- **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

- **If in eyes**

causes burns, Causes serious eye damage, risk of blindness

- **If inhaled**

cough, Inhalation of dust may cause irritation of the respiratory system

- **If on skin**

causes severe burns, causes poorly healing wounds

Other information

None

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Very toxic to aquatic organisms.

Endpoint	Value	Species	Source	Exposure time
LC50	154 µg/l	rainbow trout	ECHA	96 h
EC50	35.19 µg/l	daphnia magna	ECHA	48 h
ErC50	2.96 µg/l	algae	ECHA	72 h

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

Endpoint	Value	Species	Source	Exposure time
NOEC	$\geq 28.4 \mu\text{g}/\text{l}$	aquatic invertebrates	ECHA	21 d
growth (EbCx) 10%	$29 \text{ mg}/\text{l}$	microorganisms	ECHA	3 h

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

SECTION 14: Transport information

14.1	UN number	3085
14.2	UN proper shipping name Hazardous ingredients	OXIDIZING SOLID, CORROSIVE, N.O.S. Palladium(II) nitrate dihydrate
14.3	Transport hazard class(es)	
	Class	5.1 (oxidizing substances)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulations	
	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)	
	UN number	3085
	Proper shipping name	OXIDIZING SOLID, CORROSIVE, N.O.S.
	Particulars in the transport document	UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S., (Palladium(II) nitrate dihydrate), 5.1 (8), II, (E), environmentally hazardous
	Class	5.1
	Classification code	OC2
	Packing group	II
	Danger label(s)	5.1+8 + "fish and tree"
		
	Environmental hazards	yes (hazardous to the aquatic environment)
	Special provisions (SP)	274
	Excepted quantities (EQ)	E2
	Limited quantities (LQ)	1 kg
	Transport category (TC)	2
	Tunnel restriction code (TRC)	E
	Hazard identification No	58
	Emergency Action Code	1W
	• International Maritime Dangerous Goods Code (IMDG)	
	UN number	3085

Safety data sheet

Safe Work Australia - Code of Practice



Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

Proper shipping name	OXIDIZING SOLID, CORROSIVE, N.O.S.
Particulars in the shipper's declaration	UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S., (Palladium(II) nitrate dihydrate), 5.1 (8), II, MARINE POLLUTANT
Class	5.1
Subsidiary risk(s)	8
Marine pollutant	yes (P) (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	5.1+8 + "fish and tree"



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-Q
Stowage category	B

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	3085
Proper shipping name	Oxidizing solid, corrosive, n.o.s.
Particulars in the shipper's declaration	UN3085, Oxidizing solid, corrosive, n.o.s., (Palladium(II) nitrate dihydrate), 5.1 (8), II
Class	5.1
Subsidiary risk(s)	8
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	5.1+8



Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	2,5 kg

Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National inventories

Substance is listed in the following national inventories:

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS	Australian Inventory of Chemical Substances
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level

Palladium(II) nitrate dihydrate ~40 % Pd

article number: 9026

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	may intensify fire; oxidiser
H301	toxic if swallowed
H314	causes severe skin burns and eye damage
H400	very toxic to aquatic life
H410	very toxic to aquatic life with long lasting effects

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.