

FLYLEAF

Article: 9195 PAP fast staining kit For microscopy

Date of compilation: 2023-12-01

1 Composition/information on ingredients

Bill of materials

Name of substance	Identifier	Num ber of piece s	Classification acc. to GHS	Pictograms	Page
PAP fast staining - Solu- tion 1	Article number 9197	1	Eye Dam. 1 / H318	La Company of the Com	5 – 21
PAP fast staining - Solu- tion 2	Article number 9199	1	Flam. Liq. 2 / H225 Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Eye Irrit. 2 / H379 STOT SE 1 / H370 STOT RE 2 / H373		22 - 46

United Kingdom (en) Page 1 / 4



Article: 9195 PAP fast staining kit

2 Hazards identification

2.1 Label elements

Signal word Danger

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Pictograms

Danger.









Hazard statement(s)

H225 Highly flammable liquid and vapour

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H318 Causes serious eye damage

H370 Causes damage to organs (eye) (if swallowed)

H373 May cause damage to organs (respiratory tract) through prolonged or repeated

exposure

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention

Supplemental hazard information

EUH208 Contains Aniline, Eosin G (C.I. 45380). May produce an allergic reaction

Hazardous ingredients for labelling: Ethanol,

Aluminium sulphate,

Methanol, Aniline, Acetic acid ... %,

3 Transport information

3.1 UN number or ID number

ADR/RID/ADN UN 1987 IMDG-Code UN 1987 ICAO-TI UN 1987

United Kingdom (en) Page 2 / 4



Article: 9195 PAP fast staining kit

3.2 UN proper shipping name

ADR/RID/ADN ALCOHOLS, N.O.S. IMDG-Code ALCOHOLS, N.O.S. ICAO-TI Alcohols, n.o.s. Technical name Methanol, Ethanol

3.3 Transport hazard class(es)

ADR/RID/ADN 3
IMDG-Code 3
ICAO-TI 3

3.4 Packing group

ADR/RID/ADN II
IMDG-Code II
ICAO-TI II

3.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

3.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

3.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

3.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name ALCOHOLS, N.O.S.

Particulars in the transport document UN1987, ALCOHOLS, N.O.S., (Methanol, Ethanol),

3, II, (D/E), special provision 640D

Classification code F1

Special provisions (SP) 274, 601, 640D

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 33
Emergency Action Code 3YE

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ALCOHOLS, N.O.S.

Particulars in the shipper's declaration UN1987, ALCOHOLS, N.O.S., (Methanol, Ethanol),

3, II, 9.7°C c.c.

Marine pollutant Danger label(s) 3



Special provisions (SP) 274

United Kingdom (en) Page 3 / 4



Article: 9195 PAP fast staining kit

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-E, S-D

Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Alcohols, n.o.s.

Particulars in the shipper's declaration UN1987, Alcohols, n.o.s., (Methanol, Ethanol), 3, II

Danger label(s) 3



Special provisions (SP) A3, A180

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

United Kingdom (en) Page 4 / 4

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197 date of compilation: 2015-09-07 Version: **5.0 en** Revision: 2023-12-01

Replaces version of: 2022-04-12

Version: (4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance PAP fast staining - Solution 1

Article number 9197

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

2.2 **Label elements**

Labelling

Signal word	Danger
-------------	--------

United Kingdom (en) Page 1 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



Pictograms

GHS05



Hazard statements

H318 Causes serious eye damage

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/eye protection

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

Hazardous ingredients for labelling: Aluminium sulphate, Acetic acid ... %

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Aluminium sulphate	CAS No 10043-01-3 EC No 233-135-0	1-<5	Met. Corr. 1 / H290 Eye Dam. 1 / H318		
Ethanol	CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5	1-<5	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319		GHS-HC

United Kingdom (en) Page 2 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Acetic acid %	CAS No 64-19-7 EC No 200-580-7 Index No 607-002-00-6	1-<5	Flam. Liq. 3 / H226 Skin Corr. 1A / H314 Eye Dam. 1 / H318		B(a) GHS-HC IOELV

Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)
Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Acetic acid %	CAS No 64-19-7 EC No 200-580-7	Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	-	-	

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Risk of blindness, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



SECTION 7: Handling and storage

Precautions for safe handling

Use extractor hood (laboratory).

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE [PP]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	acetic acid	64-19-7	IOELV	10	25	20	50				2017/ 164/EU
GB	ethanol	64-17-5	WEL	1.00 0	1.920						EH40/ 2005
GB	acetic acid	64-19-7	WEL	10	25	20	50				EH40/ 2005

Notation

TWA

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

United Kingdom (en) Page 5 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



Relevant DNELs of components												
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time						
Aluminium sulphate	10043-01-3	DNEL	13,4 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects						
Aluminium sulphate	10043-01-3	DNEL	3,8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects						

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





United Kingdom (en) Page 6 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



Respiratory protection necessary at: Aerosol or mist formation. Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour red brown

Odour stinging - like: - alcohol

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) 2 – 3 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density $1 - 1,05 \, {}^{9}/_{cm^3}$ at 20 °C

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant

United Kingdom (en) Page 7 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Acetic acid %	64-19-7	oral	LD50	3.310 ^{mg} / _{kg}	rat
Ethanol	64-17-5	oral	LD50	10.470 ^{mg} / _{kg}	rat
Ethanol	64-17-5	inhalation: va- pour	LC50	124,7 ^{mg} / _l /4h	rat
Aluminium sulphate	10043-01-3	oral	LD50	>2.000 - <5.00 0 ^{mg} / _{kg}	rat
Aluminium sulphate	10043-01-3	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

United Kingdom (en) Page 8 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



Germ cell mutagenicity

Carcinogenicity

Shall not be classified as carcinogenic.

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Shall not be classified as a specific target organ toxicant (repeated exposure).

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Data are not available.

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

Data are not available.

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Other information

none

SECTION 12: Ecological information

Shall not be classified as hazardous to the aquatic environment.

United Kingdom (en) Page 9 / 17



Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Shall not be classified as germ cell mutagenic.

Reproductive toxicity

Specific target organ toxicity - repeated exposure

Aspiration hazard

If swallowed

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

12.1 Toxicity

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



Aquatic toxicity (acute) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Acetic acid %	64-19-7	LC50	>300,8 ^{mg} / _l	fish	96 h
Acetic acid %	64-19-7	EC50	>300,8 ^{mg} / _I	aquatic invertebrates	48 h
Acetic acid %	64-19-7	ErC50	>300,8 ^{mg} / _I	algae	72 h
Ethanol	64-17-5	LC50	15.400 ^{mg} / _l	fish	96 h
Ethanol	64-17-5	EC50	>10.000 ^{mg} / _l	aquatic invertebrates	48 h
Ethanol	64-17-5	ErC50	22.000 ^{mg} / _l	algae	96 h
Aluminium sulphate	10043-01-3	LC50	>85,9 ^{mg} / _l	fish	96 h
Aluminium sulphate	10043-01-3	EC50	>0,156 ^{mg} / _l	fish	96 h
Aluminium sulphate	10043-01-3	ErC50	0,644 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ethanol	64-17-5	LC50	1.806 ^{mg} / _l	aquatic invertebrates	10 d
Ethanol	64-17-5	ErC50	675 ^{mg} / _l	algae	4 d
Aluminium sulphate	10043-01-3	EC50	>1.000 ^{mg} / _I	microorganisms	180 min

12.2 Persistence and degradability

Degradability of components

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Acetic acid %	64-19-7	biotic/abiotic	99 %	30 d		
Ethanol	64-17-5	biotic/abiotic	94 %	d		
Ethanol	64-17-5	oxygen deple- tion	69 %	5 d		ECHA
Ethanol	64-17-5	oxygen deple- tion	84 %	10 d		ECHA
Ethanol	64-17-5	oxygen deple- tion	97 %	20 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative po	tential of	f component	ts

Name of substance	CAS No	ВСБ	Log KOW	BOD5/COD
Acetic acid %	64-19-7	3,16	-0,17 (pH value: 7, 25 °C)	
Ethanol	64-17-5		-0,31	0,6211

United Kingdom (en) Page 10 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197

12.4 Mobility in soil

Data are not available.

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.



er in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

EEC, specific to the industry and process.

Properties of waste which render it hazardous

13.3 Remarks

waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number or 1	ID numb	per not	t sı	ıbje	ct t	o ti	ransport	: regu	latio	ns
------	----------------	---------	----------------	------	------	------	------	----------	--------	-------	----

14.2 UN proper shipping name not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Page 11 / 17 United Kingdom (en)



12.5 Results of PBT and vPvB assessment

12.6 Endocrine disrupting properties

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/contain-

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the

HP 4 irritant - skin irritation and eye damage

Waste shall be separated into the categories that can be handled separately by the local or national

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

Deco-Paint Directive

VOC content	9,89 %
VOC content (Water content was discounted)	1.007 ^g / _l

Industrial Emissions Directive (IED)

VOC content	9,89 %
VOC content (Water content was discounted)	1.007 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

•				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Aluminium sulphate	Metals and their compounds		a)	
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

United Kingdom (en) Page 12 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Ethanol	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Ethanol	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

United Kingdom (en) Page 13 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



Country	Inventory	Status
US	TSCA	all ingredients are listed (ACTIVE)
Logond		

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC CICR CSCL-ENCS

DSL ECSI IECSC INSQ ISHA-ENCS Domestic Substances List (DSL)

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)

KECI

NZIoC PICCS

REACH Reg. REACH registered substances

TCSI TSCA Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2	Signal word: Warning	Signal word: Danger	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Hazardous ingredients for labelling: Aluminium sulphate, Acetic acid %	yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: Not subject to ADR, RID and ADN.		yes

United Kingdom (en) Page 14 / 17

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: None of the ingredients are listed.		yes
15.1	VOC content: 9,8 % 2.035 ^g / _l	VOC content: 9,89 %	yes
15.1		VOC content (Water content was discounted): 1.007 ^g / _l	yes
15.1	VOC content: 9,8 %	VOC content: 9,89 %	yes
15.1	VOC content (Water content was discounted): 2.035 ^g / _l	VOC content (Water content was discounted): 1.007 ⁹ / _I	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1	Regulation on drug precursors: none of the ingredients are listed		yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand

United Kingdom (en) Page 15 / 17

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



DGR Dangerous Goods Regulations (see IATA/DGR) DNEL Derived No-Effect Level ECSO Effective Concentration 50 %. The ECSO corresponds to the concentration of a tested substance causing 50 % changes in response (e.g., on growth) during a specified time interval EC No The EC Inventory (EINECS, ELINCS and the NLP-IASI) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) ED Endocrine disruptor EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European Issue of Notified Chemical Substances ELINCS European List of Notified Chemical Substances ELINCS European List of Notified Chemical Substances ECSO = ECSO: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbCSO) or growth rate (ErCSO) relative to the control Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Flam. Liq. Flammable liquid GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, S1 2019/758 (as amended) GH5 "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) IATA International Airi Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VT to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval IOG KOW no-Cotranol/water Met. Corr. Substance or mixture corrosive to metals NLP Persistent, Bioaccumulative and Toxic ppm	Abbr.	Descriptions of used abbreviations				
ECSO Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) ED Endocrine disruptor EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ELINCS European List of Notified Chemical Substances EC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (EC50) relative to the control Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Eye Irrit. Irritant to the eye Flam. Liq. Flammable liquid GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/OCR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Skin Corr. Corrosive to skin	DGR	Dangerous Goods Regulations (see IATA/DGR)				
EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) ED Endocrine disruptor EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ECC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EC50) or growth rate (ErC50) relative to the control Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Flam. Liq. Flammable liquid GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA International Air Transport Association IATA Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation Authorisation and Restriction of Chemicals RID Règlement concernant le transport International carriage of Dangerous goods by Rail)	DNEL	Derived No-Effect Level				
Filer of substances commercially available within the EU (European Union) ED Endocrine disruptor EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ELINCS European List of Notified Chemical Substances ECC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth f(EbC50) or growth rate (ErC50) relative to the control Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Flam. Liq. Flammable liquid GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GH5 "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations 10ns. IATA International Air Transport Association IATA International Air Transport Association IATA International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Persistent, Bioaccumulative and Toxic Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International carriage of Dangerous goods by Rail)	EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance can 50 % changes in response (e.g. on growth) during a specified time interval				
EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ECC50 #EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Flam. Liq. Flammable liquid GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Air Irransport Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1277/27008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP Persistent, Bioaccumulative and Toxic ppm Persistent, Bioaccumulative and Toxic Parts per million ReaCH Registration, Evaluation, Authorisation and Restriction of Chemicals Skin Corr. Corrosive to skin	EC No					
EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ELINCS European List of Notified Chemical Substances ECSO: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbCSO) or growth rate (ErCSO) relative to the control Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Flam. Liq. Flammable liquid GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer Persistent, Bioaccumulative and Toxic ppm Persistent, Bioaccumulative and Toxic ppr Persistent, Bioaccumulative and Toxic Registration, Evaluation, Authorisation and Restriction of Chemicals RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	ED	Endocrine disruptor				
ELINCS European List of Notified Chemical Substances ErC50 EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Flam. Liq. GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	EH40/2005					
ErC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Flam. Liq. Flammable liquid GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	EINECS	European Inventory of Existing Commercial Chemical Substances				
Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Flam. Liq. Flammable liquid GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations corresponds to skin	ELINCS	European List of Notified Chemical Substances				
Eye Irrit. Flam. Liq. Flammable liquid GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	ErC50					
Flam. Liq. GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	Eye Dam.	Seriously damaging to the eye				
GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	Eye Irrit.	Irritant to the eye				
GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	Flam. Liq.	Flammable liquid				
IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)				
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	GHS					
International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	IATA	International Air Transport Association				
IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)				
index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	ICAO	International Civil Aviation Organization				
IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	IMDG	International Maritime Dangerous Goods Code				
LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	index No					
LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	IOELV	Indicative occupational exposure limit value				
specified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	LC50					
Met. Corr. Substance or mixture corrosive to metals NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval				
NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	log KOW	n-Octanol/water				
PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	Met. Corr.	Substance or mixture corrosive to metals				
ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	NLP	No-Longer Polymer				
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	PBT	Persistent, Bioaccumulative and Toxic				
RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	ppm	Parts per million				
tions concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals				
	RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)				
Skin Irrit. Irritant to skin	Skin Corr.	Corrosive to skin				
	Skin Irrit.	Irritant to skin				

Page 16 / 17 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 1

article number: 9197



Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199 date of compilation: 2015-09-08 Version: **4.0 en** Revision: 2023-12-01

Replaces version of: 2022-04-12

Version: (3)



Product identifier 1.1

Identification of the substance PAP fast staining - Solution 2

Article number 9199

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Uses advised against:

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

United Kingdom (en) Page 1 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.8	Specific target organ toxicity - single exposure	1	STOT SE 1	H370
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

Supplemental hazard information

Code	Supplemental hazard information
EUH208	contains Aniline, Eosin G (C.I. 45380). May produce an allergic reaction

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS07, GHS08







Hazard statements

H225 Highly flammable liquid and vapour

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H319 Causes serious eye irritation H370 Causes damage to organs (eye)

H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor

Supplemental hazard information

EUH208 Contains Aniline, Eosin G (C.I. 45380). May produce an allergic reaction.

Hazardous ingredients for labelling:Methanol, Aniline, Ethylene glycol

United Kingdom (en) Page 2 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ethanol	CAS No 64-17-5	55 - < 60	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	<u>(4)</u>	GHS-HC
	EC No 200-578-6				
	Index No 603-002-00-5				
Methanol	CAS No 67-56-1	20 - < 25	Flam. Liq. 2 / H225 Acute Tox. 3 / H301		GHS-HC IOELV
	EC No 200-659-6	Acu	Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370		
	Index No 603-001-00-X				
Ethylene glycol	CAS No 107-21-1	1-<5	Acute Tox. 4 / H302 STOT RE 2 / H373	<u>(!)</u>	GHS-HC IOELV
	EC No 203-473-3				
	Index No 603-027-00-1				
Eosin G (C.I. 45380)	CAS No 17372-87-1	<1	Eye Irrit. 2 / H319 Skin Sens. 1 / H317	<u>(!)</u>	
	EC No 241-409-6				
Aniline	CAS No 62-53-3	<1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331		GHS-HC IARC: 2A IOELV
	EC No 200-539-3		Eye Dam. 1 / H318 Skin Sens. 1 / H317 Muta. 2 / H341		IOLLV
	Index No 612-008-00-7		Carc. 2 / H351 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	W	

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

IARC: IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)

2A: IOELV: Substance with a community indicative occupational exposure limit value

United Kingdom (en) Page 3 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Methanol	CAS No 67-56-1 EC No 200-659-6	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 ^{mg} / _{kg} 300 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral dermal inhalation: va- pour
Ethylene glycol	CAS No 107-21-1 EC No 203-473-3	-	-	500 ^{mg} / _{kg}	oral
Aniline	CAS No 62-53-3 EC No 200-539-3	STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 %	-	100 ^{mg} / _{kg} 300 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral dermal inhalation: va- pour

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, Vertigo, Headache,

Following skin contact: Has degreasing effect on the skin,

After eye contact: Conjunctival redness of the eyes, Conjunctivitis (pink eye),

Following ingestion: Abdominal pain, Malaise, Vomiting, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, Loss of righting reflex, and ataxia, Serious physical decay of vision, Risk of blindness, Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 4 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 5 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

United Kingdom (en) Page 6 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	ethylene glycol	107-21-1	IOELV	20	52	40	104			Τ	2000/39/ EC
EU	aniline	62-53-3	IOELV	2	7,74	5	19,35			skin, H	2019/ 1831/EU
EU	methanol	67-56-1	IOELV	200	260					Н	2006/15/ EC
GB	ethane-1,2-diol	107-21-1	WEL		10					particl e	EH40/ 2005
GB	ethane-1,2-diol	107-21-1	WEL	20	52	40	104			vap	EH40/ 2005
GB	aniline	62-53-3	WEL	1	4						EH40/ 2005
GB	ethanol	64-17-5	WEL	1.00	1.920						EH40/ 2005
GB	methanol	67-56-1	WEL	200	266	250	333				EH40/ 2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur Absorbed through the skin

particle skin As airborne particles A skin notation assigned to the occupational exposure limit value indicates the possibility of significant uptake

through the skin

STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA

hours time-weighted average (unless otherwise specified)

vap As vapours

Relevant DNELs of components

Relevant Divers	Relevant Divers of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects			
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects			
Methanol	67-56-1	DNEL	130 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects			
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects			
Ethylene glycol	107-21-1	DNEL	35 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects			

United Kingdom (en) Page 7 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Ethylene glycol	107-21-1	DNEL	106 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aniline	62-53-3	DNEL	7,7 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Aniline	62-53-3	DNEL	15,4 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Aniline	62-53-3	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aniline	62-53-3	DNEL	4 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure tim
Methanol	67-56-1	PNEC	20,8 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Methanol	67-56-1	PNEC	2,08 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Methanol	67-56-1	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Methanol	67-56-1	PNEC	7,7 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Methanol	67-56-1	PNEC	100 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
Ethylene glycol	107-21-1	PNEC	10 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Ethylene glycol	107-21-1	PNEC	1 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Ethylene glycol	107-21-1	PNEC	199,5 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Ethylene glycol	107-21-1	PNEC	37 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Ethylene glycol	107-21-1	PNEC	3,7 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Ethylene glycol	107-21-1	PNEC	1,53 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sin instance)
Aniline	62-53-3	PNEC	0,001 ^{mg} / _l	aquatic organ- isms		
Aniline	62-53-3	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Aniline	62-53-3	PNEC	2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sin- instance)

United Kingdom (en) Page 8 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Aniline	62-53-3	PNEC	0,153 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Aniline	62-53-3	PNEC	0,015 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Aniline	62-53-3	PNEC	0,033 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

0.7mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

United Kingdom (en) Page 9 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour red brown
Odour like: - alcohol

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling

range

65 – 78 °C at 1.013 hPa

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 3,1 vol% (LEL) - 27 vol% (UEL) (data apply to the

main component)

Flash point 9 – 12 °C at 1.013 hPa

Auto-ignition temperature 455 °C

Decomposition temperature not relevant pH (value) $6-7 (20 \,^{\circ}\text{C})$

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density $0.82 \, {}^{9}/_{cm^3}$ at 20 ${}^{\circ}$ C

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

United Kingdom (en) Page 10 / 25



acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Oxidisers, Perchlorates, Nitrogen oxides (NOx), Chlorates, Halogenated hydrocarbons, Hydrogen peroxide, Nitric acid, Sulphuric acid,

Exothermic reaction with: Reducing agents, Acids, Chlorine, Chloroform, Acid chlorides, inorganic, **Dangerous/dangerous reactions with:** Fluorine, Alkali metals, Alkaline earth metal, strong oxidiser

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

aluminium, iron, zinc, different plastics, Rubber articles

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

United Kingdom (en) Page 11 / 25



acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Methanol	67-56-1	oral	100 ^{mg} / _{kg}
Methanol	67-56-1	dermal	300 ^{mg} / _{kg}
Methanol	67-56-1	inhalation: vapour	3 ^{mg} / _l /4h
Ethylene glycol	107-21-1	oral	500 ^{mg} / _{kg}
Aniline	62-53-3	oral	100 ^{mg} / _{kg}
Aniline	62-53-3	dermal	300 ^{mg} / _{kg}
Aniline	62-53-3	inhalation: vapour	3 ^{mg} / _l /4h

Acute toxicity of components

Name of substance	CACNIC	Evenosius	Englasias	Volue	Cuacias
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ethanol	64-17-5	oral	LD50	10.470 ^{mg} / _{kg}	rat
Ethanol	64-17-5	inhalation: va- pour	LC50	124,7 ^{mg} / _l /4h	rat
Methanol	67-56-1	inhalation: va- pour	LC50	131 ^{mg} / _l /4h	rat
Methanol	67-56-1	oral	LD50	5.628 ^{mg} / _{kg}	rat
Methanol	67-56-1	oral	LDLo	143 ^{mg} / _{kg}	human
Methanol	67-56-1	dermal	LD50	15.800 ^{mg} / _{kg}	rabbit
Ethylene glycol	107-21-1	dermal	LD50	>3.500 ^{mg} / _{kg}	mouse
Ethylene glycol	107-21-1	oral	LD50	4.700 ^{mg} / _{kg}	rat
Aniline	62-53-3	oral	LD50	442 ^{mg} / _{kg}	rat
Eosin G (C.I. 45380)	17372-87-1	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Eosin G (C.I. 45380)	17372-87-1	dermal	LD50	>2.000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Contains Aniline, Eosin G (C.I. 45380). May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

United Kingdom (en) Page 12 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Specific target organ toxicity - single exposure

Causes damage to organs (eye).

Hazard category	Target organ	Exposure route
1	eye	if exposed

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

abdominal pain, vomiting, loss of righting reflex, and ataxia, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, risk of blindness

• If in eyes

conjunctivitis (pink eye), Causes serious eye irritation

If inhaled

vertigo, cough, headache

• If on skin

May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ethanol	64-17-5	LC50	15.400 ^{mg} / _l	fish	96 h
Ethanol	64-17-5	EC50	>10.000 ^{mg} / _l	aquatic invertebrates	48 h
Ethanol	64-17-5	ErC50	22.000 ^{mg} / _l	algae	96 h
Methanol	67-56-1	LC50	15.400 ^{mg} / _l	fish	96 h
Methanol	67-56-1	ErC50	22.000 ^{mg} / _l	algae	96 h
Ethylene glycol	107-21-1	LC50	>72.860 ^{mg} / _l	fish	96 h

United Kingdom (en) Page 13 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Aquatic toxicity (acute) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ethylene glycol	107-21-1	EC50	>100 ^{mg} / _l	daphnia magna	48 h
Ethylene glycol	107-21-1	ErC50	<13.000 ^{mg} / _l	algae	96 h
Aniline	62-53-3	LC50	10,6 ^{mg} / _l	fish	96 h
Aniline	62-53-3	EC50	0,16 ^{mg} / _l	aquatic invertebrates	48 h
Aniline	62-53-3	ErC50	175 ^{mg} / _l	algae	72 h
Eosin G (C.I. 45380)	17372-87-1	LC50	>100 ^{mg} / _l	fish	96 h
Eosin G (C.I. 45380)	17372-87-1	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h
Eosin G (C.I. 45380)	17372-87-1	ErC50	51,3 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ethanol	64-17-5	LC50	1.806 ^{mg} / _l	aquatic invertebrates	10 d
Ethanol	64-17-5	ErC50	675 ^{mg} / _l	algae	4 d
Ethylene glycol	107-21-1	LC50	>1.500 ^{mg} / _l	fish	28 d
Ethylene glycol	107-21-1	EC50	>15.000 ^{mg} / _l	aquatic invertebrates	21 d
Aniline	62-53-3	EC50	0,044 ^{mg} / _l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Degradability of components

- eg. adamsy er eempenene								
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source		
Ethanol	64-17-5	biotic/abiotic	94 %	d				
Ethanol	64-17-5	oxygen deple- tion	69 %	5 d		ECHA		
Ethanol	64-17-5	oxygen deple- tion	84 %	10 d		ECHA		
Ethanol	64-17-5	oxygen deple- tion	97 %	20 d		ECHA		
Methanol	67-56-1	biotic/abiotic	99 %	30 d				
Methanol	67-56-1	oxygen deple- tion	69 %	5 d		ECHA		
Ethylene glycol	107-21-1	biotic/abiotic	83 – 96 %	14 d				
Ethylene glycol	107-21-1	DOC removal	90 – 100 %	10 d		ECHA		
Aniline	62-53-3	oxygen deple- tion	70 %	15 d		ECHA		
Aniline	62-53-3	DOC removal	100 %	5 d		ECHA		

United Kingdom (en) Page 14 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Degradability of components

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Eosin G (C.I. 45380)	17372-87-1	oxygen deple- tion	94,56 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Ethanol	64-17-5		-0,31	0,6211
Methanol	67-56-1		-0,77	
Ethylene glycol	107-21-1		-1,36	
Aniline	62-53-3	2,6	0,91 (pH value: 7,5, 25 °C)	
Eosin G (C.I. 45380)	17372-87-1		-1,33	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

United Kingdom (en) Page 15 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Properties of waste which render it hazardous

HP3 flammable

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

HP 6 acute toxicity

HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 1987
IMDG-Code UN 1987
ICAO-TI UN 1987

14.2 UN proper shipping name

ADRRID ALCOHOLS, N.O.S.

IMDG-Code ALCOHOLS, N.O.S.

ICAO-TI Alcohols, n.o.s.

Technical name (hazardous ingredients) Ethanol, Aniline

14.3 Transport hazard class(es)

ADRRID 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

United Kingdom (en) Page 16 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name ALCOHOLS, N.O.S.

Particulars in the transport document UN1987, ALCOHOLS, N.O.S., (contains: Ethanol,

Aniline), 3, II, (D/E), special provision 640D

Classification code F1
Danger label(s) 3



Special provisions (SP) 274, 601, 640D

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 33
Emergency Action Code 3YE

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code F1
Danger label(s) 3



Special provisions (SP) 274, 601, 640D

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 33

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ALCOHOLS, N.O.S.

Particulars in the shipper's declaration UN1987, ALCOHOLS, N.O.S., (contains: Ethanol,

Aniline), 3, II, 9°C c.c.

Marine pollutant -

Danger label(s) 3



Special provisions (SP) 274
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

United Kingdom (en) Page 17 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199

EmS F-E, S-D

Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Alcohols, n.o.s.

Particulars in the shipper's declaration UN1987, Alcohols, n.o.s., (contains: Ethanol, Anil-

ine), 3, IÍ

Danger label(s)



Special provisions (SP) A3, A180

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes	
22	methanol	500 5.000		

Deco-Paint Directive

VOC content	90,6 %
VOC content (Water content was discounted)	798,7 ^g / _l

Industrial Emissions Directive (IED)

VOC content	90,6 %
VOC content (Water content was discounted)	798,7 ^g / _I

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

United Kingdom (en) Page 18 / 25



acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Eosin G (C.I. 45380)	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	
Eosin G (C.I. 45380)	Metals and their compounds		a)	
Aniline	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		a)	
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

a) ¯

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

United Kingdom (en) Page 19 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Restrictions according to GB REACH, Annex 17

Name of substance	Name acc. to inventory	CAS No	No
PAP fast staining - Solution 2	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Ethanol	flammable / pyrophoric		40
Methanol	Methanol	67-56-1	69
Methanol	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Important National Inventory of Chemical Substances

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)

ISHA-ENCS KECI

REACH Reg. REACH registered substances

TCSI TSCA Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical safety assessment

United Kingdom (en) Page 20 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Supplemental hazard information: change in the listing (table)	yes
2.2		Supplemental hazard information: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Aniline, Methanol, Ethylene glycol	Hazardous ingredients for labelling: Methanol, Aniline, Ethylene glycol	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Aniline, Methanol, Ethylene glycol		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
14.8	Classification code: 3	Classification code: F1	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: None of the ingredients are listed.		yes
15.1	VOC content: 100 % 800 ^g / _l	VOC content: 90,6 %	yes
15.1		VOC content (Water content was discounted): 798,7 ⁹ / _l	yes
15.1	VOC content: 100 %	VOC content: 90,6 %	yes

United Kingdom (en) Page 21 / 25

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1	VOC content: 800 ^g / _l	VOC content (Water content was discounted): 798,7 ⁹ / _l	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1	Regulation on drug precursors: none of the ingredients are listed		yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/1831/EU	Commission Directive establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

United Kingdom (en) Page 22 / 25

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

Page 23 / 25 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H370	Causes damage to organs (eye).
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

United Kingdom (en) Page 24 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

PAP fast staining - Solution 2

article number: 9199



Code	Text
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 25 / 25