

# FLYLEAF

# Article: 9202 ROTI®DAB Kit

# for immunochemistry

Date of compilation: 2022-10-05

# **1** Composition/information on ingredients

### **Bill of materials**

Name of substance	Identifier	Num ber of piece s	Classification acc. to GHS	Pictograms	Page
ROTI®-DAB-Solution	Article number 9869	1	Muta. 2 / H341 Carc. 2 / H351 STOT RE 2 / H373		4 - 18
ROTI®-DAB-Buffer	Article number 9870	1	Repr. 1B / H360D		19 - 32
ROTI®-DAB-activation re- agent	Article number 9871	1			33 - 45



# Article: 9202 **ROTI**®**DAB** Kit

#### 2 Hazards identification

#### 2.1 Label elements

Signal word Danger

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

### **Pictograms**

Danger.



### Hazard statement(s)

H302	Harmful if swallowed
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H360D	May damage the unborn child
H373	May cause damage to organs through prolonged or repeated exposure

### **Precautionary statements**

### **Precautionary statements - prevention**

P260	Do not breathe dust/fume/gas/mist/vapours/spray
P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P308+P313	IF exposed or concerned: Get medical advice/attention
D214	

P314 Get medical advice/attention if you feel unwell P330 Rinse mouth

### **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

### **Additional labelling requirements**

For professional users only.

#### 3 **Transport information**

#### 3.1 **UN number**

- 3.2 **UN proper shipping name**
- Transport hazard class(es) 3.3
- **Packing group** 3.4
- 3.5 **Environmental hazards**
- 3.6 Special precautions for user
- - There is no additional information.
- not assigned non-environmentally hazardous acc. to the dangerous goods regulations

not assigned

not assigned

not subject to transport regulations

3.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.



# Article: 9202 ROTI®DAB Kit

### 3.8 Information for each of the UN Model Regulations Transport informationNational regulationsAdditional information(UN RTDG) not assigned International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG. International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**

article number: **9869** Version: **GHS 2.0 en** Replaces version of: 2016-11-10 Version: (GHS 1)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

**ROTI®-DAB-Solution** 

9869

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.6	Carcinogenicity	2	Carc. 2	H351
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16

**The most important adverse physicochemical, human health and environmental effects** Delayed or immediate effects can be expected after short or long-term exposure.



date of compilation: 2016-11-10 Revision: 2022-10-05

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**

article number: 9869

### 2.2 Label elements

### Labelling

Signal word Warning

### **Pictograms**

GHS08



### **Hazard statements**

H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H373	May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed)

### **Precautionary statements**

### **Precautionary statements - prevention**

P202	Do not handle until all safety precautions have been read and understood
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary statements - response**

P308+P313	IF exposed or concerned: Get medical advice/attention
P314	Get medical advice/attention if you feel unwell

### **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

For professional users only

Hazardous ingredients for labelling:

Ethylene glycol, 3,3'-Diaminobenzidine tetrahydrochloride

### 2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

3.1 Substances

not relevant (mixture)

3.2 Mixtures



acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**



article number: 9869

Description of the mixture									
Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes				
Ethylene glycol	CAS No 107-21-1	≥85	Acute Tox. 4 / H302 STOT RE 2 / H373						
3,3'-Diaminobenzid- ine tetrahydrochloride	CAS No 7411-49-6	< 10	Skin Irrit. 2 / H315 Eye Irrit. 2A / H319 Muta. 2 / H341 Carc. 2 / H351 STOT SE 3 / H335	(!)					

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower.

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following ingestion**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Fatigue, Vertigo, Agitation, Diarrhoea, Vomiting, Nausea, Unconsciousness

# 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**

® ROTH

#### article number: 9869

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place. Keep in a cool place. Hygroscopic.

### Incompatible substances or mixtures

Observe hints for combined storage.

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**

article number: 9869

Protect against external exposure, such as

humidity

**Consideration of other advice:** 

### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	ethylene glycol (eth- anediol)	107-21-1	WES		10						WES
AU	ethylene glycol (eth- anediol)	107-21-1	WES	20	52	40	104			vap	WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) STEL

TWA As vapours

vap

Relevant DNELs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
Ethylene glycol	107-21-1	DNEL	35 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects				
Ethylene glycol	107-21-1	DNEL	106 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				

### **Relevant PNECs of components of the mixture**

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Ethylene glycol	107-21-1	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Ethylene glycol	107-21-1	PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Ethylene glycol	107-21-1	PNEC	199.5 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Ethylene glycol	107-21-1	PNEC	37 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**



article number: 9869

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Ethylene glycol	I 107-21-1 PNEC 3.7 <sup>mg</sup> / <sub>kg</sub>		3.7 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)	
Ethylene glycol	107-21-1	PNEC	1.53 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

### **Skin protection**



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,3 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**

article number: 9869

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties Physical state liquid Colour colourless - light yellow Odour characteristic -13 °C Melting point/freezing point Boiling point or initial boiling point and boiling 198 °C range Flammability this material is combustible, but will not ignite readily Lower and upper explosion limit 3.2 vol% (LEL) - 43 vol% (UEL) Flash point 120 °C Auto-ignition temperature >380 °C Decomposition temperature not relevant pH (value) 6 – 7 (20 °C) Kinematic viscosity not determined Solubility(ies) Water solubility 1,000 <sup>g</sup>/<sub>l</sub> at 20 °C Partition coefficient Partition coefficient n-octanol/water (log value): this information is not available 0.12 hPa at 25 °C Vapour pressure Density and/or relative density Density $1.1 \,^{\text{g}}/_{\text{cm}^3}$ Relative vapour density information on this property is not available Particle characteristics not relevant (liquid) Other safety parameters Oxidising properties none 9.2 **Other information** Information with regard to physical hazard hazard classes acc. to GHS classes: (physical hazards): not relevant Other safety characteristics: There is no additional information.

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**

article number: 9869

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### If heated

Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Exothermic reaction with:** Sulphuric acid, Alkali hydroxide (caustic alkali), Aluminium, Nitric acid, **Risk of ignition:** Chlorates, Permanganates, Peroxides, strong oxidiser

### 10.4 Conditions to avoid

Protect from moisture. Keep away from heat.

### 10.5 Incompatible materials

aluminium, zinc

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### **11.1** Information on toxicological effects

Test data are not available for the complete mixture.

### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### **Classification acc. to GHS**

### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ethylene glycol	107-21-1	dermal	LD50	>3,500 <sup>mg</sup> / <sub>kg</sub>	mouse
Ethylene glycol	107-21-1	oral	LD50	4,700 <sup>mg</sup> / <sub>kg</sub>	rat

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.





acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**



article number: 9869

### Germ cell mutagenicity

Suspected of causing genetic defects.

### Carcinogenicity

Suspected of causing cancer.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
2	kidney	if swallowed

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

diarrhoea, vomiting, nausea, Liver and kidney damage

• If in eyes

essentially non-irritating

• If inhaled

Data are not available.

• If on skin

essentially non-irritating

### • Other information

Other adverse effects: Loss of righting reflex, and ataxia, Unconsciousness, Drowsiness, Agitation

### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Ethylene glycol	107-21-1	LC50	>72,860 <sup>mg</sup> / <sub>l</sub>	fish	96 h	
Ethylene glycol	107-21-1	EC50	>100 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h	
Ethylene glycol	107-21-1	ErC50	<13,000 <sup>mg</sup> / <sub>l</sub>	algae	96 h	

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**



article number: 9869

Aquatic toxicity (chronic) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ethylene glycol	107-21-1	LC50	>1,500 <sup>mg</sup> / <sub>l</sub>	fish	28 d
Ethylene glycol	107-21-1	EC50	>15,000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d

### **Biodegradation**

Data are not available.

### 12.2 Process of degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Ethylene glycol	107-21-1	biotic/abiotic	83 – 96 %	14 d		
Ethylene glycol	107-21-1	DOC removal	90 – 100 %	10 d		ECHA

### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potentia	l of componen	ts of the mixt	ure	
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Ethylene glycol	107-21-1		-1.36	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**

® §ROTH

article number: 9869

### Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H11 Toxic (Delayed or chronic)

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

### 14.1 UN number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

### **14.6** Special precautions for user There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

**Transport informationNational regulationsAdditional information(UN RTDG)** Not subject to transport regulations. UN RTDG

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

### National regulations(Australia)

### Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

not subject to transport regulations

not assigned

not assigned

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**

article number: 9869



#### National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

### Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure.	yes

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**

article number: 9869

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Precautionary statements - disposal: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Hazardous ingredients for labelling: Ethylene glycol, 3,3'-Diaminobenzidine tetrahy- drochloride	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances



acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**

® ROTH

article number: **9869** 

Abbr.	Descriptions of used abbreviations						
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control						
Eye Dam.	Seriously damaging to the eye						
Eye Irrit.	Irritant to the eye						
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions						
IATA	International Air Transport Association						
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)						
ICAO	International Civil Aviation Organization						
IMDG	International Maritime Dangerous Goods Code						
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval						
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval						
LEL	Lower explosion limit (LEL)						
log KOW	n-Octanol/water						
Muta.	Germ cell mutagenicity						
NLP	No-Longer Polymer						
PBT	Persistent, Bioaccumulative and Toxic						
PNEC	Predicted No-Effect Concentration						
ppm	Parts per million						
Skin Corr.	Corrosive to skin						
Skin Irrit.	Irritant to skin						
STEL	Short-term exposure limit						
STOT RE	Specific target organ toxicity - repeated exposure						
STOT SE	Specific target organ toxicity - single exposure						
TWA	Time-weighted average						
UEL	Upper explosion limit (UEL)						
UN RTDG	UN Recommendations on the Transport of Dangerous Good						
vPvB	Very Persistent and very Bioaccumulative						
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants						

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Solution**



article number: 9869

### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text			
H302	Harmful if swallowed.			
H315	Causes skin irritation.			
H319	Causes serious eye irritation.			
H335	May cause respiratory irritation.			
H341	Suspected of causing genetic defects.			
H351	Suspected of causing cancer.			
H373	May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).			

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

® Roth

date of compilation: 2016-11-10

Revision: 2022-10-05

article number: **9870** Version: **GHS 2.0 en** Replaces version of: 2016-11-10 Version: (GHS 1)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

**ROTI®-DAB-Buffer** 

9870

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification acc. to GHS

Section	ection Hazard class		Hazard class and category	Hazard statement
3.7	Reproductive toxicity	1B	Repr. 1B	H360D

For full text of abbreviations: see SECTION 16

### 2.2 Label elements

Labelling

Signal word Danger

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

article number: 9870



Pictograms	
GHS08	
Hazard state	ments
H360D	May damage the unborn child
Precautionar	y statements
Precautionar	y statements - prevention
P202 P280	Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection
Precautionar	y statements - response
P308+P313	IF exposed or concerned: Get medical advice/attention
Precautionar	y statements - storage
P405	Store locked up
Precautionar	y statements - disposal
P501	Dispose of contents/container to industrial combustion plant
For professior	nal users only
Hazardous in	gredients for labelling: Imidazole
Other hazard	s
Results of PB	T and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Imidazole	CAS No 288-32-4	< 1	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Repr. 1B / H360D		

For full text of abbreviations: see SECTION 16

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

article number: 9870

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower.

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following ingestion**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.



acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

article number: 9870

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid exposure.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

### 7.3 Specific end use(s)

No information available.



acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

article number: 9870

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **National limit values**

### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

### **Relevant DNELs of components of the mixture**

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Imidazole	288-32-4	DNEL	10.6 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Imidazole	288-32-4	DNEL	1.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### **Relevant PNECs of components of the mixture**

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Imidazole	288-32-4	PNEC	0.13 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Imidazole	288-32-4	PNEC	0.013 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Imidazole	288-32-4	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Imidazole	288-32-4	PNEC	0.336 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Imidazole	288-32-4	PNEC	0.034 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Imidazole	288-32-4	PNEC	0.043 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

**Skin protection** 





acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

article number: 9870



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

### • type of material

NBR (Nitrile rubber)

### material thickness

>0,11 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Usually no personal respirative protection necessary.

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	~100 °C at 1,013 hPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	7 – 8 (20 °C)
Kinematic viscosity	not determined

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

article number: 9870



Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	23 hPa at 20 °C
Density and/or relative density	
Density	1 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
	not relevant (ilquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	
Miscibility	completely miscible with water

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

# 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### **10.5** Incompatible materials

There is no additional information.

### **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5.

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

article number: 9870

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification acc. to GHS

### Acute toxicity

Shall not be classified as acutely toxic.

	Acute toxicity estimate (ATE) of components of the mixture					
	Name of substance	CAS No	Exposure route	ATE		
Imidazole		288-32-4	oral	970 <sup>mg</sup> / <sub>kg</sub>		

### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Imidazole	288-32-4	oral	LD50	970 <sup>mg</sup> / <sub>kg</sub>	rat

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

May damage the unborn child.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

Data are not available.



acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

article number: 9870

### • If in eyes

Data are not available.

### • If inhaled

Data are not available.

### • If on skin

Data are not available.

### • Other information

none

### **11.2** Endocrine disrupting properties

None of the ingredients are listed.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Imidazole	288-32-4	LC50	283.6 <sup>mg</sup> / <sub>l</sub>	fish	48 h		
Imidazole	288-32-4	EC50	341.5 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h		
Imidazole	288-32-4	ErC50	133 <sup>mg</sup> / <sub>l</sub>	algae	72 h		

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Imidazole	288-32-4	EC50	>1,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	30 min

### **Biodegradation**

Data are not available.

### 12.2 Process of degradability

Degradability of components of the mixture							
Name of substance			Degrada- Time tion rate		Method	Source	
Imidazole	e 288-32-4 biotic/abiotic		86 %	19 d			
Imidazole	288-32-4	DOC removal	90 – 100 %	18 d		ECHA	

### 12.3 Bioaccumulative potential

Data are not available.



acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

® Roth

article number: 9870

Bioaccumulative potential of components of the mixture						
Name of substance CAS No BCF Log KOW BOD						
Imidazole	Imidazole 288-32-4 0.0586					

### 12.4 Mobility in soil

Data are not available.

# 12.5 Results of PBT and vPvB assessment

Data are not available.

### **12.6 Endocrine disrupting properties** None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

### 14.1 UN number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not assigned

not subject to transport regulations

- not assigned
- not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

- **14.6** Special precautions for user There is no additional information.
- **14.7** Transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

### **Transport informationNational regulationsAdditional information(UN RTDG)** Not subject to transport regulations. UN RTDG

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

® Roth

article number: 9870

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

### National regulations(Australia)

### Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status			
AU	AIIC	all ingredients are listed			
CA	DSL	all ingredients are listed			
CN	IECSC	all ingredients are listed			
EU	ECSI	all ingredients are listed			
EU	REACH Reg.	all ingredients are listed			
JP	CSCL-ENCS	all ingredients are listed			
KR	KECI	all ingredients are listed			
MX	INSQ	all ingredients are listed			
NZ	NZIoC	all ingredients are listed			
PH	PICCS	all ingredients are listed			
TR	CICR	not all ingredients are listed			
TW	TCSI	all ingredients are listed			
US	TSCA	all ingredients are listed			

### Legend

AIIC CICR	Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation
	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

article number: 9870



# **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

# Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1	Classification according to Regulation (EC) No 1272/2008 (CLP): This mixture does not meet the criteria for clas- sification in accordance with Regulation No 1272/2008/EC.	Classification acc. to GHS	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2	Labelling according to Regulation (EC) No 1272/ 2008 (CLP): not required	Labelling	yes
2.2	Signal word: not required	Signal word: Danger	yes
2.2		Pictograms	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements	yes
2.2		Precautionary statements - prevention	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Precautionary statements - storage	yes
2.2		Precautionary statements - storage: change in the listing (table)	yes
2.2		Precautionary statements - disposal	yes
2.2		Precautionary statements - disposal: change in the listing (table)	yes
2.2		Hazardous ingredients for labelling: Imidazole	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**

article number: 9870

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Repr.	Reproductive toxicity
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data



acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-Buffer**



#### article number: 9870

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text				
H302	Harmful if swallowed.				
H314	Causes severe skin burns and eye damage.				
H318	Causes serious eye damage.				
H360D	May damage the unborn child.				

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-activation reagent**

#### article number: **9871** Version: **GHS 1.0 en**

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

### **ROTI®-DAB-activation reagent**

9871

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### **1.4** Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification acc. to GHS

This mixture does not meet the criteria for classification.

### 2.2 Label elements

### Labelling

not required



date of compilation: 2022-10-05

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-activation reagent**

article number: 9871

### 2.3 Other hazards

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrogen peroxide solution %	CAS No 7722-84-1	< 1	Ox. Liq. 1 / H271 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Corr. 1A / H314 Eye Dam. 1 / H318 STOT SE 3 / H335		B(a)

Notes

B(a): The classification refers to an aqueous solution

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

No special measures are necessary.

### Following inhalation

Provide fresh air.

#### Following skin contact

Rinse skin with water/shower.

### Following eye contact

Rinse cautiously with water for several minutes.

### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# **4.3 Indication of any immediate medical attention and special treatment needed** none



acc. to Safe Work Australia - Code of Practice



### **ROTI®-DAB-activation reagent**

article number: 9871

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

No special measures are necessary.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Safe Work Australia - Code of Practice



### **ROTI®-DAB-activation reagent**

article number: 9871

### **SECTION 7: Handling and storage**

**Precautions for safe handling** 7.1

No special measures are necessary.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

**Consideration of other advice:** 

Specific designs for storage rooms or vessels Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	hydrogen peroxide	7722-84- 1	WES	1	1.4						WES

Notation

ſ

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

TWA hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Hydrogen peroxide solution %	7722-84-1	DNEL	1.4 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Hydrogen peroxide solution %	7722-84-1	DNEL	3 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-activation reagent**



Relevant PNECs	Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Hydrogen peroxide solution %	7722-84-1	PNEC	0.0138 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease	
Hydrogen peroxide solution %	7722-84-1	PNEC	0.013 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)	
Hydrogen peroxide solution %	7722-84-1	PNEC	0.013 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)	
Hydrogen peroxide solution %	7722-84-1	PNEC	4.66 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Hydrogen peroxide solution %	7722-84-1	PNEC	0.047 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Hydrogen peroxide solution %	7722-84-1	PNEC	0.047 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)	
Hydrogen peroxide solution %	7722-84-1	PNEC	0.002 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)	

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

### Eye/face protection



Use safety goggle with side protection.

### **Skin protection**



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.



acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-activation reagent**

article number: 9871

### **Respiratory protection**



Usually no personal respirative protection necessary.

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	~100 °C at 1,013 hPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
<u>Solubility(ies)</u> Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
Density and/or relative density	
Density	1 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	



acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-activation reagent**

### article number: 9871

Oxidising properties

#### 9.2 Other information

Information with regard to physical hazard classes:

Other safety characteristics:

Miscibility

### SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### **Classification acc. to GHS**

This mixture does not meet the criteria for classification.

### **Acute toxicity**

Shall not be classified as acutely toxic. .

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ATE		
Hydrogen peroxide solution %	7722-84-1	oral	500 <sup>mg</sup> / <sub>kg</sub>		
Hydrogen peroxide solution %	7722-84-1	inhalation: vapour	11 <sup>mg</sup> /ı/4h		

none

hazard classes acc. to GHS (physical hazards): not relevant

completely miscible with water



acc. to Safe Work Australia - Code of Practice

### **ROTI**®-DAB-activation reagent



#### article number: 9871

# Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Hydrogen peroxide solution %	7722-84-1	oral	LD50	693.7 <sup>mg</sup> / <sub>kg</sub>	rat
Hydrogen peroxide solution %	7722-84-1	oral	LD50	1,026 <sup>mg</sup> / <sub>kg</sub>	rat
Hydrogen peroxide solution %	7722-84-1	dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rabbit

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

### • If in eyes

Data are not available.

### • If inhaled

Data are not available.

### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

### Other information

none

### **11.2 Endocrine disrupting properties**

None of the ingredients are listed.

acc. to Safe Work Australia - Code of Practice



### **ROTI®-DAB-activation reagent**

### article number: 9871

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Hydrogen peroxide solution %	7722-84-1	LC50	16.4 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Hydrogen peroxide solution %	7722-84-1	ErC50	1.38 <sup>mg</sup> / <sub>l</sub>	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Hydrogen peroxide solution %	7722-84-1	EC50	466 <sup>mg</sup> / <sub>l</sub>	microorganisms	30 min

### Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.2 Process of degradability

Data are not available.

- **12.3 Bioaccumulative potential** Data are not available.
- 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- **12.7 Other adverse effects** Data are not available.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

### Sewage disposal-relevant information

Do not empty into drains.

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-activation reagent**

article number: **9871** 

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

### 14.1 UN number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

- not assigned
  - not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

# **14.6** Special precautions for user There is no additional information.

**14.7 Transport in bulk according to IMO instruments** The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

### Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed



acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-activation reagent**





Country	Inventory	Status
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

### Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations   Acute toxicity					
Acute Tox.						
ATE	Acute Toxicity Estimate					
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)					
Ceiling-C	Ceiling value					
DGR	Dangerous Goods Regulations (see IATA/DGR)					
DNEL	Derived No-Effect Level					
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval					
EINECS	European Inventory of Existing Commercial Chemical Substances					
ELINCS	European List of Notified Chemical Substances					
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control					
Eye Dam.	Seriously damaging to the eye					
Eye Irrit.	Irritant to the eye					
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions					

acc. to Safe Work Australia - Code of Practice



### **ROTI®-DAB-activation reagent**

#### article number: 9871

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

acc. to Safe Work Australia - Code of Practice

### **ROTI®-DAB-activation reagent**

### article number: 9871

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.



