acc. to Safe Work Australia - Code of Practice

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375 date of compilation: 2016-03-17 Version: GHS 5.0 en

Replaces version of: 2022-10-24

Version: (GHS 4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Silicone oil M 1 000 000, super-high viscous, 1

000 000 cSt

Article number 9375

CAS number 63148-62-9

Alternative name(s) Polydimethylsiloxane

1.2 Relevant identified uses of the substance or mixture and uses advised against

Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Relevant identified uses:

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This substance does not meet the criteria for classification.

2.2 **Label elements**

Labelling

not required

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Page 1 / 14 Australia (en)



Revision: 2024-03-03

acc. to Safe Work Australia - Code of Practice



Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

Results of PBT and vPvB assessment

The substance was identified as a PBT (persistent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative). Non-classified PBT substance. Non-classified vPvB substance.

Endocrine disrupting properties

The substance has an endocrine disrupting potential.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Silicone oil Molecular formula $(C_2H_6OSi)n$ CAS No 63148-62-9

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Dodecamethylcyclohexasiloxane	CAS No 540-97-6	0.1 – 3
Decamethylcyclopentasiloxane	CAS No 541-02-6	0.1 – 3
Octamethylcyclotetrasiloxane	CAS No 556-67-2	0.1 – 1

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

No special measures are necessary.

Following inhalation

Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

Australia (en) Page 2 / 14

acc. to Safe Work Australia - Code of Practice



Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 14

acc. to Safe Work Australia - Code of Practice

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	11 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	1.22 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	6.1 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	97.3 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	97.3 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	24.2 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	24.2 mg/ m³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects

Australia (en) Page 4 / 14

acc. to Safe Work Australia - Code of Practice



article number: 9375



Relevant DNELs of components Name of sub- CAS No End- Thresho

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	13 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	1.3 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	3.77 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.2 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	0.12 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.1 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.27 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	1.5 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.15 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	3 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.3 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.54 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		

Australia (en) Page 5 / 14

acc. to Safe Work Australia - Code of Practice

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375



Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown). Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1

Physical state liquid Form viscous Colour colourless Odour odourless -40 °C Melting point/freezing point

Australia (en) Page 6 / 14



8.2

acc. to Safe Work Australia - Code of Practice

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

Boiling point or initial boiling point and boiling

range

Flammability this material is combustible, but will not ignite

readily

not determined

Lower and upper explosion limit not determined

Flash point 320 °C

Auto-ignition temperature not determined

>150 °C Decomposition temperature

pH (value) not determined

900,000 – 1,100,000 $^{mm^2} \slash_s$ at 25 °C Kinematic viscosity

Solubility(ies)

(The study does not need to be conducted because the substance is known to be insoluble in Water solubility

water)

Solubility in hydrocarbons, aliphatic soluble Solubility in hydrocarbons, aromatic soluble

Solubility in ethylene glycol practically insoluble

Solubility in ethyl acetate soluble soluble Solubility in n-butyl acetate Solubility in toluene soluble Solubility in trichloroethylene soluble

Solubility in methanol practically insoluble

Solubility in trichloromethane (chloroform) soluble

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

 $0.97 - 0.98 \, {}^{9}/_{cm^{3}}$ at 25 °C Density

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

Australia (en) Page 7 / 14

acc. to Safe Work Australia - Code of Practice

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375



9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >150 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5,000 ^{mg} / _{kg}	rat		TOXNET
dermal	LD50	>2,000 ^{mg} / _{kg}	rabbit		TOXNET

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Dodecamethylcyclohexasiloxane	540-97-6	oral	LD50	>2,000 ^{mg} / _{kg}	rat
Dodecamethylcyclohexasiloxane	540-97-6	dermal	LD50	>2,000 ^{mg} / _{kg}	rat

Australia (en) Page 8 / 14

acc. to Safe Work Australia - Code of Practice

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375



Acute toxicity of components								
Name of substance	CAS No	Exposure route	Endpoint	Value	Species			
Decamethylcyclopentasiloxane	541-02-6	oral	LD50	>5,000 ^{mg} / _{kg}	rat			
Decamethylcyclopentasiloxane	541-02-6	inhalation: dust/mist	LC50	8.67 ^{mg} / _l /4h	rat			
Decamethylcyclopentasiloxane	541-02-6	dermal	LD50	>2,000 ^{mg} / _{kg}	rabbit			
Octamethylcyclotetrasiloxane	556-67-2	oral	LD50	>4,800 ^{mg} / _{kg}	rat			
Octamethylcyclotetrasiloxane	556-67-2	inhalation:	LC50	36 ^{mg} / _l /4h	rat			

dust/mist

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Health effects are not known. This information is based upon the present state of our knowledge.

Australia (en) Page 9 / 14

acc. to Safe Work Australia - Code of Practice



article number: 9375



Not listed.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components Name of sub-stance **Exposure CAS No Endpoint Value Species** time Dodecamethylcyclo-540-97-6 ErC50 $>2 \mu g/I$ algae 72 h hexasiloxane LC50 >16 ^{µg}/_I Decamethylcyclo-541-02-6 fish 96 h pentasiloxane Decamethylcyclo-541-02-6 EC50 >2.9 ^{µg}/_I aquatic invertebrates 48 h pentasiloxane Octamethylcyclotet-556-67-2 LC50 >22 ^{µg}/_I fish 96 h rasiloxane >15 ^{µg}/_I 48 h Octamethylcyclotet-556-67-2 EC50 aquatic invertebrates rasiloxane Octamethylcyclotet-556-67-2 ErC50 >22 ^{µg}/_I algae 96 h rasiloxane

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Dodecamethylcyclo- hexasiloxane	540-97-6	EC50	>100 ^{mg} / _l	microorganisms	3 h
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>15 ^{µg} / _l	aquatic invertebrates	21 d
Octamethylcyclotet- rasiloxane	556-67-2	EC50	>15 ^{µg} / _l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable.

	•					
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Dodecamethyl- cyclohexasilox- ane	540-97-6	carbon dioxide generation	4.47 %	28 d		ECHA
Decamethyl- cyclopentas- iloxane	541-02-6	carbon dioxide generation	0.14 %	28 d		ECHA
Octamethylcyc- lotetrasiloxane	556-67-2	carbon dioxide generation	3.7 %	29 d		ECHA

Australia (en) Page 10 / 14



acc. to Safe Work Australia - Code of Practice



Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Dodecamethylcyclohexasiloxane	540-97-6	1,160	8.87 (23.6 °C)	
Decamethylcyclopentasiloxane	541-02-6	7,060	8.023 (25.3 °C)	
Octamethylcyclotetrasiloxane	556-67-2	12,400	6.488 (25.1 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

The substance was identified as a PBT (persistent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative).

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

Australia (en) Page 11 / 14

acc. to Safe Work Australia - Code of Practice

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375



There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Australia (en) Page 12 / 14



acc. to Safe Work Australia - Code of Practice



Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

Legend

AIIC CICR CSCL-ENCS Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

DSL ECSI IECSC

INSQ

Domestic Substances List (DSL)

EC Substance Inventory (EINECS, ELINCS, NLP)

Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

Korea Existing Chemical Inventory

National Chemical Inventory

National Chemical Inventory

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Results of PBT and vPvB assessment: Containing a PBT-/vPvB-substance in a concen- tration of ≥ 0,1%.	Results of PBT and vPvB assessment: The substance was identified as a PBT (persistent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative). Non-classified PBT substance. Non-classified vPvB substance.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

Australia (en) Page 13 / 14

acc. to Safe Work Australia - Code of Practice



Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 14 / 14