acc. to Safe Work Australia - Code of Practice

#### Sciadopitysin ROTICHROM® HPLC

article number: 9410 date of compilation: 2020-03-03 Version: GHS 3.0 en Revision: 2024-03-04

Replaces version of: 2022-08-15

Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Sciadopitysin ROTICHROM® HPLC

Article number 9410

CAS number 521-34-6

Alternative name(s) 5,7-dihydroxy-8-[5-(5-hydroxy-7-methoxy-4-oxo-

4H-1-benzopyran-2-yl)-2-methoxyphenyl]-2-(4-methoxyphenyl)-4-benzopyrone

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

> Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe

Germany

**Telephone:**+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data 
Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

Classification acc. to GHS

This substance does not meet the criteria for classification.

2.2 **Label elements** 

Labelling

not required

Page 1 / 12 Australia (en)



acc. to Safe Work Australia - Code of Practice

#### Sciadopitysin ROTICHROM® HPLC

article number: 9410



According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Name of substance Sciadopitysin

Molecular formula  $C_{33}H_{24}O_{10}$ 580.5 g/mol Molar mass CAS No 521-34-6

## Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Dichloromethane	CAS No 75-09-2	<3

#### Remarks

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

#### **Description of first aid measures** 4.1



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

# **Following skin contact**

Rinse skin with water/shower.

## Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

#### Most important symptoms and effects, both acute and delayed 4.2

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 12



#### 2.3

#### Results of PBT and vPvB assessment

acc. to Safe Work Australia - Code of Practice

#### Sciadopitysin ROTICHROM® HPLC

article number: 9410



# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

# 5.2 Special hazards arising from the substance or mixture

Combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Control of dust.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 12

acc. to Safe Work Australia - Code of Practice

#### Sciadopitysin ROTICHROM® HPLC

article number: 9410



# **SECTION 7: Handling and storage**

## Precautions for safe handling

No special measures are necessary.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice:

#### **Ventilation requirements**

Use local and general ventilation.

# Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

#### 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

#### Notation

TWA

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### **Relevant DNELs of components**

	<u>-</u>					
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Dichloromethane	75-09-2	DNEL	706 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemic effects
Dichloromethane	75-09-2	DNEL	176 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Dichloromethane	75-09-2	DNEL	12 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Australia (en) Page 4 / 12

acc. to Safe Work Australia - Code of Practice

#### **Sciadopitysin ROTICHROM® HPLC**

article number: 9410



# Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Dichloromethane	75-09-2	PNEC	0.31 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Dichloromethane	75-09-2	PNEC	0.031 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Dichloromethane	75-09-2	PNEC	26 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Dichloromethane	75-09-2	PNEC	2.57 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Dichloromethane	75-09-2	PNEC	0.26 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Dichloromethane	75-09-2	PNEC	0.33 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

#### • type of material

NBR (Nitrile rubber)

## material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## **Respiratory protection**





Australia (en) Page 5 / 12

acc. to Safe Work Australia - Code of Practice

#### Sciadopitysin ROTICHROM® HPLC

article number: 9410



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state solid
Form powder
Colour yellow

Odour characteristic

Melting point/freezing point 294 °C

Boiling point or initial boiling point and boiling

range

not determined

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point not applicable

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) not applicable

Kinematic viscosity not relevant

Solubility(ies)

Water solubility (poorly soluble)

Solubility in ethanol soluble

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density not determined

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

Australia (en) Page 6 / 12

acc. to Safe Work Australia - Code of Practice

#### Sciadopitysin ROTICHROM® HPLC

article number: 9410



Information with regard to physical hazard

classes:

(physical hazards): not relevant

hazard classes acc. to GHS

Other safety characteristics:

There is no additional information.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

#### **Acute toxicity**

Shall not be classified as acutely toxic.

## **Acute toxicity of components**

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Dichloromethane	75-09-2	oral	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat
Dichloromethane	75-09-2	dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

Australia (en) Page 7 / 12



acc. to Safe Work Australia - Code of Practice

#### **Sciadopitysin ROTICHROM® HPLC**

article number: 9410



Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

#### • If in eyes

Data are not available.

#### If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### Other information

Health effects are not known. This information is based upon the present state of our knowledge.

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

# Aquatic toxicity (acute) of components Name of substance CAS No Endpoint stance Value stance Species time Exposure time Dichloromethane 75-09-2 LC50 193 mg/i fish 96 h

Aquatic toxicity (c	Aquatic toxicity (chronic) of components					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Dichloromethane	75-09-2	LC50	471 <sup>mg</sup> / <sub>l</sub>	fish	8 d	
Dichloromethane	75-09-2	EC50	2,590 <sup>mg</sup> / <sub>l</sub>	microorganisms	40 min	

Australia (en) Page 8 / 12



acc. to Safe Work Australia - Code of Practice

#### Sciadopitysin ROTICHROM® HPLC

article number: 9410



## 12.2 Persistence and degradability

Theoretical Oxygen Demand:  $1.874 \, ^{mg}/_{mg}$ Theoretical Carbon Dioxide:  $2.502 \, ^{mg}/_{mg}$ 

#### **Degradability of components**

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Dichlorometh- ane	75-09-2	biotic/abiotic	5 – 26 %	28 d		
Dichlorometh- ane	75-09-2	oxygen deple- tion	68 %	28 d		ECHA

#### 12.3 Bioaccumulative potential

Data are not available.

#### **Bioaccumulative potential of components**

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Dichloromethane	75-09-2	39	1.25 (pH value: 7, 20 °C)	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

# Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Australia (en) Page 9 / 12

acc. to Safe Work Australia - Code of Practice

#### Sciadopitysin ROTICHROM® HPLC

article number: 9410



# **SECTION 14: Transport information**

not subject to transport regulations 14.1 UN number

**UN proper shipping name** not assigned 14.2 14.3 Transport hazard class(es) not assigned 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 There is no additional information.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
EU	ECSI	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

EC Substance Inventory (EINECS, ELINCS, NLP) **ECSI** 

NCI National Chemical Inventory

TCSI Taiwan Chemical Substance Inventory

#### 15.2 **Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 10 / 12

acc. to Safe Work Australia - Code of Practice

## **Sciadopitysin ROTICHROM® HPLC**

article number: 9410



# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average

Australia (en) Page 11 / 12

acc. to Safe Work Australia - Code of Practice

#### **Sciadopitysin ROTICHROM® HPLC**

article number: 9410



Abbr.	Descriptions of used abbreviations
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

#### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 12 / 12