

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C

article number: **9709**  
Version: **4.0 en**  
Replaces version of: 06.09.2018  
Version: (3)

date of compilation: 28.08.2015  
Revision: 29.04.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

|                                 |  |
|---------------------------------|--|
| Identification of the substance | <b>Benzophenone</b>  |
| Article number                  | 9709   |
| Registration number (REACH)     | It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a) |
| EC number                       | 204-337-6  |
| CAS number                      | 119-61-9   |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical  
laboratory and analytical use

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

**e-mail (competent person)** : [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Classification acc. to GHS |   |                           |                  |
|----------------------------|---|---------------------------|------------------|
| Section                    | Hazard class  | Hazard class and category | Hazard statement |
| 3.9                        | specific target organ toxicity - repeated exposure    | (STOT RE 2)               | H373             |
| 4.1C                       | hazardous to the aquatic environment - chronic hazard | (Aquatic Chronic 3)       | H412             |

### 2.2 Label elements

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C

article number: 9709

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

Warning

#### Pictograms

GHS08



#### Hazard statements

H373 May cause damage to organs (liver, kidney) through prolonged or repeated exposure (if swallowed)  
H412 Harmful to aquatic life with long lasting effects

#### Precautionary statements

##### Precautionary statements - prevention

P260 Do not breathe dust.  
P273 Avoid release to the environment.

##### Precautionary statements - response

P314 Get medical advice/attention if you feel unwell.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Warning**

Symbol(s)



H412 Harmful to aquatic life with long lasting effects.

### 2.3 Other hazards

There is no additional information.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

|                   |                                   |
|-------------------|-----------------------------------|
| Name of substance | Diphenyl ketone                   |
| EC number         | 204-337-6                         |
| CAS number        | 119-61-9                          |
| Molecular formula | C <sub>13</sub> H <sub>10</sub> O |
| Molar mass        | 182,2 g/mol                       |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C**

article number: 9709

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Liver and kidney damage

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

Vapours are heavier than air. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Do not allow firefighting water to enter drains or water courses.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C**

article number: 9709

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Do not breathe dust. Avoid contact with skin and eyes. Use personal protective equipment as required.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Do not breathe dust. Provide adequate ventilation.

#### • Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

##### • Ventilation requirements

Use local and general ventilation.

##### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

### 7.3 Specific end use(s)

No information available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C**

article number: 9709

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

#### Relevant DNELs/DMELs/PNECs and other threshold levels

##### • human health values

| Endpoint | Threshold level       | Protection goal, route of exposure | Used in           | Exposure time              |
|----------|-----------------------|------------------------------------|-------------------|----------------------------|
| DNEL     | 0,7 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL     | 0,1 mg/kg bw/day      | human, dermal                      | worker (industry) | chronic - systemic effects |

##### • environmental values

| Endpoint | Threshold level | Environmental compartment    | Exposure time                |
|----------|-----------------|------------------------------|------------------------------|
| PNEC     | 0,02 mg/l       | freshwater                   | short-term (single instance) |
| PNEC     | 0,002 mg/l      | marine water                 | short-term (single instance) |
| PNEC     | 3,16 mg/l       | sewage treatment plant (STP) | short-term (single instance) |
| PNEC     | 1,1 mg/kg       | freshwater sediment          | short-term (single instance) |
| PNEC     | 0,11 mg/kg      | marine sediment              | short-term (single instance) |
| PNEC     | 0,31 mg/kg      | soil                         | short-term (single instance) |

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection.

##### Skin protection



##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### • type of material

NBR (Nitrile rubber)

##### • material thickness

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C

article number: 9709

>0,11 mm

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

|                 |                     |
|-----------------|---------------------|
| Physical state  | solid (crystalline) |
| Colour          | white               |
| Odour           | characteristic      |
| Odour threshold | No data available   |

#### Other physical and chemical parameters

|   |                                     |
|---|-------------------------------------|
| pH (value)                              | This information is not available.  |
| Melting point/freezing point            | 47 – 49 °C                          |
| Initial boiling point and boiling range | 304 – 306 °C                        |
| Flash point                             | 150 °C at 1.013 hPa                 |
| Evaporation rate                        | no data available                   |
| Flammability (solid, gas)               | These information are not available |

#### Explosive limits

|                                 |  |
|---------------------------------|--|
| • lower explosion limit (LEL)   | this information is not available              |
| • upper explosion limit (UEL)   | this information is not available              |
| Explosion limits of dust clouds | these information are not available            |
| Vapour pressure                 | <0,01 hPa at 25 °C                             |
| Density                         | 1,1 g/cm <sup>3</sup> at 20 °C                 |
| Vapour density                  | This information is not available.             |
| Bulk density                    | ~ 700 kg/m <sup>3</sup>                        |
| Relative density                | Information on this property is not available. |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C

article number: 9709

### Solubility(ies)

Water solubility <0,2 g/l at 25 °C

### Partition coefficient

n-octanol/water (log KOW) 3,18

Soil organic carbon/water (log KOC) 2,634 (ECHA)

Auto-ignition temperature Information on this property is not available.

Decomposition temperature no data available

Viscosity not relevant (solid matter)

Explosive properties Shall not be classified as explosive

Oxidising properties none

### 9.2 Other information

There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

In case of warming: Vapours can form explosive mixtures with air. Dust explosibility.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

### 10.4 Conditions to avoid

Keep away from heat.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Shall not be classified as acutely toxic.

| Exposure route | Endpoint | Value         | Species | Source |
|----------------|----------|---------------|---------|--------|
| dermal         | LD50     | 3.535 mg/kg   | rabbit  | ECHA   |
| oral           | LD50     | >10.000 mg/kg | rat     | TOXNET |

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C

article number: 9709

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

#### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### • Specific target organ toxicity - repeated exposure

May cause damage to organs (liver, kidney) through prolonged or repeated exposure (if swallowed).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Liver and kidney damage

#### • If in eyes

causes slight to moderate irritation

#### • If inhaled

Inhalation of dust may cause irritation of the respiratory system

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

### Other information

None

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

#### Aquatic toxicity (acute)

| Endpoint | Value      | Species                                 | Source | Exposure time |
|----------|------------|---|--------|---------------|
| LC50     | 14,2 mg/l  | fathead minnow<br>(Pimephales promelas) | ECHA   | 96 h          |
| EC50     | 6,784 mg/l | daphnia magna                           | ECHA   | 48 h          |
| ErC50    | 3,5 mg/l   | algae                                   | ECHA   | 72 h          |

#### Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C

article number: 9709

| Endpoint | Value     | Species               | Source | Exposure time |
|----------|-----------|-----------------------|--------|---------------|
| LC50     | 6,65 mg/l | fish                  | ECHA   | 7 d           |
| EC50     | 1,1 mg/l  | aquatic invertebrates | ECHA   | 21 d          |
| NOEC     | 0,2 mg/l  | aquatic invertebrates | ECHA   | 21 d          |
| LOEC     | 9,24 mg/l | fish                  | ECHA   | 7 d           |

### 12.2 Process of degradability

The substance is readily biodegradable.  
Theoretical Oxygen Demand: 2,634 mg/mg  
Theoretical Carbon Dioxide: 3,14 mg/mg

| Process          | Degradation rate | Time |
|------------------|------------------|------|
| biotic/abiotic   | 0 %              | 14 d |
| oxygen depletion | 66 - 84 %        | 28 d |

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 3,18  
BCF 3,4 - 9,2 (ECHA)

### 12.4 Mobility in soil

Henry's law constant 0,197 Pa m<sup>3</sup>/mol at 25 °C  
The Organic Carbon normalised adsorption coefficient 2,634

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Slightly hazardous to water. Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C

article number: 9709

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

- |      |                            |  |
|------|----------------------------|--|
| 14.1 | UN number                  | (not subject to transport regulations)                                       |
| 14.2 | UN proper shipping name    | not relevant   |
| 14.3 | Transport hazard class(es) | not relevant   |
|      | Class                      | -  |
| 14.4 | Packing group              | not relevant not assigned to a packing group                                 |
| 14.5 | Environmental hazards      | NONE (non-environmentally hazardous acc. to the dangerous goods regulations) |
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**  
The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations**
- **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**  
Not subject to ADR, RID and ADN.
  - **International Maritime Dangerous Goods Code (IMDG)**  
Not subject to IMDG.
  - **International Civil Aviation Organization (ICAO-IATA/DGR)**  
Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Relevant provisions of the European Union (EU)**
- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**  
Not listed.
  - **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**  
Not listed.
  - **Regulation 850/2004/EC on persistent organic pollutants (POP)**  
Not listed.
  - **Restrictions according to REACH, Annex XVII**  
not listed
  - **Restrictions according to REACH, Title VIII**  
None.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C

article number: 9709

### • List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

not listed

### • Seveso Directive

#### 2012/18/EU (Seveso III)

| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
|----|---------------------------------------|---|-------|
|    | not assigned                          |   |       |

### Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

### Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

### Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

### Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

### National inventories

Substance is listed in the following national inventories:

| Country | National inventories | Status              |
|---------|----------------------|---------------------|
| AU      | AICS                 | substance is listed |
| CA      | DSL                  | substance is listed |
| CN      | IECSC                | substance is listed |
| EU      | ECSI                 | substance is listed |
| EU      | REACH Reg.           | substance is listed |
| JP      | CSCL-ENCS            | substance is listed |
| KR      | KECI                 | substance is listed |
| MX      | INSQ                 | substance is listed |
| NZ      | NZIoC                | substance is listed |
| PH      | PICCS                | substance is listed |
| TR      | CICR                 | substance is listed |
| TW      | TCSI                 | substance is listed |
| US      | TSCA                 | substance is listed |

#### Legend

AICS Australian Inventory of Chemical Substances  
CICR Chemical Inventory and Control Regulation

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C

article number: 9709

### Legend

|            |   |
|------------|---|
| CSCL-ENCS  | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| DSL        | Domestic Substances List (DSL)  |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances               |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Abbreviations and acronyms

| Abbr.    | Descriptions of used abbreviations  |
|----------|---|
| ADN      | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR      | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)                                       |
| BCF      | bioconcentration factor   |
| CAS      | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| CLP      | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  |
| CMR      | Carcinogenic, Mutagenic or toxic for Reproduction   |
| DGR      | Dangerous Goods Regulations (see IATA/DGR)  |
| DMEL     | Derived Minimal Effect Level  |
| DNEL     | Derived No-Effect Level   |
| EINECS   | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS   | European List of Notified Chemical Substances   |
| GHS      | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |
| IATA     | International Air Transport Association   |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO     | International Civil Aviation Organization   |
| IMDG     | International Maritime Dangerous Goods Code   |
| MARPOL   | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")   |
| NLP      | No-Longer Polymer   |
| PBT      | Persistent, Bioaccumulative and Toxic   |
| PNEC     | Predicted No-Effect Concentration   |
| REACH    | Registration, Evaluation, Authorisation and Restriction of Chemicals  |
| RID      | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)   |
| SVHC     | Substance of Very High Concern  |
| vPvB     | very Persistent and very Bioaccumulative  |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Benzophenone ROTI®CALIPURE Melting point standard 47-49 °C

article number: 9709

---

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text   |
|------|--|
| H373 | may cause damage to organs (liver, kidney) through prolonged or repeated exposure (if swallowed) |
| H412 | harmful to aquatic life with long lasting effects  |

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.