United Kingdom (en)

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Petroleum benzine 60-70, extra pure

article number: **9735** Version: **3.0 en** Replaces version of: 2024-03-05 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Petroleum benzine 60-70 , extra pure
Article number	9735
Index No (GB CLP)	649-328-00-1
EC number	925-292-5
CAS number	64742-49-0
Alternative name(s)	Hydrocarbons, C ₆ , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	



date of compilation: 2021-05-18 Revision: 2024-03-05

acc. to Regulation (EC) No. 1907/2006 (REACH)



Petroleum benzine 60-70, extra pure

article number: 9735

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.7	Reproductive toxicity	2	Repr. 2	H361fd
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

The classification as a carcinogen or mutagen is not required. The substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS07, GHS08, GHS09



Hazard statements

H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if in- haled)
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
H336 H361fd H373	May cause drowsiness or dizziness Suspected of damaging fertility. Suspected of damaging the unborn child (if haled) May cause damage to organs (nervous system) through prolonged or repea exposure

acc. to Regulation (EC) No. 1907/2006 (REACH)

Petroleum benzine 60-70, extra pure



article number: 9735

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P243	Take action to prevent static discharges
P273	Avoid release to the environment

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P331	Do NOT induce vomiting

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance	Petroleum benzine 60-70
Molecular formula	C ₆ H ₁₄
Molar mass	86,18 ^g / _{mol}
CAS No	64742-49-0
EC No	925-292-5
Index No (GB CLP)	649-328-00-1

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Benzene	CAS No 71-43-2	< 0,1
	EC No 200-753-7	
	Index No 601-020-00-8	

Remarks

For full text of abbreviations: see SECTION 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

® §ROTH

Petroleum benzine 60-70, extra pure

article number: 9735

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Headache, Irritation, Loss of righting reflex, and ataxia, Dyspnoea, Dizziness, Drowsiness, Narcosis

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

acc. to Regulation (EC) No. 1907/2006 (REACH)





article number: 9735

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Petroleum benzine 60-70, extra pure



article number: 9735

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

Conditions for safe storage, including any incompatibilities 7.2

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	n-hexane	110-54-3	IOELV	20	72						2006/15/ EC
GB	n-hexane	110-54-3	WEL	20	72						EH40/ 2005

Notation

STEL

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Human health values

Relevant DNELs and other threshold levels							
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	93 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	13 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects			

acc. to Regulation (EC) No. 1907/2006 (REACH)

Petroleum benzine 60-70, extra pure



article number: 9735

Relevant PNECs	of compone	nts				
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Benzene	71-43-2	PNEC	80 ^{µg} /I	aquatic organ- isms	freshwater	short-term (single instance)
Benzene	71-43-2	PNEC	8 ^{µg} /I	aquatic organ- isms	marine water	short-term (single instance)
Benzene	71-43-2	PNEC	39 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Benzene	71-43-2	PNEC	1,36 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Benzene	71-43-2	PNEC	0,136 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Benzene	71-43-2	PNEC	0,225 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR: acrylonitrile-butadiene rubber

material thickness

0,4 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Petroleum benzine 60-70 , extra pure



article number: 9735

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - colourless
Odour	mild sweet
Melting point/freezing point	<-20 °C
Boiling point or initial boiling point and boiling range	65 – 70 °C at 100 kPa (ECHA)
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	1,2 vol% (LEL) - 7,3 vol% (UEL)
Flash point	-26 °C at 1 atm
Auto-ignition temperature	300 °C at 1 atm (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	0,474 ^{mm²} / _s at 20 °C
Solubility(ies)	
Water solubility	0,01 ^g / _l at 25 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	4
Soil organic carbon/water (log KOC)	3,34 (ECHA)
Vapour pressure	47 kPa at 25 °C
Density and/or relative density	
Density	0,675 ^g / _{cm³} at 15 °C

acc. to Regulation (EC) No. 1907/2006 (REACH)



Petroleum benzine 60-70, extra pure

article	article number: 9735			
	Relative vapour density	2,8 (air = 1)		
	Particle characteristics	not relevant (liquid)		
	Other safety parameters			
	Oxidising properties	none		
9.2	Other information			
	Information with regard to physical hazard classes:	There is no additional information.		
	Other safety characteristics:			
	Refractive index	≥1,377		

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Benzene	71-43-2	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Benzene	71-43-2	inhalation: va- pour	LC50	43.767 ^{mg} / _{m³} / 4h	rat

acc. to Regulation (EC) No. 1907/2006 (REACH)



Petroleum benzine 60-70, extra pure

article number: 9735

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Suspected of damaging the unborn child (if inhaled). Suspected of damaging fertility (if inhaled).

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

May cause damage to organs (nervous system) through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
2	nervous system	if exposed

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

aspiration hazard

• If in eyes

slightly irritant but not relevant for classification

• If inhaled

vertigo, cough, headache, Dyspnoea, fatigue, narcosis

• If on skin

has degreasing effect on the skin, causes skin irritation, risk of absorption via the skin

• Other information

Other adverse effects: Loss of righting reflex, and ataxia

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Petroleum benzine 60-70, extra pure

article number: 9735

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components

•					
Name of sub- stance CAS No		Endpoint	Value	Species	Exposure time
Benzene	71-43-2	LC50	5,3 ^{mg} / _l	fish	96 h
Benzene	71-43-2	EC50	10 ^{mg} /l	aquatic invertebrates	48 h
Benzene	71-43-2	ErC50	100 ^{mg} / _l	algae	72 h

12.2 Persistence and degradability

Theoretical Oxygen Demand: 3,527 ^{mg}/_{mg} Theoretical Carbon Dioxide: 3,064 ^{mg}/_{mg}

Biodegradation

The substance is readily biodegradable.

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)	4
BCF	501,2 (ECHA)

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Benzene	71-43-2	13	2,13 (pH value: 7, 25 °C)	

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	3,34 (ECHA)
--	-------------

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Petroleum benzine 60-70, extra pure

article number: 9735

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 3 flammable
- HP 4 irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- **HP 10** toxic for reproduction
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information 14.1 UN number or ID number ADRRID UN 1208 IMDG-Code UN 1208 ICAO-TI UN 1208 14.2 UN proper shipping name ADRRID **HEXANES** IMDG-Code **HEXANES** ICAO-TI Hexanes 14.3 Transport hazard class(es) 3 ADRRID IMDG-Code 3 3 ICAO-TI 14.4 Packing group

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 9735

nent
ADR)Additiona
vironmentally
nt)
RID)Additional

acc. to Regulation (EC) No. 1907/2006 (REACH)

Petroleum benzine 60-70, extra pure

® Foth

article number: 9735

International Maritime Dangerous Goods Code (IMDG) - Additional information			
Proper shipping name	HEXANES		
Particulars in the shipper's declaration	UN1208, HEXANES, 3, II, -26°C c.c., MARINE POL- LUTANT		
Marine pollutant	yes (P) (hazardous to the aquatic environment)		
Danger label(s)	3, "Fish and tree"		
Special provisions (SP)	-		
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 L		
EmS	F-E, S-D		
Stowage category	E		
International Civil Aviation Organization (ICAC	O-IATA/DGR) - Additional information		
Proper shipping name	Hexanes		
Particulars in the shipper's declaration	UN1208, Hexanes, 3, II		
Environmental hazards	Yes (hazardous to the aquatic environment)		
Danger label(s)	3		
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 L		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (t plication of lower ar quireme	nd upper-tier re-	Notes	
E2	environmental hazards (hazardous to the aquatic en- vironment, cat. 2)	200	500	57)	

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

acc. to Regulation (EC) No. 1907/2006 (REACH)



Petroleum benzine 60-70, extra pure

article number: 9735

VOC content	100 %
VOC content	668 ^g / _l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	668 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)

List of politicants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Hydrocarbons, C ₆ , n-alkanes, iso- alkanes, cyclics, 5-60% n-hexane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)



Petroleum benzine 60-70, extra pure

article number: 9735

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Hydrocarbons, C ₆ , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Hydrocarbons, C ₆ , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane	carcinogenic		28
Hydrocarbons, C ₆ , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane	germ cell mutagenic (mutagenic)		29
Hydrocarbons, C _s , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

acc. to Regulation (EC) No. 1907/2006 (REACH)

Petroleum benzine 60-70 , extra pure

® Roth

article number: 9735

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization

acc. to Regulation (EC) No. 1907/2006 (REACH)

Petroleum benzine 60-70, extra pure



article number: 9735

Abbr.	Descriptions of used abbreviations
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if inhaled).
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 9735

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

