according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: **9735** Version: **3.0 en** Replaces version of: 05.03.2024 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

| Identification of the substance | Petroleum benzine 60-70 , extra pure |
|---------------------------------|---|
| Article number | 9735 |
| Registration number (REACH) | 01-2119474209-33-xxxx |
| Index number in CLP Annex VI | 649-328-00-1 |
| EC number | 925-292-5 |
| CAS number | 64742-49-0 |
| Alternative name(s) | Hydrocarbons, C ₆ , n-alkanes, iso-alkanes, cyclics, 5-60% n-hexane |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

date of compilation: 18.05.2021 Revision: 05.03.2024

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---|---------------|---------------------------|---------------------|
| 2.6 | Flammable liquid | 2 | Flam. Liq. 2 | H225 |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.7 | Reproductive toxicity | 2 | Repr. 2 | H361fd |
| 3.8D | Specific target organ toxicity - single exposure (narcotic effects, drowsiness) | 3 | STOT SE 3 | H336 |
| 3.9 | Specific target organ toxicity - repeated exposure | 2 | STOT RE 2 | H373 |
| 3.10 | Aspiration hazard | 1 | Asp. Tox. 1 | H304 |
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 2 | Aquatic Chronic 2 | H411 |

The classification as a carcinogen or mutagen is not required. The substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms



Hazard statements

| H225 | Highly flammable liquid and vapour |
|--------|---|
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H336 | May cause drowsiness or dizziness |
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child (if in- haled) |
| H373 | May cause damage to organs (nervous system) through prolonged or repeated exposure |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary statements

Precautionary statements - prevention

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition |
|------|---|
| P243 | sources. No smoking Take action to prevent static discharges |
| P273 | Avoid release to the environment |

Precautionary statements - response

| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor |
|-----------|---|
| P331 | Do NOT induce vomiting |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

Precautionary statements - storage

P403+P235

Store in a well-ventilated place. Keep cool

For professional users only

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



| H304 | May be fatal if swallowed and enters airways. |
|-----------|---|
| H336 | May cause drowsiness or dizziness. |
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child (if inhaled). |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. |
| P331 | Do NOT induce vomiting. |

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

| Name of substance | Petroleum benzine 60-70 |
|-------------------|-------------------------------------|
| Molecular formula | C ₆ H ₁₄ |
| Molar mass | 86,18 ^g / _{mol} |
| REACH Reg. No | 01-2119474209-33-xxxx |
| CAS No | 64742-49-0 |
| EC No | 925-292-5 |
| Index No | 649-328-00-1 |

Impurities/additives/constituents:

| Name of substance | Identifier | Wt% |
|-------------------|--------------------------|-------|
| Benzene | CAS No 71-43-2 | < 0,1 |
| | EC No 200-753-7 | |
| | Index No 601-020-00-8 | |

Remarks

For full text of abbreviations: see SECTION 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Headache, Irritation, Loss of righting reflex, and ataxia, Dyspnoea, Dizziness, Drowsiness, Narcosis

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70 , extra pure

article number: 9735

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Petroleum benzine 60-70, extra pure

article number: 9735

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

Conditions for safe storage, including any incompatibilities 7.2 Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|---------------|----------|-----------------|-------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|----------------|
| EU | n-hexane | 110-54-3 | IOELV | 20 | 72 | | | | | | 2006/15/ EC |
| MT | n-hexane | 110-54-3 | OELV | 20 | 72 | | | | | | CAP. 424 |

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Human health values

| Relevant DNELs and other threshold levels | | | | | | |
|---|---------------------|------------------------------------|-------------------|----------------------------|--|--|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time | | |
| DNEL | 93 mg/m³ | human, inhalatory | worker (industry) | chronic - systemic effects | | |
| DNEL | 13 mg/kg bw/ day | human, dermal | worker (industry) | chronic - systemic effects | | |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

| Relevant PNECs of components | | | | | | |
|------------------------------|---------|---------------|--|----------------------------|---------------------------------|---------------------------------|
| Name of sub- stance | CAS No | End- point | Threshol d level | Organism | Environmental compartment | Exposure time |
| Benzene | 71-43-2 | PNEC | 80 ^{µg} /I | aquatic organ- isms | freshwater | short-term (single instance) |
| Benzene | 71-43-2 | PNEC | 8 ^{µg} /I | aquatic organ- isms | marine water | short-term (single instance) |
| Benzene | 71-43-2 | PNEC | 39 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) |
| Benzene | 71-43-2 | PNEC | 1,36 ^{mg} / _{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) |
| Benzene | 71-43-2 | PNEC | 0,136 ^{mg} / _{kg} | aquatic organ- isms | marine sediment | short-term (single instance) |
| Benzene | 71-43-2 | PNEC | 0,225 ^{mg} / kg | terrestrial organ- isms | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR: acrylonitrile-butadiene rubber

material thickness

0,4 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | liquid |
|--|--|
| Colour | clear - colourless |
| Odour | mild sweet |
| Melting point/freezing point | <-20 °C |
| Boiling point or initial boiling point and boiling range | 65 – 70 °C at 100 kPa (ECHA) |
| Flammability | flammable liquid in accordance with GHS criteria |
| Lower and upper explosion limit | 1,2 vol% (LEL) - 7,3 vol% (UEL) |
| Flash point | -26 °C at 1 atm |
| Auto-ignition temperature | 300 °C at 1 atm (ECHA) |
| Decomposition temperature | not relevant |
| pH (value) | not determined |
| Kinematic viscosity | 0,474 ^{mm²} / _s at 20 °C |
| Solubility(ies) | |
| Water solubility | 0,01 ^g / _l at 25 °C (ECHA) |
| Partition coefficient | |
| Partition coefficient n-octanol/water (log value): | 4 |
| Soil organic carbon/water (log KOC) | 3,34 (ECHA) |
| | |
| Vapour pressure | 47 kPa at 25 °C |
| Density and/or relative density | |
| Density | 0,675 ^g / _{cm³} at 15 °C |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

| Relative vapour density | 2,8 (air = 1) |
|---|---|
| Particle characteristics | not relevant (liquid) |
| Other safety parameters | |
| Oxidising properties | none |
| Other information | |
| Information with regard to physical hazard classes: | There is no additional information. |
| Other safety characteristics: | |
| Refractive index | ≥1,377 |
| Temperature class (EU, acc. to ATEX) | T3 Maximum permissible surface temperature on the equipment: 200°C |
| | Particle characteristics <u>Other safety parameters</u> Oxidising properties Other information Information with regard to physical hazard classes: Other safety characteristics: Refractive index |

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

| Acute toxicity of components | | | | | |
|------------------------------|---------|-------------------------|----------|--|---------|
| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
| Benzene | 71-43-2 | oral | LD50 | >2.000 ^{mg} / _{kg} | rat |
| Benzene | 71-43-2 | inhalation: va- pour | LC50 | 43.767 ^{mg} / _{m³} / 4h | rat |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Suspected of damaging the unborn child (if inhaled). Suspected of damaging fertility (if inhaled).

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

May cause damage to organs (nervous system) through prolonged or repeated exposure.

| Hazard category | Target organ | Exposure route |
|-----------------|----------------|----------------|
| 2 | nervous system | if exposed |

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

aspiration hazard

• If in eyes

slightly irritant but not relevant for classification

• If inhaled

vertigo, cough, headache, Dyspnoea, fatigue, narcosis

If on skin

has degreasing effect on the skin, causes skin irritation, risk of absorption via the skin

• Other information

Other adverse effects: Loss of righting reflex, and ataxia

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components

| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
|------------------------|---------|----------|----------------------------------|-----------------------|------------------|
| Benzene | 71-43-2 | LC50 | 5,3 ^{mg} / _l | fish | 96 h |
| Benzene | 71-43-2 | EC50 | 10 ^{mg} / _l | aquatic invertebrates | 48 h |
| Benzene | 71-43-2 | ErC50 | 100 ^{mg} / _l | algae | 72 h |

12.2 Persistence and degradability

Theoretical Oxygen Demand: 3,527 ^{mg}/_{mg} Theoretical Carbon Dioxide: 3,064 ^{mg}/_{mg}

Biodegradation

The substance is readily biodegradable.

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

| n-octanol/water (log KOW) | | 4 | 4 | | |
|---|---------|-----|--------------|---------------------------|----------|
| BCF | | 5 | 501,2 (ECHA) | | |
| Bioaccumulative potential of components | | ts | | | |
| Name of substance | CAS No | BCF | : | Log KOW | BOD5/COD |
| Benzene | 71-43-2 | 13 | | 2,13 (pH value: 7, 25 °C) | |

12.4 Mobility in soil

| The Organic Carbon normalised adsorption coefficient | 3,34 (ECHA) |
|--|-------------|
|--|-------------|

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 3 flammable
- HP 4 irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- **HP 10** toxic for reproduction
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information 14.1 UN number or ID number ADR UN 1208 IMDG-Code UN 1208 ICAO-TI UN 1208 14.2 UN proper shipping name ADR **HEXANES** IMDG-Code **HEXANES** ICAO-TI Hexanes 14.3 Transport hazard class(es) 3 ADR IMDG-Code 3 3 ICAO-TI 14.4 Packing group

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70 , extra pure

article number: 9735

| article | e number: 9/35 | |
|---------|--|---|
| | ADR | II |
| | IMDG-Code | II |
| | ICAO-TI | II |
| 4.5 | Environmental hazards | hazardous to the aquatic environment |
| 4.6 | Special precautions for user | |
| | Provisions for dangerous goods (ADR) should be c | complied within the premises. |
| 4.7 | Maritime transport in bulk according to IMO in | struments |
| | The cargo is not intended to be carried in bulk. | |
| 4.8 | Information for each of the UN Model Regulation | ons |
| | _ | age of Dangerous Goods by Road (ADR)Additiona |
| | Proper shipping name | HEXANES |
| | Particulars in the transport document | UN1208, HEXANES, 3, II, (D/E), environmentally hazardous |
| | Classification code | F1 |
| | Danger label(s) | 3, "Fish and tree" |
| | | |
| | Environmental hazards | Yes (hazardous to the aquatic environment) |
| | Excepted quantities (EQ) | E2 |
| | Limited quantities (LQ) | 1 L |
| | Transport category (TC) | 2 |
| | Tunnel restriction code (TRC) | D/E |
| | Hazard identification No | 33 |
| | International Maritime Dangerous Goods Code | (IMDG) - Additional information |
| | Proper shipping name | HEXANES |
| | Particulars in the shipper's declaration | UN1208, HEXANES, 3, II, -26°C c.c., MARINE POL- LUTANT |
| | Marine pollutant | yes (P) (hazardous to the aquatic environment) |
| | Danger label(s) | 3, "Fish and tree" |
| | | |
| | Special provisions (SP) | - |
| | Excepted quantities (EQ) | E2 |
| | Limited quantities (LQ) | 1 L |
| | EmS | F-E, S-D |
| | Stowage category | E |
| | | |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

| International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information | | |
|--|---|--|
| Proper shipping name | Hexanes | |
| Particulars in the shipper's declaration | UN1208, Hexanes, 3, II | |
| Environmental hazards | Yes (hazardous to the aquatic environment) | |
| Danger label(s) | 3 | |
| Excepted quantities (EQ) | E2 | |
| Limited quantities (LQ) | 1 L | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|---|--|--------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| Hydrocarbons, C ₆ , n-alkanes, iso-al- kanes, cyclics, 5-60% n-hexane | this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC | | R3 | 3 |
| Hydrocarbons, C ₆ , n-alkanes, iso-al- kanes, cyclics, 5-60% n-hexane | flammable / pyrophoric | | R40 | 40 |
| Hydrocarbons, C ₆ , n-alkanes, iso-al- kanes, cyclics, 5-60% n-hexane | substances in tattoo inks and perman- ent make-up | | R75 | 75 |

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and iokes

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

 a can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN)

5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a super container not exceeding 1 litre by 1 December 2010'.

opaque containers not exceeding 1 litre by 1 December 2010.';

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration,
- artificial snow and frost,

- 'whoopee' cushions,
 silly string aerosols,
 imitation excrement,
 horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735



tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

not listed

Seveso Directive

| 2012/ | 18/EU (Seveso III) | | |
|-------|---|---|-------|
| Νο | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements | Notes |
| E2 | environmental hazards (hazardous to the aquatic en- vironment, cat. 2) | 200 500 | 57) |

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

| VOC content | 100 % |
|-------------|---------------------------------|
| VOC content | 668 ^g / _l |

Industrial Emissions Directive (IED)

| VOC content | 100 % |
|-------------|---------------------|
| VOC content | 668 ^g /l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--|--|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Hydrocarbons, C ₆ , n-alkanes, iso- alkanes, cyclics, 5-60% n-hexane | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | a) | |

Legend a)

Indicative list of the main pollutants

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

| AIIC CICR | Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation |
|--------------|---|
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---------------------------|---|--------------------------|
| 2.1 | | Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|--|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in imple mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern ing the International Carriage of Dangerous Goods by Road) |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAP. 424 | Occupational Health and Safety Authority Act (CAP. 424) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

® Foth

Petroleum benzine 60-70, extra pure

article number: 9735

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|--------|---|
| H225 | Highly flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child (if inhaled). |
| H373 | May cause damage to organs (nervous system) through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Petroleum benzine 60-70, extra pure

article number: 9735

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.