according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



date of compilation: 30.05.2016

Revision: 02.03.2024

#### Tungsten ≥99 %, ~325 mesh powder

article number: **9835** Version: **3.0 en** Replaces version of: 23.12.2021 Version: (2)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

**Tungsten** powder, ≥99 %, ~325 mesh

9835

231-143-9

7440-33-7

Laboratory chemical

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

EC number

CAS number

1.2

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

#### 1.4 Emergency telephone number

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.7	Flammable solid	1	Flam. Sol. 1	H228
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

#### article number: 9835

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

**Pictograms** 

GHS02, GHS07



#### **Hazard statements**

H228	Flammable solid
H315	Causes skin irritation
H319	Causes serious eye irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210	Keep away from heat, sparks, open flames, hot surfaces. No smoking
P280	Wear protective gloves/eye protection

#### **Precautionary statements - response**

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

	3.1	Substances
--	-----	------------

Name of substance	Tungsten
Molecular formula	W
Molar mass	183,8 <sup>g</sup> / <sub>mol</sub>
CAS No	7440-33-7
EC No	231-143-9

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

article number: 9835

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Let water be drunken in little sips (dilution effect). Call a doctor if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

#### Irritation

**4.3 Indication of any immediate medical attention and special treatment needed** none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water, carbon dioxide (CO<sub>2</sub>), water jet

# 5.2 Special hazards arising from the substance or mixture

None.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

article number: 9835

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### Ventilation requirements

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

article number: 9835

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

#### Human health values

# Relevant DNELs and other threshold levels Endpoint Threshold Protection goal, Used in

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	5,8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	1,7 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

#### **Environmental values**

Relevant	Relevant PNECs and other threshold levels					
End- point			Environmental com- partment	Exposure time		
PNEC	0,338 <sup>mg</sup> / <sub>l</sub> aquatic organisms freshwater		freshwater	short-term (single instance)		
PNEC	0,034 <sup>mg</sup> / <sub>l</sub>	aquatic organisms marine water		short-term (single instance)		
PNEC	0,31 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release		
PNEC	5,86 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	960 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	96 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)		
PNEC	2,17 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)		

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

**Eye/face protection** 



Use safety goggle with side protection.

**Skin protection** 



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

article number: 9835

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

	-
Physical state	solid
Form	powder
Colour	black
Odour	odourless
Melting point/freezing point	3.410 °C
Boiling point or initial boiling point and boiling range	5.660 °C
Flammability	flammable solid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	≥100 °C (ECHA) (relative self-ignition temperat- ure for solids)
Decomposition temperature	not relevant

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

#### article number: 9835

pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	
	2
Water solubility	(practically insoluble)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
	not determined
Density and/or relative density	
Density	19,3 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	Information on this property is not available.
Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	
Temperature class (EU, acc. to ATEX)	Т5
	Maximum permissible surface temperature on the equipment: 100°C

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

9.2

It's a reactive substance. Risk of ignition.

#### If heated

Risk of ignition.

#### **10.2** Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Chlorine, Fluorine, Hydrogen peroxide, Bromine, Hydrogen sulphide ( $H_2S$ )

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

article number: 9835

- **10.5 Incompatible materials** There is no additional information.
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity	Acute toxicity					
Exposure route Endpoint		Value Species		Method	Source	
oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA	
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA	

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

#### • If in eyes

Causes serious eye irritation

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

#### article number: 9835

#### • If inhaled

Data are not available.

#### • If on skin

causes skin irritation

#### • Other information

none

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)						
Endpoint	Value	Species	Source	Exposure time		
LC50	>200 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h		
EC50	>163 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	24 h		
ErC50	≥54,1 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h		

#### Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	>100 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	21 d
EbC50	>100 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	21 d

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

>0 - <1,23 (ECHA)

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

article number: 9835

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Recycling/reclamation of metals and metal compounds.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP 3 flammable

HP 4 irritant - skin irritation and eye damage

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	UN 3089
ADR	010 2009
IMDG-Code	UN 3089
ICAO-TI	UN 3089
UN proper shipping name	
ADR	METAL POWDER, FLAMMABLE, N.O.S.
IMDG-Code	METAL POWDER, FLAMMABLE, N.O.S.
ICAO-TI	Metal powder, flammable, n.o.s.
Transport hazard class(es)	
ADR	4.1
IMDG-Code	4.1
ICAO-TI	4.1
	ICAO-TI UN proper shipping name ADR IMDG-Code ICAO-TI Transport hazard class(es) ADR IMDG-Code

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

article number: 9835

14.4	Packing group	
	ADR	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

Agreement concerning the International C information	Carriage of Dangerous Goods by Road (ADR)Additional
Proper shipping name	METAL POWDER, FLAMMABLE, N.O.S.
Particulars in the transport document	UN3089, METAL POWDER, FLAMMABLE, N.O.S., 4.1, II, (E)
Classification code	F3
Danger label(s)	4.1
Special provisions (SP)	552
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	40
International Maritime Dangerous Goods	Code (IMDG) - Additional information
Proper shipping name	METAL POWDER, FLAMMABLE, N.O.S.
Particulars in the shipper's declaration	UN3089, METAL POWDER, FLAMMABLE, N.O.S., 4.1, II
Marine pollutant	-
Danger label(s)	4.1
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-G, S-G
Stowage category	В

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

article number: 9835

Segregation group	7 - Heavy metals and their salts 15 - Powdered metals			
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information				
Proper shipping name	Metal powder, flammable, n.o.s.			
Particulars in the shipper's declaration	UN3089, Metal powder, flammable, n.o.s., 4.1, II			
Danger label(s)	4.1			
Special provisions (SP)	A3			
Excepted quantities (EQ)	E2			
Limited quantities (LQ)	5 kg			

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **Relevant provisions of the European Union (EU)**

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
Tungsten	flammable / pyrophoric		R40	40
Tungsten	substances in tattoo inks and perman- ent make-up		R75	75

Legend R40

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration,

- artificial snow and frost,

- 'whoopee' cushions, silly string aerosols,

- imitation excrement,

- horns for parties,

- decorative flakes and foams,

- artificial cobwebs,

- stink bombs. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Tungsten ≥99 %, ~325 mesh powder

weight;

#### article number: 9835

Legend

R75



Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this para-

graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

#### article number: 9835

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
	not assigned			

#### **Deco-Paint Directive**

VOC content	0 %
VOC content	0 g/l

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 g/l

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Tungsten	Metals and their compounds		a)	

Legend

a)

Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

#### article number: 9835

#### not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### Regulation on persistent organic pollutants (POP)

not listed

#### **Dual-use Regulation**

Dual Us	Dual Use Items	
Code	Description	
1		
1C		
1C117	Materials for the fabrication of 'missiles' components as follows:	
	a. Tungsten and alloys in particulate form with a tungsten content of 97 % by weight or more and a particle size of 50 $\times$ 10E-6 m (50 $\mu$ m) or less;	

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

article number: 9835

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 0 % , 0 <sup>g</sup> / <sub>l</sub>	VOC content: 0 %	yes
15.1		VOC content: 0 <sup>g</sup> / <sub>l</sub>	yes
15.1		National inventories: change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EbC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Tungsten ≥99 %, ~325 mesh powder

#### article number: 9835

Abbr.	Descriptions of used abbreviations
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H228	Flammable solid.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.