### Australia (en)

### Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice

### Bromophenol red indicator solution 0,1% in ethanol, denatured

article number: **9956** Version: **GHS 2.0 en** Replaces version of: 2016-08-30 Version: (GHS 1)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

**Bromophenol red indicator solution** 0,1% in ethanol, denatured

9956

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Nam	e	Street	Postal code/city	Telephone	Website
NSW Poisons Infor Childrens H		Hawkesbury Road	2145 West- mead, NSW	131126	

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.3	Serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.



date of compilation: 2016-08-30 Revision: 2022-01-21

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

article number: 9956

### 2.2 Label elements

### Labelling

Signal word Danger

### **Pictograms**

GHS02, GHS07



### **Hazard statements**

### **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking P233 Keep container tightly closed

### **Precautionary statements - response**

P337+P313	If eye irritation persists: Get medical advice/attention
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

#### **Precautionary statements - storage**

P403+P235 Store in a well-ventilated place. Keep cool

### **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

### 2.3 Other hazards

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ethanol	CAS No 64-17-5	≥80	Flam. Liq. 2 / H225 Eye Irrit. 2A / H319		IARC: 1

#### Notes

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

For full text of abbreviations: see SECTION 16

acc. to Safe Work Australia - Code of Practice

# ° Roth

### Bromophenol red indicator solution 0,1% in ethanol, denatured

article number: 9956

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air.

### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Vomiting, Irritation

**4.3 Indication of any immediate medical attention and special treatment needed** none

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

article number: 9956

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

article number: 9956

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

### **Consideration of other advice:**

Ground/bond container and receiving equipment.

### **Ventilation requirements**

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	ethyl alcohol (ethan- ol)	64-17-5	WES	1,00 0	1,880						WES

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

TWA hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Ethanol	64-17-5	DNEL	1,900 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects			
Ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects			
Ethanol	64-17-5	DNEL	950 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

#### article number: 9956

Relevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time			
Ethanol	64-17-5	PNEC	0.79 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	marine water	intermittent re- lease			
Ethanol	64-17-5	PNEC	2.75 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	air	intermittent re- lease			
Ethanol	64-17-5	PNEC	3.6 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	freshwater sedi- ment	intermittent re- lease			
Ethanol	64-17-5	PNEC	580 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	sewage treatment plant (STP)	intermittent re- lease			
Ethanol	64-17-5	PNEC	0.63 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	soil	intermittent re- lease			
Ethanol	64-17-5	PNEC	0.96 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	freshwater	intermittent re- lease			

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

### Eye/face protection



Use safety goggle with side protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

### • type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,7mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

article number: 9956

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light red
Odour	like: - alcohol
Melting point/freezing point	-114 °C
Boiling point or initial boiling point and boiling range	78 °C at 1,013 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	3.1 vol% (LEL) - 27.7 vol% (UEL)
Flash point	not determined
Auto-ignition temperature	455 °C
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	59 hPa at 20 °C
Density and/or relative density	
Density	0.79 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

article number: 9956

Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

9.2

The mixture contains reactive substance(s). Risk of ignition.

#### If heated

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification acc. to GHS

### Acute toxicity

Shall not be classified as acutely toxic.

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

article number: 9956

Acute toxicity of components of the mixture								
Name of substance	CAS No	Exposure route	Endpoint	Value	Species			
Ethanol	64-17-5	inhalation: va- pour	LC50	95.6 <sup>mg</sup> / <sub>l</sub> /4h	rat			
Ethanol	64-17-5	oral	LD50	7,060 <sup>mg</sup> / <sub>kg</sub>	rat			

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### If swallowed

Data are not available.

### • If in eyes

Causes serious eye irritation

### • If inhaled

Data are not available.

### • If on skin

Data are not available.

### Other information

none

### **11.2** Endocrine disrupting properties

None of the ingredients are listed.

acc. to Safe Work Australia - Code of Practice

### Bromophenol red indicator solution 0,1% in ethanol, denatured



article number: 9956

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture								
Name of sub- stanceCAS NoEndpointValueSpecies								
Ethanol	64-17-5	LC50	8,140 <sup>mg</sup> / <sub>l</sub>	orfe (Leuciscus idus)	96 h			
Ethanol	64-17-5	EC50	9,000 – 14,000 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h			

### Biodegradation

Data are not available.

### 12.2 Process of degradability

### Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Ethanol	64-17-5	biotic/abiotic	94 %	d		

### 12.3 Bioaccumulative potential

Data are not available.

E	Bioaccumulative potential of components of the mixture				
Name of substance CAS No BCF Log KOW		BOD5/COD			
	Ethanol	64-17-5		-0.31	

### 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

acc. to Safe Work Australia - Code of Practice

# ® ROTH

### Bromophenol red indicator solution 0,1% in ethanol, denatured

article number: 9956

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### Relevant provisions relating to waste(Basel Convention)

### Properties of waste which render it hazardous

H3 Flammable liquids

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

14.1	UN	num	ber
			~~.

1 - 1 - 1		
	UN RTDG	UN 1170
	IMDG-Code	UN 1170
	ICAO-TI	UN 1170
14.2	UN proper shipping name	
	UN RTDG	ETHANOL SOLUTION
	IMDG-Code	ETHANOL SOLUTION
	ICAO-TI	Ethanol solution
14.3	Transport hazard class(es)	
	UN RTDG	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	UN RTDG	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

article number: 9956

artici					
14.6	<b>Special precautions for user</b> There is no additional information.				
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code				
	The cargo is not intended to be carried in bull	k.			
14.8	Information for each of the UN Model Regulations				
	Transport informationNational regulationsAdditional information(UN RTDG)				
	UN number	1170			
	Class	3			
	Packing group	Ш			
	Danger label(s)	3			
	Special provisions (SP)	144 UN RTDG			
	Excepted quantities (EQ)	E2 UN RTDG			
	Limited quantities (LQ)	1 L UN RTDG			
	International Maritime Dangerous Goods Code (IMDG) - Additional information				
	Proper shipping name	ETHANOL SOLUTION			
	Particulars in the shipper's declaration	UN1170, ETHANOL SOLUTION, 3, II, <23°C c.c.			
	Marine pollutant	-			
	Danger label(s)	3			
	Special provisions (SP)	144			
	Excepted quantities (EQ)	E2			
	Limited quantities (LQ)	1 L			
	EmS	F-E, S-D			
	Stowage category	А			
	International Civil Aviation Organization (I	CAO-IATA/DGR) - Additional information			
	Proper shipping name	Ethanol solution			
	Particulars in the shipper's declaration	UN1170, Ethanol solution, 3, II			
	Danger label(s)	3			
	Special provisions (SP)	A3, A58, A180			
	Excepted quantities (EQ)	E2			

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

#### article number: 9956

Limited quantities (LQ)

1 L

### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

### National regulations(Australia)

### Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

#### Legend

AICSAustralian Inventory of Chemical SubstancesCICRChemical Inventory and Control RegulationCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical SubstancesINSQNational Inventory of Chemical SubstancesKECIKorea Existing Chemicals InventoryNZIoCNew Zealand Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance InventoryTSCAToxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

acc. to Safe Work Australia - Code of Practice

## Bromophenol red indicator solution 0,1% in ethanol, denatured



article number: **9956** 

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

# Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

### article number: 9956

Abbr.	Descriptions of used abbreviations	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
Flam. Liq.	Flammable liquid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LEL	Lower explosion limit (LEL)	
log KOW	n-Octanol/water	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
UEL	Upper explosion limit (UEL)	
UN RTDG	UN Recommendations on the Transport of Dangerous Good	
vPvB	Very Persistent and very Bioaccumulative	
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants	

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

acc. to Safe Work Australia - Code of Practice



### Bromophenol red indicator solution 0,1% in ethanol, denatured

#### article number: 9956

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.