

Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: **9957** Version: **2.0 en** Replaces version of: 2016-09-02 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

titration, coulometric

Registration number (REACH)

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

Karl Fischer ROTI®Hydroquant coulo A for KF

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	https:// www.poisons.ie/

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

date of compilation: 2016-09-02 Revision: 2022-01-25

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)		Acute Tox. 4	H302
3.1D	3.1D Acute toxicity (dermal)		Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.8	Specific target organ toxicity - single exposure	1	STOT SE 1	H370
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms



Hazard statements

H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H311+H331	Toxic in contact with skin or if inhaled
H314	Causes severe skin burns and eye damage
H351	Suspected of causing cancer
H360D	May damage the unborn child
H370	Causes damage to organs (eye)
H372	Causes damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P280	Wear protective gloves/protective clothing/eye protection/face protection

Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Precautionary sta	Precautionary statements - response			
P301+P310 P303+P361+P353	IF SWALLOWED: Immediately call a POISON CENTER/doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin			
P304+P340 P308+P311	with water [or shower] IF INHALED: Remove person to fresh air and keep comfortable for breathing IF exposed or concerned: Call a POISON CENTER/doctor			

For professional users only

Hazardous ingredients for labelling:

Imidazole, Trichloromethane, Methanol, Sulphur dioxide

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



H311+H331	Toxic in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H370	Causes damage to organs (eye).
H372	Causes damage to organs through prolonged or repeated exposure.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.
contains:	Imidazole, Trichloromethane, Methanol, Sulphur dioxide

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X	25 - 50	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370		GHS-HC IOELV
Trichloromethane	CAS No 67-66-3 EC No 200-663-8 Index No 602-006-00-4	25 - 50	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Carc. 2 / H351 Repr. 2 / H361d STOT RE 1 / H372		GHS-HC IARC: 2B IOELV



according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Imidazole	CAS No 288-32-4 EC No 206-019-2	10 - 25	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Repr. 1B / H360D		GHS-HC
	Index No 613-319-00-0			V	
Sulphur dioxide	CAS No 7446-09-5 EC No 231-195-2	5 – 10	Press. Gas C / H280 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318		5(a) GHS-HC IOELV U
	Index No 016-011-00-9				
Iodine	CAS No 7553-56-2	1 – 5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332		GHS-HC
	EC No 231-442-4		Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335		
	Index No 053-001-00-3		STOT RE 1 / H372 Aquatic Acute 1 / H400	\mathbf{V}	

Notes

5(a): The classification of the gaseous mixture is based on the concentration of the substance as volume per volume percentage
 GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI) IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer) IARC:

2B: IOELV: U:

Substance with a community indicative occupational exposure limit value When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Methanol	CAS No 67-56-1	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 ^{mg} / _{kg} 300 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral dermal inhalation: va-
	EC No 200-659-6			5 -71411	pour
	Index No 603-001-00-X				
Trichlorometh- ane	CAS No 67-66-3	-	-	908 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral inhalation: va- pour
	EC No 200-663-8				pour
	Index No 602-006-00-4				
Imidazole	CAS No 288-32-4	-	-	970 ^{mg} / _{kg}	oral
	EC No 206-019-2				
	Index No 613-319-00-0				

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Sulphur dioxide	CAS No 7446-09-5	-	-	700 ^{ppmV} / _{4h}	inhalation: gas
	EC No 231-195-2				
	Index No 016-011-00-9				
Iodine	CAS No 7553-56-2 EC No 231-442-4	-	-	1.500 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} >4,588 ^{mg} / _l / 4h	oral dermal inhalation: dust/ mist
	Index No 053-001-00-3				

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂), Sulphur oxides (SOx), Hydrogen chloride (HCl), Hydrogen halides (HX), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Thorough skin-cleansing after handling the product. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Occupational exposure limit values (Workplace Exposure Limits)

	_										
Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	methanol	67-56-1	IOELV	200	260						2006/15/ EC
EU	chloroform	67-66-3	IOELV	2	10						2000/39/ EC
EU	sulfur dioxide	7446-09- 5	IOELV	0,5	1,3	1	2,7				2017/ 164/EU
IE	methanol	67-56-1	OELV	200	260						S.I. No. 619 of 2001
IE	chloroform	67-66-3	OELV	2	9,8						S.I. No. 619 of 2001
IE	sulfur dioxide	7446-09- 5	OELV	0,5	1,3	1	2,7				S.I. No. 619 of 2001
IE	iodine	7553-56- 2	OELV	0,01		0,1				iv	S.I. No. 619 of 2001

Notation

Ceiling-C

iv STEL

Ceiling value is a limit value above which exposure should not occur Inhalable fraction and vapour Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Trichloromethane	67-66-3	DNEL	333 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Г

elevant DNELs	of compone	ents of th	ne mixture			
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef fects
Trichloromethane	67-66-3	DNEL	0,94 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemi effects
Imidazole	288-32-4	DNEL	10,6 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemi effects
Imidazole	288-32-4	DNEL	1,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemi effects
Sulphur dioxide	7446-09-5	DNEL	1,3 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef fects
Sulphur dioxide	e 7446-09-5 DNEL 2,7		2,7 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Iodine	7553-56-2	DNEL	0,07 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemi effects
Iodine	7553-56-2	DNEL	0,01 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemi effects

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Methanol	67-56-1	PNEC	20,8 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)
Methanol	67-56-1	PNEC	2,08 ^{mg} / _l	aquatic organ- isms	marine water	short-term (singl instance)
Methanol	67-56-1	PNEC	100 mg/laquatic organismssewage treatment plant (STP)77 mg/kgaquatic organismsfreshwater sediment		short-term (singl instance)	
Methanol	67-56-1	PNEC			short-term (singl instance)	
Methanol	67-56-1	PNEC	7,7 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Methanol	67-56-1	PNEC	100 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
Trichloromethane	67-66-3	PNEC	0,146 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)
Trichloromethane	67-66-3	PNEC	0,015 ^{mg} / _l	aquatic organ- isms	marine water	short-term (singl instance)
Trichloromethane	67-66-3	PNEC	0,048 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Trichloromethane	67-66-3	PNEC	0,45 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)
Trichloromethane	67-66-3	PNEC	0,09 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Trichloromethane	67-66-3	PNEC	0,56 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Imidazole	288-32-4	PNEC	1,3 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease		
Imidazole	288-32-4	PNEC	0,13 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)		
Imidazole	288-32-4	PNEC	0,013 ^{mg} / _l	aquatic organ- isms	marine water	short-term (singl instance)		
Imidazole	288-32-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)		
Imidazole	288-32-4	PNEC	0,336 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)		
Imidazole	288-32-4	PNEC	0,034 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)		
Imidazole	288-32-4	PNEC	0,043 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)		
Iodine	7553-56-2	PNEC	18,13 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)		
Iodine	7553-56-2	PNEC	60,01 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)		
Iodine	7553-56-2	PNEC	11 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)		
Iodine	7553-56-2	PNEC	3,99 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)		
Iodine	7553-56-2	PNEC	20,22 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (sing instance)		
Iodine	7553-56-2	PNEC	5,95 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection





article number: 9957

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,7mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - red brown
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	59 °C at 1.013 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	5,5 vol% (LEL) - 44 vol% (UEL)
Flash point	11 °C
Auto-ignition temperature	455 °C
Decomposition temperature	not relevant
pH (value)	not determined



according to Regulation (EC) No. 1907/2006 (REACH)

Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric



articl	le number: 9957	
	Kinematic viscosity	not determined
	Solubility(ies)	
	Water solubility	not determined
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	this information is not available
	Vapour pressure	210 hPa at 20 °C
	Density and/or relative density	
	Density	1,07 ^g / _{cm³} at 20 °C
	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	
	Temperature class (EU, acc. to ATEX)	T1 Maximum permissible surface temperature on the equipment: 450°C

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser


10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 9957

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Toxic in contact with skin. Toxic if inhaled.

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ATE		
Methanol	67-56-1	oral	100 ^{mg} / _{kg}		
Methanol	67-56-1	dermal	300 ^{mg} / _{kg}		
Methanol	67-56-1 inhalation: vapour		3 ^{mg} / _l /4h		
Trichloromethane	67-66-3	oral	908 ^{mg} / _{kg}		
Trichloromethane	67-66-3	inhalation: vapour	3 ^{mg} / _l /4h		
Imidazole	288-32-4	oral	970 ^{mg} / _{kg}		
Sulphur dioxide	7446-09-5	inhalation: gas	700 ^{ppmV} / _{4h}		
Iodine	7553-56-2	oral	1.500 ^{mg} / _{kg}		
Iodine	7553-56-2	dermal	1.100 ^{mg} / _{kg}		
Iodine	7553-56-2	inhalation: dust/mist	>4,588 ^{mg} / _l /4h		

te toxicity of componen		C			
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Methanol	67-56-1	inhalation: va- pour	LC50	131 ^{mg} / _l /4h	rat
Methanol	67-56-1	oral	LD50	5.628 ^{mg} / _{kg}	rat
Methanol	67-56-1	oral	LDLo	143 ^{mg} / _{kg}	human
Methanol	67-56-1	dermal	LD50	15.800 ^{mg} / _{kg}	rabbit
Trichloromethane	67-66-3	oral	LD50	908 ^{mg} / _{kg}	rat
Imidazole	288-32-4	oral	LD50	970 ^{mg} / _{kg}	rat
Iodine	7553-56-2	oral	LD50	14.000 ^{mg} / _{kg}	not specified
Iodine	7553-56-2	inhalation: dust/mist	LC50	>4,588 ^{mg} / _l / 4h	rat



ſ

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Acute toxicity of components of the mixture							
Name of substance	CAS No	Exposure route	Endpoint	Value	Species		
Iodine	7553-56-2	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit		

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Causes damage to organs (eye).

Hazard category	Target organ	Exposure route
1	eye	if exposed

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
2	thyroid gland	if swallowed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

Data are not available.

• If on skin

causes severe burns, causes poorly healing wounds

Other information

none

Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

- **11.2 Endocrine disrupting properties** None of the ingredients are listed.
- **11.3 Information on other hazards** There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Methanol	67-56-1	LC50	15.400 ^{mg} / _l	fish	96 h
Methanol	67-56-1	ErC50	22.000 ^{mg} / _l	algae	96 h
Trichloromethane	67-66-3	EC50	152,5 ^{mg} / _l	aquatic invertebrates	48 h
Trichloromethane	67-66-3	ErC50	13,3 ^{mg} / _l	algae	72 h
Imidazole	288-32-4	LC50	283,6 ^{mg} / _l	fish	48 h
Imidazole	288-32-4	EC50	341,5 ^{mg} / _l	aquatic invertebrates	48 h
Imidazole	288-32-4	ErC50	133 ^{mg} / _l	algae	72 h
Iodine	7553-56-2	LC50	1,67 ^{mg} / _l	fish	96 h
Iodine	7553-56-2	ErC50	0,13 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
Trichloromethane	67-66-3	EC50	0,48 ^{mg} / _l	microorganisms	24 h			
Imidazole	288-32-4	EC50	>1.000 ^{mg} / _l	microorganisms	30 min			
Iodine	7553-56-2	EC50	280 ^{mg} / _l	microorganisms	3 h			

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability	y of compone	nts of the mix	ture			
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Methanol	67-56-1	biotic/abiotic	99 %	30 d		
Methanol	67-56-1	oxygen deple- tion	69 %	5 d		ECHA
Trichlorometh- ane	67-66-3	biotic/abiotic	0 %	14 d		



according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Degradabilit	y of compone	ents of the mixture				
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Imidazole	288-32-4	biotic/abiotic	86 %	19 d		
Imidazole	288-32-4	DOC removal	90 – 100 %	18 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

oaccumulative potentia	l of componen	ts of the mixt	ure			
Name of substance	CAS No	BCF	Log KOW	BOD5/COD		
Methanol	67-56-1		-0,77			
Trichloromethane	67-66-3		1,97 (25 °C)			
Imidazole	288-32-4		0,0586			
Iodine	7553-56-2		2,49 (20 °C)			

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

according to Regulation (EC) No. 1907/2006 (REACH)

Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

SEC	TION 14: Transport information	
14.1	UN number or ID number	
	ADR/RID/ADN	UN 3286
	IMDG-Code	UN 3286
	ICAO-TI	UN 3286
14.2	UN proper shipping name	
	ADR/RID/ADN	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.
	IMDG-Code	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.
	ICAO-TI	Flammable liquid, toxic, corrosive, n.o.s.
	Technical name (hazardous ingredients)	Methanol, Imidazole
14.3	Transport hazard class(es)	
	ADR/RID/ADN	3 (6.1) (8)
	IMDG-Code	3 (6.1) (8)
	ICAO-TI	3 (6.1) (8)
14.4	Packing group	
	ADR/RID/ADN	п
	IMDG-Code	п
	ICAO-TI	П
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should	be complied within the premises.
14.7	Maritime transport in bulk according to IM	IO instruments

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail a information	nd inland waterway (ADR/RID/ADN) - Additional
Proper shipping name	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.
Particulars in the transport document	UN3286, FLAMMABLE LIQUID, TOXIC, CORROS- IVE, N.O.S., (contains: Methanol, Imidazole), 3 (6.1+8), II, (D/E)
Classification code	FTC
Danger label(s)	3+6.1+8
Special provisions (SP)	274, 802(ADN)



according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957	
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	368
International Maritime Dangerous Goods Co	de (IMDG) - Additional information
Proper shipping name	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.
Particulars in the shipper's declaration	UN3286, FLAMMABLE LIQUID, TOXIC, CORROS- IVE, N.O.S., (contains: Methanol, Imidazole), 3 (6.1+8), II, 11°C c.c.
Marine pollutant	-
Danger label(s)	3+6.1+8
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-C
Stowage category	В
International Civil Aviation Organization (ICA	AO-IATA/DGR) - Additional information
Proper shipping name	Flammable liquid, toxic, corrosive, n.o.s.
Particulars in the shipper's declaration	UN3286, Flammable liquid, toxic, corrosive, n.o.s., (contains: Methanol, Imidazole), 3 (6.1+8), II
Danger label(s)	3+6.1+8
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with re	s with restrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Karl Fischer ROTI®Hydroquant coulo A	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Imidazole	toxic for reproduction		R28-30	30

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Dangerous substances with	tances with restrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Methanol	methanol	67-56-1	R69	69
Methanol	flammable / pyrophoric		R40	40
Trichloromethane	chloroform	67-66-3	R32-38	32
Trichloromethane	substances in tattoo inks and perman- ent make-up		R75	75

Leaend

R3

R28-30 1. Shall not be placed on the market, or used,

- as substances - as constituents of other substances, or,

- in mixtures,

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:

Restricted to professional users'.
2. By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:
motor fuels which are covered by Directive 98/70/EC,
mineral oil products intended for use as fuel in mobile or fixed combustion plants,
fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Directive 1999/45/EC;

(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date; (f) devices covered by Regulation (EU) 2017/745.

1. Shall not be used in: - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, - tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

and not be placed on the management and placed on the management and placed on the market unless they conform to the european Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil

or even sucking the wick of lamps – may lead to life-threatening lung damage";
 (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
 (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
 (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
 1. Shall not be placed on the market or used.

R32-38 1. Shall not be placed on the market, or used,

- as substances

- as constituents of other substances, or in mixtures in concentrations equal to or greater than 0,1 % by weight,

as constituents of other substances, of infinitiaties in concentrations equal to of greater than 0,1 % by weight, where the substance or mixture is intended for supply to the general public and/or is intended for diffusive applications such as in surface cleaning and cleaning of fabrics.
Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures containing them in concentrations equal to or greater than 0,1 % by weight is visibly, legibly and indelibly marked as follows:

- 'For use in industrial installations only'.
 By way of derogation this provision shall not apply to:
 (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
 (b) cosmetic products as defined by Directive 76/768/EEC.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,

- imitation excrement, horns for parties, decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: (For professional users only.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to

the requirements indicated. Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight. R69



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Deco-Paint Directive

VOC content	50 – 70 % , 1.019 ^g /l

Industrial Emissions Directive (IED)

VOC content	50 – 70 %
VOC content	1.013 ^g / _l
VOC content Water content was discounted	1.019 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer register	rs (PRTR)		
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Trichloromethane	67-66-3		500

Water Framework Directive (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Imidazole	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Г

of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Trichloromethane	trichloromethane (chloroform)	67-66-3	B)	
Trichloromethane	trichloromethane	67-66-3	C)	
Trichloromethane	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		A)	
Trichloromethane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend

A) B) C)

Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Trichloromethane	chloroform	67-66-3	i(2)	b

Legend

Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation Sub-category: i(2) - industrial chemical for public use b i(2)

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

National	inventories
National	inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Legena	
AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring:	section 9	9.	section 14
nesti actaring.	Section	~,	500000000000000000000000000000000000000

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. The product is combust- ible and can be ignited by potential ignition sources.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/ 161/EU
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Abbr.	Descriptions of used abbreviations
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
	No-Longer Polymer

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo A for KF titration, coulometric

article number: 9957

Code	Text
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H361d	Suspected of damaging the unborn child.
H370	Causes damage to organs (eye).
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.