according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: **9986** Version: **3.0 en** Replaces version of: 2022-04-27 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	N,N-Dimethylcyclohexylamine ≥99%, for syn- thesis
Article number	9986
Registration number (REACH)	01-2119533030-60-xxxx
EC number	202-715-5
CAS number	98-94-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses advised against:

Laboratory chemical Laboratory and analytical use

feedingstuffs.

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

date of compilation: 2017-07-25

Revision: 2024-03-02

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	ion Hazard class		Hazard class and category	Hazard statement
2.6	Flammable liquid		Flam. Liq. 3	H226
3.10	Acute toxicity (oral)		Acute Tox. 3	H301
3.1D	D Acute toxicity (dermal)		Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)		Acute Tox. 3	H331
3.2	Skin corrosion/irritation		Skin Corr. 1	H314
3.3	Serious eye damage/eye irritation		Eye Dam. 1	H318
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms



Hazard statements

H226	Flammable liquid and vapour
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled
H314	Causes severe skin burns and eye damage
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, sparks, open flames, hot surfaces. No smoking
P260	Do not breathe mist/vapours/spray
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P310	Immediately call a POISON CENTER/doctor

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylcyclohexylamine ≥99%, for synthesis



article number: 9986

Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

Symbol(s)

H301+H311+H331
H314Toxic if swallowed, in contact with skin or if inhaled.
Causes severe skin burns and eye damage.P260Do not breathe mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
do. Continue rinsing.P310Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	N,N-Dimethylcyclohexylamine
Molecular formula	C ₈ H ₁₇ N
Molar mass	127,2 ^g / _{mol}
REACH Reg. No	01-2119533030-60-xxxx
CAS No	98-94-2
EC No	202-715-5

Substance, Specific Conc. Limits, M-factors, ATE			
Specific Conc. Limits M-Factors ATE Exposure route			
-	-	>272 ^{mg} / _{kg} 380 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral dermal inhalation: vapour

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylcyclohexylamine ≥99%, for synthesis



article number: 9986

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylcyclohexylamine ≥99%, for synthesis

® Roth

article number: 9986

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0,53 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	8,3 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	8,3 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
DNEL	0,6 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant	Relevant PNECs and other threshold levels					
End- point			Environmental com- partment	Exposure time		
PNEC	0,02 ^{mg} /l	aquatic organisms	water	intermittent release		
PNEC	3,5 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0,35 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)		
PNEC	20,6 ^{mg} / _l aquatic organisms		sewage treatment plant (STP)	short-term (single instance)		
PNEC	36,92 ^{µg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	3,69 ^{µg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		
PNEC	5,33 ^{µg} / _{kg}	terrestrial organisms	soil	short-term (single instance)		

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

0,4 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties		
	Physical state	liquid	
	Colour	colourless - light yellow	
	Odour	like: - amine	
	Melting point/freezing point	-77 °C (ECHA)	
	Boiling point or initial boiling point and boiling range	162,3 °C at 1.013 hPa (ECHA)	
	Flammability	flammable liquid in accordance with GHS criteria	
	Lower and upper explosion limit	3,6 vol% (LEL) - 19 vol% (UEL)	
	Flash point	41 °C at 1.013 hPa (ECHA)	
	Auto-ignition temperature	200 °C at 1.013 hPa (ECHA) (auto-ignition temper- ature (liquids and gases))	
	Decomposition temperature	not relevant	
	pH (value)	12 (in aqueous solution: 5 ^g / _l , 20 °C)	
	Kinematic viscosity	1,49 ^{mm²} / _s at 20 °C	
	Dynamic viscosity	3 mPa s at 25 °C	
	Solubility(ies)		
	Water solubility	13,4 ^g / _l at 20 °C (ECHA)	
	Partition coefficient		
	Partition coefficient n-octanol/water (log value):	2,01 (pH value: ~10, 25 °C) (ECHA)	
	Soil organic carbon/water (log KOC)	1,84 (ECHA)	
	Vapour pressure	3,17 hPa at 21,5 °C	
	Density and/or relative density		
	Density	0,85 ^g / _{cm³} at 20 °C	
	Relative vapour density	Information on this property is not available.	
	Particle characteristics	not relevant (liquid)	
	Other safety parameters		
	Oxidising properties	none	
9.2	Other information		
	Information with regard to physical hazard classes:	There is no additional information.	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

Other safety characteristics:

Temperature class (EU, acc. to ATEX)

T4 Maximum permissible surface temperature on the equipment: 135°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong acid, Isocyanates, Nitrites

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>272 - <289 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	380 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

cough, breathing difficulties, strongly irritant

• If on skin

causes severe burns, causes poorly healing wounds

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	31,58 ^{mg} / _l	fish	ECHA	96 h
EC50	0,6 ^{mg} / _l	algae	ECHA	72 h
ErC50	3,5 ^{mg} / _l	algae	ECHA	72 h

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylcyclohexylamine ≥99%, for synthesis



article number: 9986

Aquatic toxicity (chi	ronic)			
Endpoint	Value	Species	Source	Exposure time
EC50	206 ^{mg} /l	microorganisms	ECHA	17 h

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 2,892 $^{mg}/_{mg}$ Theoretical Oxygen Demand (with nitrification): 3,395 $^{mg}/_{mg}$ Theoretical Carbon Dioxide: 2,767 $^{mg}/_{mg}$

Biodegradation

The substance is readily biodegradable.

Process of degradability			
Process	Degradation rate	Time	
DOC removal	90 %	18 d	

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	2,01 (pH value: ~10, 25 °C) (ECHA)
BCF	19,84 (ECHA)

12.4 Mobility in soil

Henry's law constant	6,73 ^{Pa m³} / _{mol} at 25 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	1,84 (ECHA)

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylcyclohexylamine ≥99%, for synthesis

® Roth

article number: 9986

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP 3** flammable
- **HP 4** irritant skin irritation and eye damage
- HP 6 acute toxicity
- HP8 corrosive
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

14.5	Environmental hazards	hazardous to the aquatic environment
	ICAO-TI	II
	IMDG-Code	II
	ADRRID	II
14.4	Packing group	
	ICAO-TI	8 (3)
	IMDG-Code	8 (3)
	ADRRID	8 (3)
14.3	Transport hazard class(es)	
	ICAO-TI	N,N-Dimethylcyclohexylamine
	IMDG-Code	N,N-DIMETHYLCYCLOHEXYLAMINE
	ADRRID	N,N-DIMETHYLCYCLOHEXYLAMINE
14.2	UN proper shipping name	
	ICAO-TI	UN 2264
	IMDG-Code	UN 2264
	ADRRID	UN 2264

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	N,N-DIMETHYLCYCLOHEXYLAMINE
Particulars in the transport document	UN2264, N,N-DIMETHYLCYCLOHEXYLAMINE, 8 (3), II, (D/E), environmentally hazardous
Classification code	CF1
Danger label(s)	8+3, "Fish and tree"
Environmental hazards	Yes (hazardous to the aquatic environment)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	83
Regulations concerning the International Carr information	iage of Dangerous Goods by Rail (RID)Additional
Classification code	CF1
Danger label(s)	8+3, "Fish and tree"
Environmental hazards	Yes Hazardous to water
Environmental hazards Excepted quantities (EQ)	
	Hazardous to water
Excepted quantities (EQ)	Hazardous to water E2
Excepted quantities (EQ) Limited quantities (LQ)	Hazardous to water E2 1 L
Excepted quantities (EQ) Limited quantities (LQ) Transport category (TC)	Hazardous to water E2 1 L 2 83
Excepted quantities (EQ) Limited quantities (LQ) Transport category (TC) Hazard identification No	Hazardous to water E2 1 L 2 83
Excepted quantities (EQ) Limited quantities (LQ) Transport category (TC) Hazard identification No International Maritime Dangerous Goods Code	Hazardous to water E2 1 L 2 83 e (IMDG) - Additional information
Excepted quantities (EQ) Limited quantities (LQ) Transport category (TC) Hazard identification No International Maritime Dangerous Goods Code Proper shipping name	Hazardous to water E2 1 L 2 83 e (IMDG) - Additional information N,N-DIMETHYLCYCLOHEXYLAMINE
Excepted quantities (EQ) Limited quantities (LQ) Transport category (TC) Hazard identification No International Maritime Dangerous Goods Code Proper shipping name Particulars in the shipper's declaration	Hazardous to water E2 1 L 2 83 e (IMDG) - Additional information N,N-DIMETHYLCYCLOHEXYLAMINE UN2264, N,N-DIMETHYLCYCLOHEXYLAMINE, 8 (3), II, 41°C c.c., MARINE POLLUTANT
Excepted quantities (EQ) Limited quantities (LQ) Transport category (TC) Hazard identification No International Maritime Dangerous Goods Code Proper shipping name Particulars in the shipper's declaration Marine pollutant	Hazardous to water E2 1 L 2 83 E (IMDG) - Additional information N,N-DIMETHYLCYCLOHEXYLAMINE UN2264, N,N-DIMETHYLCYCLOHEXYLAMINE, 8 (3), II, 41°C c.c., MARINE POLLUTANT yes (hazardous to the aquatic environment)
Excepted quantities (EQ) Limited quantities (LQ) Transport category (TC) Hazard identification No International Maritime Dangerous Goods Code Proper shipping name Particulars in the shipper's declaration Marine pollutant	Hazardous to water E2 1 L 2 83 E (IMDG) - Additional information N,N-DIMETHYLCYCLOHEXYLAMINE UN2264, N,N-DIMETHYLCYCLOHEXYLAMINE, 8 (3), II, 41°C c.c., MARINE POLLUTANT yes (hazardous to the aquatic environment)
Excepted quantities (EQ) Limited quantities (LQ) Transport category (TC) Hazard identification No International Maritime Dangerous Goods Code Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s) $\widehat{\psi}$ $\widehat{\psi}$ $\widehat{\psi}$	Hazardous to water E2 1 L 2 83 e (IMDG) - Additional information N,N-DIMETHYLCYCLOHEXYLAMINE UN2264, N,N-DIMETHYLCYCLOHEXYLAMINE, 8 (3), II, 41°C c.c., MARINE POLLUTANT Yes (hazardous to the aquatic environment) 8+3, "Fish and tree"

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

EmS	F-E, S-C
Stowage category	A
International Civil Aviation Organization (ICAC	D-IATA/DGR) - Additional information
Proper shipping name	N,N-Dimethylcyclohexylamine
Particulars in the shipper's declaration	UN2264, N,N-Dimethylcyclohexylamine, 8 (3), II
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	8+3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
N,N-Dimethylcyclohexylamine	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
N,N-Dimethylcyclohexylamine	flammable / pyrophoric		R40	40
N,N-Dimethylcyclohexylamine	substances in tattoo inks and perman- ent make-up		R75	75

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a containers not exceeding 1 litre by 1 December 2010;

opaque containers not exceeding 1 litre by 1 December 2010.';

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,

- silly string aerosols,
 imitation excrement,
 horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylcyclohexylamine ≥99%, for synthesis

® §ROTH

article number: 9986



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Device the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity plication of lower quire	and upper-tier re-	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

Notation

41)

- Category 2, all exposure routes - category 3, inhalation exposure route

Deco-Paint Directive

VOC content	100 %
VOC content	850 ^g /l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	850 ^g /l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylcyclohexylamine ≥99%, for synthesis



article number: 9986

Regulation on persistent organic pollutants (POP) not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Legenu	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: **9986**

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Classification code: 8	Classification code: CF1	yes
15.1	VOC content: 100 % 850 ^g / _l	VOC content: 100 %	yes
15.1		VOC content: 850 ^g / _l	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylcyclohexylamine ≥99%, for synthesis



article number: 9986

Abbr.	Descriptions of used abbreviations
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H411	Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylcyclohexylamine ≥99%, for synthesis

article number: 9986

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

