acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

date of compilation: 2016-11-22 Revision: 2022-04-12 article number: 9987 Version: GHS 2.0 en

Replaces version of: 2016-11-22

Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Multi-Element ICP - Standard Solution Identification of the substance

ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

Article number 9987

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

Page 1 / 19 Australia (en)

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1A	Carc. 1A	H350
3.7	Reproductive toxicity	1B	Repr. 1B	H360FD

Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS08





Hazard statements

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage H340 May cause genetic defects (if exposed)

H350 May cause cancer

H360FD May damage fertility. May damage the unborn child (if exposed)

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dusts or mists P280 Wear eye protection/face protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P390 Absorb spillage to prevent material damage

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

Australia (en) Page 2 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

For professional users only

Hazardous ingredients for labelling: Nickel dinitrate, Nitric acid ...% [C ≤ 70 %], Cadmi-

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a)
Cadmium	CAS No 7440-43-9	0.1 - < 1	Acute Tox. 2 / H330 Muta. 2 / H341 Carc. 1B / H350 Repr. 2 / H361fd STOT RE 1 / H372		IARC: 1 RoC "Known"
Selenium	CAS No 7782-49-2	0.1 - < 1	Acute Tox. 3 / H301 Acute Tox. 3 / H331 STOT RE 2 / H373		
Molybdenum (VI) ox- ide	CAS No 1313-27-5	0.15	Eye Irrit. 2 / H319 Carc. 2 / H351 STOT SE 3 / H335	(!)	IARC: 2B
nickel dinitrate	CAS No 13138-45-9	0.01 - < 0.1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350 Repr. 1A / H360D STOT RE 1 / H372		
Antimony	CAS No 7440-36-0	0.1	Carc. 2 / H351 STOT RE 2 / H373	\$	

Notes

B(a): The classification refers to an aqueous solution IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer) IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer) IARC: 2B: RoC

NTP-RoC: Known To Be A Human Carcinogen

"Known"

Australia (en) Page 3 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

Australia (en) Page 4 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

Australia (en) Page 5 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nickel dinitrate	13138- 45-9	WES		0.1						WES
AU	antimony	7440-36- 0	WES		0.5						WES
AU	arsenic	7440-38- 2	WES		0.05						WES
AU	cadmium	7440-43- 9	WES		0.01						WES
AU	nitric acid	7697-37- 2	WES	2	5.2	4	10				WES

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Molybdenum (VI) oxide	1313-27-5	DNEL	16.76 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Molybdenum (VI) oxide	1313-27-5	DNEL	3 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Antimony	7440-36-0	DNEL	0.263 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Antimony	7440-36-0	DNEL	56.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cadmium	7440-43-9	DNEL	4 μg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Molybdenum (VI) oxide	1313-27-5	PNEC	19.05 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Molybdenum (VI) oxide	1313-27-5	PNEC	3.42 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)

Australia (en) Page 6 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO $_3$ - 1 000 mg/l

article number: 9987

Relevant PNECs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time				
Molybdenum (VI) oxide	1313-27-5	PNEC	32.55 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)				
Molybdenum (VI) oxide	1313-27-5	PNEC	33,900 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)				
Molybdenum (VI) oxide	1313-27-5	PNEC	3,555 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)				
Molybdenum (VI) oxide	1313-27-5	PNEC	14.25 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)				
Antimony	7440-36-0	PNEC	0.113 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)				
Antimony	7440-36-0	PNEC	0.011 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)				
Antimony	7440-36-0	PNEC	2.55 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)				
Antimony	7440-36-0	PNEC	11.2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)				
Antimony	7440-36-0	PNEC	2.24 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)				
Antimony	7440-36-0	PNEC	37 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)				
Cadmium	7440-43-9	PNEC	0.19 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)				
Cadmium	7440-43-9	PNEC	1.14 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)				
Cadmium	7440-43-9	PNEC	20 ^{µg} / _I	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)				
Cadmium	7440-43-9	PNEC	1.8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)				
Cadmium	7440-43-9	PNEC	0.64 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)				
Cadmium	7440-43-9	PNEC	0.9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)				

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Australia (en) Page 7 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: NO-P3 (against nitrous gases and particles, colour code: Blue/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour stinging

Melting point/freezing point ~0 °C at 1,013 mPa

Boiling point or initial boiling point and boiling

range

~100 °C at 1,013 mPa

Flammability non-combustible

Lower and upper explosion limit not determined

Australia (en) Page 8 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant

pH (value) <2

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density $1.05 \, {}^{9}/_{cm^3}$ at 20 ${}^{\circ}\text{C}$

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

Australia (en) Page 9 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	4h/ا/2.65 ^{mg} /
nickel dinitrate	13138-45-9	oral	1,620 ^{mg} / _{kg}
nickel dinitrate	13138-45-9	inhalation: dust/mist	1.5 ^{mg} / _l /4h
Cadmium	7440-43-9	inhalation: dust/mist	0.05 ^{mg} / _l /4h
Selenium	7782-49-2	oral	100 ^{mg} / _{kg}
Selenium	7782-49-2	inhalation: dust/mist	0.5 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2.65 ^{mg} / _l /4h	rat
nickel dinitrate	13138-45-9	oral	LD50	1,620 ^{mg} / _{kg}	rat
Molybdenum (VI) oxide	1313-27-5	oral	LD50	4,233 ^{mg} / _{kg}	rat
Molybdenum (VI) oxide	1313-27-5	inhalation: dust/mist	LC50	>5.1 ^{mg} / _l /4h	rat
Molybdenum (VI) oxide	1313-27-5	dermal	LD50	>2,000 ^{mg} / _{kg}	rat
Antimony	7440-36-0	oral	LD50	7,000 ^{mg} / _{kg}	rat
Antimony	7440-36-0	inhalation: dust/mist	LC50	>5.2 ^{mg} / _l /4h	rat
Antimony	7440-36-0	dermal	LD50	>8,300 ^{mg} / _{kg}	rabbit

Australia (en) Page 10 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Acute toxicity of components of the mixture										
Name of substance	CAS No	Exposure route	Endpoint	Value	Species					
Cadmium	7440-43-9	oral	LD50	2,330 ^{mg} / _{kg}	rat					

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

May cause genetic defects (if exposed).

Carcinogenicity

May cause cancer.

Reproductive toxicity

May damage the unborn child (if exposed). May damage fertility (if exposed).

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

If in eyes

causes burns, Causes serious eye damage, risk of blindness

If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds

Other information

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

None of the ingredients are listed.

Australia (en) Page 11 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Molybdenum (VI) ox- ide	1313-27-5	LC50	577 ^{mg} / _l	fish	96 h
Antimony	7440-36-0	LC50	6.9 ^{mg} / _l	fish	96 h
Antimony	7440-36-0	ErC50	>36.6 ^{mg} / _l	algae	72 h
Cadmium	7440-43-9	LC50	58.16 ^{µg} / _l	aquatic invertebrates	48 h
Cadmium	7440-43-9	EC50	1,900 ^{µg} / _l	aquatic invertebrates	24 h
Cadmium	7440-43-9	ErC50	120 ^{µg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Molybdenum (VI) ox- ide	1313-27-5	EC50	1,100 ^{mg} / _l	microorganisms	30 min
Antimony	7440-36-0	EC50	3.82 ^{mg} / _l	aquatic invertebrates	21 d
Cadmium	7440-43-9	LC50	1,500 ^{µg} / _l	fish	4 d
Cadmium	7440-43-9	EC50	8.1 ^{µg} / _l	fish	100 d
Selenium	7782-49-2	EC50	>3,200 ^{mg} / _l	microorganisms	3 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Selenium	7782-49-2		5	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

Australia (en) Page 12 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number

UN RTDG UN 3264

IMDG-Code UN 3264
ICAO-TI UN 3264

14.2 UN proper shipping name

UN RTDG CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. IMDG-Code CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

ICAO-TI Corrosive liquid, acidic, inorganic, n.o.s.

Technical name (hazardous ingredients) Nitric acid ...% [C ≤ 70 %], Arsenic

14.3 Transport hazard class(es)

UN RTDG 8
IMDG-Code 8
ICAO-TI 8

Australia (en) Page 13 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

		•
1 A A	Dack	INA AKALIN
14.4	racki	iiiu ui vub
• -		ing group

II **UN RTDG** IMDG-Code Π ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 3264 Class 8 Packing group II Danger label(s) 8



Special provisions (SP) 274 UN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ)

UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Proper shipping name

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C \leq 70 %], ar-Particulars in the shipper's declaration

senic), 8, II

Marine pollutant

8 Danger label(s)



Special provisions (SP) 274 Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category В

Australia (en) Page 14 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid ...% [C \leq 70 %], arsenic), 8, II Particulars in the shipper's declaration

Danger label(s)



Special provisions (SP) **A3** Excepted quantities (EQ) E2 Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances

Australia (en) Page 15 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO₃ - 1 000 mg/l

article number: 9987

Legend

CICR CSCL-ENCS DSL ECSI IECSC

Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zoaland Chemicals Chemicals INSQ

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

TCSI TSCA Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Supplemental hazard information		yes
2.2		Supplemental hazard information: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: ammonium dichromate, Nitric acid, nickel dini- trate, arsenic acid	Hazardous ingredients for labelling: Nickel dinitrate, Nitric acid% [C ≤ 70 %], Cad- mium	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes

Australia (en) Page 16 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % $\rm HNO_3$ - 1 000 mg/l

article number: 9987

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Ammonium dichromate, Nitric acid, Nickel dini- trate, Arsenic acid		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye

Australia (en) Page 17 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % $\rm HNO_3$ - 1 000 mg/l

article number: 9987

Abbr.	Descriptions of used abbreviations	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
log KOW	n-Octanol/water	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
Met. Corr.	Substance or mixture corrosive to metals	
Muta.	Germ cell mutagenicity	
NLP	No-Longer Polymer	
NTP-RoC	National Toxicology Program: Report on Carcinogens	
Ox. Liq.	Oxidising liquid	
Ox. Sol.	Oxidising solid	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
Repr.	Reproductive toxicity	
Resp. Sens.	Respiratory sensitisation	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
Skin Sens.	Skin sensitisation	
STEL	Short-term exposure limit	
STOT RE	Specific target organ toxicity - repeated exposure	
STOT SE	Specific target organ toxicity - single exposure	
TWA	Time-weighted average	
UN RTDG	UN Recommendations on the Transport of Dangerous Good	
vPvB	Very Persistent and very Bioaccumulative	
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants	

Australia (en) Page 18 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO_3 - 1 000 mg/l

article number: 9987

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects (if exposed).
H341	Suspected of causing genetic defects (if exposed).
H350	May cause cancer.
H351	Suspected of causing cancer.
H360D	May damage the unborn child (if exposed).
H360FD	May damage fertility. May damage the unborn child (if exposed).
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if exposed).
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 19 / 19