

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1 000 mg/l

article number: **9987**  
Version: **2.0 en**  
Replaces version of: 2016-11-22  
Version: (1)

date of compilation: 2016-11-22  
Revision: 2022-04-12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance	<b>Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1 000 mg/l</b>
Article number	9987
Registration number (REACH)	not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

**e-mail (competent person):** **sicherheit@carlroth.de**

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	<a href="https://www.poisons.ie/">https://www.poisons.ie/</a>

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1A	Carc. 1A	H350i
3.7	Reproductive toxicity	1B	Repr. 1B	H360FD
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

### Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms

GHS05, GHS07,  
GHS08



#### Hazard statements

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H340	May cause genetic defects (if exposed)
H350i	May cause cancer by inhalation
H360FD	May damage fertility. May damage the unborn child (if exposed)
H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Precautionary statements

#### Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

#### Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

**Hazardous ingredients for labelling:** Nickel dinitrate, Nitric acid ...% [C ≤ 70 %], Cadmium

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H340 May cause genetic defects (if exposed).  
H350i May cause cancer by inhalation.  
H360FD May damage fertility. May damage the unborn child (if exposed).  
H412 Harmful to aquatic life with long lasting effects.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
EUH071 Corrosive to the respiratory tract.  
contains: Nickel dinitrate, Nitric acid ...% [C ≤ 70 %], Cadmium

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2  EC No 231-714-2  Index No 007-030-00-3	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
copper dinitrate	CAS No 3251-23-8  EC No 221-838-5	0,1 - < 1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		
















# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
arsenic	CAS No 7440-38-2  EC No 231-148-6  Index No 033-001-00-X	0,1 - < 1	Acute Tox. 3 / H301 Acute Tox. 3 / H331 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	 	
Cadmium	CAS No 7440-43-9  EC No 231-152-8  Index No 048-002-00-0	0,1 - < 1	Acute Tox. 2 / H330 Muta. 2 / H341 Carc. 1B / H350 Repr. 2 / H361fd STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	  	GHS-HC IARC: 1 IOELV RoC "Known"
Selenium	CAS No 7782-49-2  EC No 231-957-4  Index No 034-001-00-2	0,1 - < 1	Acute Tox. 3 / H301 Acute Tox. 3 / H331 STOT RE 2 / H373 Aquatic Chronic 4 / H413	 	GHS-HC
Molybdenum (VI) oxide	CAS No 1313-27-5  EC No 215-204-7  Index No 042-001-00-9	0,15	Eye Irrit. 2 / H319 Carc. 2 / H351 STOT SE 3 / H335	 	GHS-HC IARC: 2B
nickel dinitrate	CAS No 13138-45-9  EC No 236-068-5  Index No 028-012-00-1	0,01 - < 0,1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	    	GHS-HC
Antimony	CAS No 7440-36-0  EC No 231-146-5	0,1	Carc. 2 / H351 STOT RE 2 / H373		

### Notes

B(a): The classification refers to an aqueous solution

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

IARC: 2B: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

2B:

IOELV: Substance with a community indicative occupational exposure limit value

RoC NTP-RoC: Known To Be A Human Carcinogen

"Known"

:

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

Name of sub-stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2  EC No 231-714-2  Index No 007-030-00-3	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 mg/l/4h	inhalation: va- pour
nickel dinitrate	CAS No 13138-45-9  EC No 236-068-5  Index No 028-012-00-1	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	-	1.620 mg/kg 1,5 mg/l/4h	oral inhalation: dust/ mist
copper dinitrate	CAS No 3251-23-8  EC No 221-838-5	-	-	794 mg/kg	oral
arsenic	CAS No 7440-38-2  EC No 231-148-6  Index No 033-001-00-X	-	-	763 mg/kg 0,5 mg/l/4h	oral inhalation: dust/ mist
Cadmium	CAS No 7440-43-9  EC No 231-152-8  Index No 048-002-00-0	-	M-factor (acute) = 10.0	0,05 mg/l/4h	inhalation: dust/ mist
Selenium	CAS No 7782-49-2  EC No 231-957-4  Index No 034-001-00-2	-	-	100 mg/kg 0,5 mg/l/4h	oral inhalation: dust/ mist

### Substance of Very High Concern (SVHC)

Name of substance	Name acc. to invent-ory	CAS No	EC No	Listed in	Remarks
Cadmium	cadmium	7440-43-9	231-152-8	Candidate list	Carc. A57a STOT-re A57(f)-HH

#### Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV  
 Carc. A57a Carcinogenic (article 57a)  
 STOT-re Specific target organ toxicity - repeated exposure (article 57(f) - human health)  
 A57(f)-HH

For full text of abbreviations: see SECTION 16

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures



##### General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

##### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

##### Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

##### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes hold-  
ing eyelids apart and consult an ophthalmologist. Protect uninjured eye.

##### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed  
danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of acci-  
dent or unwellness, seek medical advice immediately (show directions for use or safety data sheet if  
possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



##### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

##### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
EU	cadmium	7440-43-9	IOELV		0,001					i, Cd-limit	2019/983/EU
EU	nitric acid	7697-37-2	IOELV			1	2,6				2006/15/EC
IE	nickel, inorganic compounds, soluble	13138-45-9	OELV		0,1					Ni	S.I. No. 619 of 2001
IE	antimony	7440-36-0	OELV		0,5						S.I. No. 619 of 2001
IE	cadmium	7440-43-9	OELV		0,001					i	S.I. No. 619 of 2001
IE	nitric acid	7697-37-2	OELV			1	2,6				S.I. No. 619 of 2001
IE	selenium	7782-49-2	OELV		0,1						S.I. No. 619 of 2001

#### Notation

Cd-limit Limit value 0,004 mg/m<sup>3</sup> until 11 July 2027

Ceiling-C Ceiling value is a limit value above which exposure should not occur

i Inhalable fraction

Ni Calculated as Ni (nickel)

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Molybdenum (VI) oxide	1313-27-5	DNEL	16,76 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Molybdenum (VI) oxide	1313-27-5	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Antimony	7440-36-0	DNEL	0,263 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Antimony	7440-36-0	DNEL	56,4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cadmium	7440-43-9	DNEL	4 µg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Molybdenum (VI) oxide	1313-27-5	PNEC	19,05 mg/l	aquatic organisms	freshwater	short-term (single instance)
Molybdenum (VI) oxide	1313-27-5	PNEC	3,42 mg/l	aquatic organisms	marine water	short-term (single instance)
Molybdenum (VI) oxide	1313-27-5	PNEC	32,55 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Molybdenum (VI) oxide	1313-27-5	PNEC	33.900 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Molybdenum (VI) oxide	1313-27-5	PNEC	3.555 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Molybdenum (VI) oxide	1313-27-5	PNEC	14,25 mg/kg	terrestrial organisms	soil	short-term (single instance)
Antimony	7440-36-0	PNEC	0,113 mg/l	aquatic organisms	freshwater	short-term (single instance)
Antimony	7440-36-0	PNEC	0,011 mg/l	aquatic organisms	marine water	short-term (single instance)
Antimony	7440-36-0	PNEC	2,55 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Antimony	7440-36-0	PNEC	11,2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Antimony	7440-36-0	PNEC	2,24 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Antimony	7440-36-0	PNEC	37 mg/kg	terrestrial organisms	soil	short-term (single instance)
Cadmium	7440-43-9	PNEC	0,19 µg/l	aquatic organisms	freshwater	short-term (single instance)
Cadmium	7440-43-9	PNEC	1,14 µg/l	aquatic organisms	marine water	short-term (single instance)
Cadmium	7440-43-9	PNEC	20 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Cadmium	7440-43-9	PNEC	1,8 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Cadmium	7440-43-9	PNEC	0,64 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Cadmium	7440-43-9	PNEC	0,9 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection. Wear face protection.

##### Skin protection



##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

##### • type of material

NBR (Nitrile rubber)

##### • material thickness

>0,11 mm


##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

##### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: NO-P3 (against nitrous gases and particles, colour code: Blue/White).

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	stinging
Melting point/freezing point	~0 °C at 1.013 mPa
Boiling point or initial boiling point and boiling range	~100 °C at 1.013 mPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	miscible in any proportion
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
<u>Density and/or relative density</u>	
Density	1,05 g/cm <sup>3</sup> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none

### 9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals category 1: corrosive to metals

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

Other safety characteristics:

Miscibility completely miscible with water

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Ammonia (NH<sub>3</sub>), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification according to GHS (1272/2008/EC, CLP)

##### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 mg <sub>i</sub> /4h
nickel dinitrate	13138-45-9	oral	1.620 mg <sub>i</sub> /kg
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 mg <sub>i</sub> /4h
copper dinitrate	3251-23-8	oral	794 mg <sub>i</sub> /kg
arsenic	7440-38-2	oral	763 mg <sub>i</sub> /kg
arsenic	7440-38-2	inhalation: dust/mist	0,5 mg <sub>i</sub> /4h
Cadmium	7440-43-9	inhalation: dust/mist	0,05 mg <sub>i</sub> /4h
Selenium	7782-49-2	oral	100 mg <sub>i</sub> /kg

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Selenium	7782-49-2	inhalation: dust/mist	0,5 mg <sub>i</sub> /l/4h

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	LC50	>2,65 mg <sub>i</sub> /l/4h	rat
nickel dinitrate	13138-45-9	oral	LD50	1.620 mg <sub>i</sub> /kg	rat
copper dinitrate	3251-23-8	oral	LD50	794 mg <sub>i</sub> /kg	rat
Molybdenum (VI) oxide	1313-27-5	oral	LD50	4.233 mg <sub>i</sub> /kg	rat
Molybdenum (VI) oxide	1313-27-5	inhalation: dust/mist	LC50	>5,1 mg <sub>i</sub> /l/4h	rat
Molybdenum (VI) oxide	1313-27-5	dermal	LD50	>2.000 mg <sub>i</sub> /kg	rat
Antimony	7440-36-0	oral	LD50	7.000 mg <sub>i</sub> /kg	rat
Antimony	7440-36-0	inhalation: dust/mist	LC50	>5,2 mg <sub>i</sub> /l/4h	rat
Antimony	7440-36-0	dermal	LD50	>8.300 mg <sub>i</sub> /kg	rabbit
arsenic	7440-38-2	oral	LD50	763 mg <sub>i</sub> /kg	rat
Cadmium	7440-43-9	oral	LD50	2.330 mg <sub>i</sub> /kg	rat

### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

May cause genetic defects (if exposed).

### Carcinogenicity

May cause cancer by inhalation.

### Reproductive toxicity

May damage the unborn child (if exposed). May damage fertility (if exposed).

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

#### • If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

#### • Other information

This information is based upon the present state of our knowledge.

### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Molybdenum (VI) oxide	1313-27-5	LC50	577 mg/l	fish	96 h
Antimony	7440-36-0	LC50	6,9 mg/l	fish	96 h
Antimony	7440-36-0	ErC50	>36,6 mg/l	algae	72 h
arsenic	7440-38-2	EC50	3,8 mg/l	daphnia magna	48 h
arsenic	7440-38-2	LC50	9,9 mg/l	Pimephales promelas	96 h
Cadmium	7440-43-9	LC50	58,16 µg/l	aquatic invertebrates	48 h
Cadmium	7440-43-9	EC50	1.900 µg/l	aquatic invertebrates	24 h
Cadmium	7440-43-9	ErC50	120 µg/l	algae	72 h

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Molybdenum (VI) oxide	1313-27-5	EC50	1.100 mg/l	microorganisms	30 min
Antimony	7440-36-0	EC50	3,82 mg/l	aquatic invertebrates	21 d
Cadmium	7440-43-9	LC50	1.500 µg/l	fish	4 d
Cadmium	7440-43-9	EC50	8,1 µg/l	fish	100 d
Selenium	7782-49-2	EC50	>3.200 mg/l	microorganisms	3 h

### Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.2 Process of degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Selenium	7782-49-2		5	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADRRID	UN 3264
IMDG-Code	UN 3264
ICAO-TI	UN 3264

### 14.2 UN proper shipping name

ADRRID	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
Technical name (hazardous ingredients)	Nitric acid ...% [C ≤ 70 %], Arsenic

### 14.3 Transport hazard class(es)

ADRRID	8
IMDG-Code	8
ICAO-TI	8

### 14.4 Packing group

ADRRID	II
IMDG-Code	II
ICAO-TI	II

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations



# Safety data sheet


according to Regulation (EC) No. 1907/2006 (REACH)




## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987


### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], arsenic), 8, II, (E)
Classification code	C1
Danger label(s)	8
	
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80

### Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

<b>Classification code</b>	8
<b>Danger label(s)</b>	8
	
<b>Special provisions (SP)</b>	274
<b>Excepted quantities (EQ)</b>	E2
<b>Limited quantities (LQ)</b>	1 L
<b>Transport category (TC)</b>	2
<b>Hazard identification No</b>	80

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], arsenic), 8, II
Marine pollutant	-
Danger label(s)	8
	
Special provisions (SP)	274
Excepted quantities (EQ)	E2

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1 000 mg/l

article number: 9987

Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	B
<b>Segregation group</b>	1 - Acids

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid ...% [C ≤ 70 %], arsenic), 8, II
Danger label(s)	8



Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Multi-Element	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Molybdenum (VI) oxide	substances in tattoo inks and permanent make-up		R75	75
nickel dinitrate	carcinogenic		R28-30	28
nickel dinitrate	toxic for reproduction		R28-30	30
nickel dinitrate	nickel compounds		R27	27
arsenic	arsenic	7440-38-2	R72	72
Cadmium	carcinogenic		R28-30	28
Cadmium	substances in tattoo inks and permanent make-up		R75	75
Nitric acid ...% [C ≤ 70 %]	substances in tattoo inks and permanent make-up		R75	75

#### Legend

- R27 1. Shall not be used:
- (a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than 0,2 µg/cm<sup>2</sup>/week (migration limit);
  - (b) in articles intended to come into direct and prolonged contact with the skin such as:
    - earrings,
    - necklaces, bracelets and chains, anklets, finger rings,
    - wrist-watch cases, watch straps and tighteners,

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Legend

- rivet buttons, tighteners, rivets, zippers and metal marks, when these are used in garments, if the rate of nickel release from the parts of these articles coming into direct and prolonged contact with the skin is greater than 0,5 µg/cm<sup>2</sup>/week.  
(c) in articles referred to in point (b) where these have a non-nickel coating unless such coating is sufficient to ensure that the rate of nickel release from those parts of such articles coming into direct and prolonged contact with the skin will not exceed 0,5 µg/cm<sup>2</sup>/week for a period of at least two years of normal use of the article.
2. Articles which are the subject of paragraph 1 shall not be placed on the market unless they conform to the requirements set out in that paragraph.
3. The standards adopted by the European Committee for Standardisation (CEN) shall be used as the test methods for demonstrating the conformity of articles to paragraphs 1 and 2.
- R28-30 1. Shall not be placed on the market, or used,  
- as substances,  
- as constituents of other substances, or,  
- in mixtures,  
for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:  
- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,  
- the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.  
Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:  
'Restricted to professional users'.  
2. By way of derogation, paragraph 1 shall not apply to:  
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;  
(b) cosmetic products as defined by Directive 76/768/EEC;  
(c) the following fuels and oil products:  
- motor fuels which are covered by Directive 98/70/EC,  
- mineral oil products intended for use as fuel in mobile or fixed combustion plants,  
- fuels sold in closed systems (e.g. liquid gas bottles);  
(d) artists' paints covered by Directive 1999/45/EC;  
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;  
(f) devices covered by Regulation (EU) 2017/745.
- R3 1. Shall not be used in:  
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,  
- tricks and jokes,  
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,  
2. Articles not complying with paragraph 1 shall not be placed on the market.  
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:  
— can be used as fuel in decorative oil lamps for supply to the general public, and  
— present an aspiration hazard and are labelled with H304.  
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).  
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:  
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";  
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";  
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Legend

- R72
1. Shall not be placed on the market after 1 November 2020 in any of the following:
    - (a) clothing or related accessories;
    - (b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;
    - (c) footwear;if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.
  2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.
  3. Paragraph 1 shall not apply to:
    - (a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;
    - (b) non-textile fasteners and non-textile decorative attachments;
    - (c) second-hand clothing, related accessories, textiles other than clothing or footwear
    - (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.
  4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (\*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (\*\*).
  5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.
  6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.
  7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.
- (\*) Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).
- (\*\*) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Legend

- R75
1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
    - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
    - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
    - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
      - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
      - (ii) 0,01 % by weight, in all other cases;
    - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
      - (i) "Rinse-off products";
      - (ii) "Not to be used in products applied on mucous membranes";
      - (iii) "Not to be used in eye products";
    - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
    - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
  2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
  3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
  4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
    - (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
    - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
  5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
  6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
  7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
    - (a) the statement "Mixture for use in tattoos or permanent make-up";
    - (b) a reference number to uniquely identify the batch;
    - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
    - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
    - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
    - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
    - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.
9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).
10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)						
Name acc. to inventory	CAS No	Listed in	Remarks	Latest application date	Sunset date	Date of inclusion
cadmium	7440-43-9	Candidate list	Carc. A57a STOT-re A57(f)-HH			2013-06-20

### Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carc. A57a Carcinogenic (article 57a)

STOT-re A57(f)- Specific target organ toxicity - repeated exposure (article 57(f) - human health)

HH

### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

### Deco-Paint Directive

VOC content	0 % 0 g/l
-------------	--------------

### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Hazardous substances in electrical and electronic equipment (RoHS)	
Name acc. to inventory	Maximum concentration values tolerated by weight in homogeneous materials
cadmium	0,01 % Cd

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1 000 mg/l

article number: 9987

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)			
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
arsenic	7440-38-2	(8)	20
Cadmium	7440-43-9	(8)	10

#### Legend

(8) All metals shall be reported as the total mass of the element in all chemical forms present in the release

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Molybdenum (VI) oxide	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Molybdenum (VI) oxide	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	
copper dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
copper dinitrate	Metals and their compounds		a)	
Antimony	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
arsenic	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
arsenic	Arsenic and its compounds		a)	
Cadmium	cadmium	7440-43-9	b)	HAZ
Cadmium	cadmium compounds		b)	HAZ
Cadmium	Cadmium and its compounds (depending on water hardness classes)	7440-43-9	c)	
Cadmium	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Cadmium	Metals and their compounds		a)	
Selenium	Metals and their compounds		a)	

### Legend

- A) Indicative list of the main pollutants
- B) List of priority substances in the field of water policy
- C) Environmental Quality Standards for Priority Substances and certain other pollutants
- HAZ Identified as priority hazardous substance

## Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the purpose of licensing under Article 5(3)
Nitric acid ...% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

### Legend

- annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

### Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Regulation on drug precursors

none of the ingredients are listed

### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limitation
Cadmium	cadmium	7440-43-9	i(1)	sr

#### Legend

i(1) Sub-category: i(1) - industrial chemical for professional use  
sr Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS Australian Inventory of Chemical Substances  
CICR Chemical Inventory and Control Regulation  
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)  
DSL Domestic Substances List (DSL)  
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)  
IECSC Inventory of Existing Chemical Substances Produced or Imported in China  
INSQ National Inventory of Chemical Substances  
KECI Korea Existing Chemicals Inventory  
NZIoC New Zealand Inventory of Chemicals  
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)  
REACH Reg. REACH registered substances  
TCSI Taiwan Chemical Substance Inventory

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

### Legend

TSCA Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-statements: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: nickel dinitrate, ammonium dichromate, Nitric acid, arsenic acid	Hazardous ingredients for labelling: Nickel dinitrate, Nitric acid ...% [C ≤ 70 %], Cadmium	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nickel dinitrate, Ammonium dichromate, Nitric acid, Arsenic acid	contains: Nickel dinitrate, Nitric acid ...% [C ≤ 70 %], Cadmium	yes

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

Abbr.	Descriptions of used abbreviations
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

Abbr.	Descriptions of used abbreviations
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects (if exposed).
H341	Suspected of causing genetic defects (if exposed).

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 9 elements in 5 % HNO<sub>3</sub> - 1000 mg/l

article number: 9987

Code	Text
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H351	Suspected of causing cancer.
H360D	May damage the unborn child (if exposed).
H360FD	May damage fertility. May damage the unborn child (if exposed).
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if exposed).
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.